

HCPCS/Drug Code List

Version 16.1

Revised 7/13/26

List will be updated routinely

Disclaimer: For drug codes that require an NDC, coverage depends on the drug NDC status (rebate eligible, Non-DESI, non-termed, etc) on the date of service.

Note: Physician/Facility-administered medications are reimbursed using the Centers for Medicare and Medicaid Services (CMS) Part B Drug pricing file found on the CMS website--www.cms.gov. In the absence of a fee, pricing may reflect the methodology used for retail pharmacies.

Go to data.medicare.gov for a complete list of drug NDCs participating in the Medicare drug rebate program.

each Managed Care Organization (MCO) about their coverage guidelines and prior authorization requirements, if applicable.

Consult with

Highlights represent updated material for each specific revision of the Drug Code List.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
90281	human ig, im	Gamastan	Yes	ML	Antisera	NONE	X	X	X	X									Closed 3/31/13.
90283	human ig, iv	Gamimune, Flebogamma, Gammagard	Yes	ML	Antisera	NONE	X	X	X	X									Closed 3/31/13. Cost invoice required with claim. Restricted to ICD-9 diagnoses codes 204.10 - 204.12, 279.02, 279.04, 279.06, 279.12, 287.31, and 446.1, and must be included on claim form, effective 10/1/09.
90287	botulinum antitoxin		N/A		Antisera														Not Covered
90288	botulism ig, iv		No	ML		NONE	X	X	X	X									Requires documentation and medical review
90291	cmv ig, iv	Cytogam	Yes	ML	Antisera	NONE	X	X	X	X									Closed 3/31/13.
90296	diphtheria antitoxin		No	ML		NONE	X	X	X	X									
90371	hep b ig, im	Bayhep B, Hyperhep B, Nabi-HB	Yes	ML	Antisera	NONE	X	X	X	X									Closed 3/31/13.
90375	rabies ig, im/sc	HyperRab	Yes	ML	Antisera	NONE	X	X	X	X									
90376	rabies ig, heat treated	Imogam	Yes	ML	Antisera	NONE	X	X	X	X									Closed 10/31/24. Manufacturer is no longer participating in federal drug rebate program.
90377	Rabies immune globulin, heat- and solvent/detergent-treated (Rlg-HT S/D), human, for intramuscular and/or subcutaneous use	Kedrab	Yes	ML	Antisera	NONE	X	X	X	X									Effective 1/1/21.
90378	Respiratory syncytial virus immune globulin(RSV-IgIM), for intramuscular use, 50 mg., each	Synagis	Yes	ML	Antisera	NONE	X	X	X										Pends for manual review. Requires prior authorization from Rational Drug Therapy Program (RDTP), at 1-800-847-3859.
90379	Respiratory syncytial virus immune globulin(RSV-IgIV), human, for intravenous use	Respigam	Yes	ML	Antisera	NONE	X	X	X										Closed.
90384	Rho(D) immune globulin (Rhlg), human, full-dose, 300 mcg., intramuscular use	Gamulin RH	Yes	EA=UN SOL=ML	Immune globulin	NONE	X	X	X	X	X								Code closed 3/31/13. See J2790 after this date.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
90385	Rho(D) immune globulin (Rhlg), human, mini-dose, 50 mcg., intramuscular use	BayRho-D MicrhoGam Hyprho-D	Yes	SOL=ML EA=UN	Immune globulin	NONE	X	X	X	X									Code closed 3/31/13. See J2788 after this date.
90386	Rho(D) immune globulin (RhlgIV), human, intravenous use	BAYrho-D Winrho SDF	Yes	EA=UN SOL=ML	Immune globulin	NONE	X	X	X	X									Closed 3/31/13.
90393	vaccina ig, im		No	ML		NONE	X	X	X	X									Requires documentation and medical review
90396	varicella-zoster ig, im	Varicella-Zoster	No	ML	Antisera	NONE	X	X	X	X									Effective 2/29/24, NDC requirement removed.
90399	immune globulin	Gammagard Polygam	Yes	ML	Antisera	NONE	X	X	X	X									Effective 2/29/24, code is closed. See J1566 & J1569.
Radiopharmaceuticals																			
A4216	Sterile water, saline and/or dextrose, diluent/flush, 10 ml	Multiple products	Yes	See product code															Covered under Chapter 506, DME & Supplies of the Medicaid Manual
A4217	Sterile water/saline, 500 ml	Multiple products	Yes	See product code															Covered under Chapter 506, DME & Supplies of the Medicaid Manual
A4641	Radiopharmaceutical, diagnostic, not otherwise classified																		Not Covered
A4642	In111 satumomab INDIUM IN-111 SATUMOMAB PENDETIDE, DIAGNOSTIC, PER STUDY DOSE, UP TO 6 MILLICURIES		No		Diagnostic agent Radio-pharmaceutical		X	X	X									X	Paper Claim. Send copy of the invoice which includes the NDC billed
A9500	Tc99m sestamibi TECHNETIUM TC-99M SESTAMIBI, DIAGNOSTIC, PER STUDY DOSE		No		Diagnostic agent Radio-pharmaceutical		X	X	X									X	
A9501	Technetium TC-99M Teboroxime, Diagnostic, per Study Dose		No		Diagnostic agent Radio-pharmaceutical		X	X	X									X	Paper Claim. Send copy of the invoice which includes the NDC billed

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
A9502	Tc99m tetrofosmin TECHNETIUM TC-99M TETROFOSMIN, DIAGNOSTIC, PER STUDY DOSE		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		
A9503	Tc99m medronate TECHNETIUM TC-99M MEDRONATE, DIAGNOSTIC, PER STUDY DOSE, UP TO 30 MILLICURIES		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		
A9504	Tc99m apcitide TECHNETIUM TC-99M APCITIDE, DIAGNOSTIC, PER STUDY DOSE, UP TO 20 MILLICURIES		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9505	TL201 thallium THALLIUM TL-201 THALLOUS CHLORIDE, DIAGNOSTIC, PER MILLICURIE		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		
A9507	In111 capromab INDIUM IN-111 CAPROMAB PENDETIDE, DIAGNOSTIC, PER STUDY DOSE, UP TO 10 MILLICURIES	Prostascint Kit	No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9508	I131 iodobenguane, dx IODINE I-131 IOBENGUANE SULFATE, DIAGNOSTIC, PER 0.5 MILLICURIE		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9509	IODINE I-123 Sodium Iodide, Diagnostic, Per Millicurie		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9510	Tc99m disofenin TECHNETIUM TC-99M DISOFENIN, DIAGNOSTIC, PER STUDY DOSE, UP TO 15 MILLICURIES		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
A9512	Tc99m pertechnetate TECHNETIUM TC-99M PERTECHNETATE, DIAGNOSTIC, PER MILLICURIE		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9515	Choline C-11, diagnostic, per study dose up to 20 mCi		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		No special instructions
A9516	I123 iodide cap, dx IODINE I-123 SODIUM IODIDE CAPSULE(S), DIAGNOSTIC, PER 100 MICROCURIES		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9517	I131 iodide cap, rx IODINE I-131 SODIUM IODIDE CAPSULE(S), THERAPEUTIC, PER MILLICURIE		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9520	Technetium tc-99m, tilmanocept, diagnostic, up to 0.5 millicuries		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9521	Tc99m exametazime TECHNETIUM TC-99M EXAMETAZIME, DIAGNOSTIC, PER STUDY DOSE, UP TO 25 MILLICURIES		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9524	I131 serum albumin, dx IODINE I-131 IODINATED SERUM ALBUMIN, DIAGNOSTIC, PER 5 MICROCURIES		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9526	Nitrogen N-13 ammonia NITROGEN N-13 AMMONIA, DIAGNOSTIC, PER STUDY DOSE, UP TO 40 MILLICURIES		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
A9527	Iodine I-125 sodium iodide IODINE I-125, SODIUM IODIDE SOLUTION, THERAPEUTIC, PER MILLICURIE		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9528	Iodine I-131 iodide cap, dx IODINE I-131 SODIUM IODIDE CAPSULE(S), DIAGNOSTIC, PER MILLICURIE		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9529	I131 iodide sol, dx IODINE I-131 SODIUM IODIDE SOLUTION, DIAGNOSTIC, PER MILLICURIE		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9530	I131 iodide sol, rx IODINE I-131 SODIUM IODIDE SOLUTION, THERAPEUTIC, PER MILLICURIE		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9531	I131 max 100uCi IODINE I-131 SODIUM IODIDE, DIAGNOSTIC, PER MICROCURIE (UP TO 100 MICROCURIES)		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9532	I125 serum albumin, dx IODINE I-125 SERUM ALBUMIN, DIAGNOSTIC, PER 5 MICROCURIES		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9535	Injection, methylene blue INJECTION, METHYLENE BLUE, 1 ML	Methylene Blue			Diagnostic agent Radio-pharmaceutical		X	X	X								X		Closed 1/1/10. CodeTermed
A9536	Tc99m depreotide TECHNETIUM TC-99M DEPREOTIDE, DIAGNOSTIC, PER STUDY DOSE, UP TO 35 MILLICURIES		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
A9537	Tc99m mebrofenin TECHNETIUM TC-99M MEBROFENIN, DIAGNOSTIC, PER STUDY DOSE, UP TO 15 MILLICURIES		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9538	Tc99m pyrophosphate TECHNETIUM TC-99M PYROPHOSPHATE, DIAGNOSTIC, PER STUDY DOSE, UP TO 25 MILLICURIES		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9539	Tc99m pentetate TECHNETIUM TC-99M PENTETATE, DIAGNOSTIC, PER STUDY DOSE, UP TO 25 MILLICURIES	CA-DTPA ZN-DTPA	No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9540	Tc99m MAA TECHNETIUM TC-99M MACROAGGREGATED ALBUMIN, DIAGNOSTIC, PER STUDY DOSE, UP TO 10 MILLICURIES		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		
A9541	Tc99m sulfur colloid TECHNETIUM TC-99M SULFUR COLLOID, DIAGNOSTIC, PER STUDY DOSE, UP TO 20 MILLICURIES	Sulfer Powder- Colloidal	No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		
A9542	In111 ibritumomab, dx INDIUM IN-111 IBRITUMOMAB TIUXETAN, DIAGNOSTIC, PER STUDY DOSE, UP TO 5 MILLICURIES	Zevalin	No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		
A9543	Y90 ibritumomab, rx YTTRIUM Y-90 IBRITUMOMAB TIUXETAN, THERAPEUTIC, PER TREATMENT DOSE, UP TO 40 MILLICURIES		Yes		Antineoplastic		X	X	X								X		Closed 9/30/25.
A9544	I131 tositumomab, dx IODINE I-131 TOSITUMOMAB, DIAGNOSTIC, PER STUDY DOSE	Bexxar			Diagnostic agent Radio-pharmaceutical		X	X	X								X		Closed.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
A9545	I131 tositumomab, rx IODINE I-131 TOSITUMOMAB, THERAPEUTIC, PER TREATMENT DOSE	Bexxar			Diagnostic agent Radio-pharmaceutical		X	X	X								X		Closed.
A9546	Co57/58 COBALT CO-57/58, CYANOCOBALAMIN, DIAGNOSTIC, PER STUDY DOSE, UP TO 1 MICROCURIE	Various Generic	No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		
A9547	In111 oxyquinoline INDIUM IN-111 OXYQUINOLINE, DIAGNOSTIC, PER 0.5 MILLICURIE		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		
A9548	In111 pentetate INDIUM IN-111 PENTETATE, DIAGNOSTIC, PER 0.5 MILLICURIE		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		
A9550	Tc99m gluceptate TECHNETIUM TC-99M SODIUM GLUCEPTATE, DIAGNOSTIC, PER STUDY DOSE, UP TO 25 MILLICURIES		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9551	Tc99m succimer TECHNETIUM TC-99M SUCCIMER, DIAGNOSTIC, PER STUDY DOSE, UP TO 10 MILLICURIES	DMSA Powder	No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		
A9552	F18 fdg FLUORODEOXYGLUCOSE F-18 FDG, DIAGNOSTIC, PER STUDY DOSE, UP TO 45 MILLICURIES		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		
A9553	Cr51 chromate CHROMIUM CR-51 SODIUM CHROMATE, DIAGNOSTIC, PER STUDY DOSE, UP TO 250 MICROCURIES		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
A9554	I125 iothalamate, dx IODINE I-125 SODIUM IOTHALAMATE, DIAGNOSTIC, PER STUDY DOSE, UP TO 10 MICROCURIES		No		Diagnostic agent Radio- pharmaceutical		X	X	X								X		
A9555	Rb82 rubidium RUBIDIUM RB-82, DIAGNOSTIC, PER STUDY DOSE, UP TO 60 MILLICURIES		No		Diagnostic agent Radio- pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9556	Ga67 gallium GALLIUM GA-67 CITRATE, DIAGNOSTIC, PER MILLICURIE		No		Diagnostic agent Radio- pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9557	Tc99m bicsate TECHNETIUM TC-99M BICISATE, DIAGNOSTIC, PER STUDY DOSE, UP TO 25 MILLICURIES		No		Diagnostic agent Radio- pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9558	Xe133 xenon 10mci XENON XE-133 GAS, DIAGNOSTIC, PER 10 MILLICURIES		No		Diagnostic agent Radio- pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9559	Co57 cyano COBALT CO-57 CYANOCOBALAMIN, ORAL, DIAGNOSTIC, PER STUDY DOSE, UP TO 1 MICROCURIE				Diagnostic agent Radio- pharmaceutical		X	X	X								X		Closed
A9560	Tc99m labeled rbc TECHNETIUM TC-99M LABELED RED BLOOD CELLS, DIAGNOSTIC, PER STUDY DOSE, UP TO 30 MILLICURIES		No		Diagnostic agent Radio- pharmaceutical		X	X	X								X		
A9561	Tc99m oxidronate TECHNETIUM TC-99M OXIDRONATE, DIAGNOSTIC, PER STUDY DOSE, UP TO 30 MILLICURIES		No		Diagnostic agent Radio- pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
A9562	Tc99m mertiatide TECHNETIUM TC-99M MERTIATIDE, DIAGNOSTIC, PER STUDY DOSE, UP TO 15 MILLICURIES		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9563	P32 Na phosphate SODIUM PHOSPHATE P-32, THERAPEUTIC, PER MILLICURIE		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9564	P32 chromic phosphate CHROMIC PHOSPHATE P-32 SUSPENSION, THERAPEUTIC, PER MILLICURIE		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9565	In111 pentetrotide INDIUM IN-111 PENTETREOTIDE, DIAGNOSTIC, PER MILLICURIE		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Closed. Paper Claim. Send copy of the invoice which includes the NDC billed
A9566	Tc99m fanolesomab TECHNETIUM TC-99M FANOLESOMAB, DIAGNOSTIC, PER STUDY DOSE, UP TO 25 MILLICURIES		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		
A9567	Technetium TC-99m aerosol TECHNETIUM TC-99M PENTETATE, DIAGNOSTIC, AEROSOL, PER STUDY DOSE, UP TO 75 MILLICURIES		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9568	Technetium tc-99m arctumomab per dose up to 45 millicuries		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9569	Technetium TC-99M Exametazime Labeled Autologous White Blood Cells, Diagnostic		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
A9570	Indium IN-111 Labeled Autologous White Blood Cells, Diagnostic, Per Study Dose		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9571	Indium IN-111 Labeled Autologous Platelets, Diagnostic, Per Study Dose		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9572	Indium IN-111 Pentetreotide, Diagnostic, Per Study Dose, up to 6 Millicuries		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9573	Injection, gadopichlenol, 1 ml		No		Diagnostic agent Radio-pharmaceutical		X	X	X										Effective 1/1/26.
A9575	Injection, gadoterate meglumine, 0.1ml		No		Contrast agent		X	X	X								X		
A9576	Injection, Gadoteridol, (Prohance multipack), per ML		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		
A9577	Injection, Gadobenate Dimeglumine (Multihance), Per ML		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		
A9578	Injection, Gadobenate Dimeglumine (Multihance Multipack), Per ML		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		
A9579	Injection, Gadolinium-Based Magnetic Resonance Contrast Agent, Not Otherwise Classified		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
A9581	Injection Gadoxetate Disodium, 1ML		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		
A9582	Iodine I-123 Iobenguane, diagnostic, per study dose, up to 15 Millicuries		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed.
A9583	Injection Gadofosvese T Trisodium, 1 ML		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		
A9584	Iodine I-123 Ioflupane, diagnostic, per study dose, up to 5 Millicuries		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed.
A9585	Injection, gadobutrol, 0.1 ml.		No		Contrast agent		X	X	X								X		Paper Claim. Submit copy of the invoice which includes the NDC billed.
A9586	Florbetapir F18, diagnostic, per study dose, up to 10 mCi		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		No special instructions
A9587	Gallium Ga-68, dotatate, diagnostic, 0.1 mCi		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Packaged service/item; no separate payment made.
A9588	Fluciclovine F-18, diagnostic, 1 mCi		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Packaged service/item; no separate payment made.
A9590	Iodine I-131, Iobenguane, 1 mCi		No		Diagnostic agent Radio-pharmaceutical		X	X	X										Requires a prior authorization from UMC

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
A9591	Fluoroestradiol f 18, diagnostic, 1 millicurie	NA	No		Diagnostic agent Radio-pharmaceutical	None	X	X	X								X		Effective 1/1/23.
A9592	Copper cu-64, dotatate, diagnostic, 1 millicurie	Detectnet	No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Effective 1/1/23.
A9593	Gallium ga-68 psma-11, diagnostic, (ucsf), 1 millicurie	NA	No		Diagnostic agent Radio-pharmaceutical	None	X	X	X								X		Effective 1/1/23.
A9594	Gallium ga-68 psma-11, diagnostic, (ucla), 1 millicurie	NA	No		Diagnostic agent Radio-pharmaceutical	None	X	X	X								X		Effective 1/1/23.
A9595	Piflufolastat f-18, diagnostic, 1 millicurie		No		Diagnostic agent Radio-pharmaceutical		x	x	x								x		No special instructions
A9596	Gallium Ga-68 gozetotide, diagnostic, (Illuccix), 1 mCi	Illuccix	No			None	X	X	X								X		Requires Prior authorization.
A9597	Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Packaged service/item; no separate payment made.
A9598	Positron emission tomography radiopharmaceutical, diagnostic, for nontumor identification, not otherwise classified		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Packaged service/item; no separate payment made.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
A9599	Radiopharmaceutical, diagnostic, for beta-amyloid positron emission tomography (pet) imaging, per study dose.		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed.
A9600	Sr89 strontium STRONTIUM SR-89 CHLORIDE, THERAPEUTIC, PER MILLICURIE		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Closed 10/1/25. Paper Claim. Send copy of the invoice which includes the NDC billed.
A9604	Samarium SM-153 Lexidronam, Therapeutic, per treatment dose, up to 150		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Closed 10/1/25. Paper Claim. Send copy of the invoice which includes the NDC billed.
A9606	Radium ra-223 dichloride, therapeutic, per microcurie		Yes		Radioactive therapeutic		X	X	X										Must be submitted with NDC.
A9607	Lutetium Lu 177 vipivotide tetraxetan, therapeutic, 1 mCi	Pluvicto	Yes	EA	Anti-neoplastic	None	X	X	X										Effective 10/1/22. Restricted to ICD-10 C61. Minimum age of 16 years.
A9608	Flotufolastat f 18, diagnostic, 1 millicurie	Posluma	No				X	X	X								X		Effective 1/1/24.
A9616	Gallium Ga-68 gozetotide (Gozellix), diagnostic, 1 mCi		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Effective 1/1/26. Requires prior authorization.
A9698	Nonradioactive contrast imaging material, not otherwise classified, per study																		Not Covered
A9699	Radiopharmaceutical, therapeutic, not otherwise classified																		Not Covered

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
A9700	Contrast Material Supply of injectable contrast material for use in echocardiography, per study		No		Diagnostic agent Radio-pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9513	Lutetium Lu 177, dotatate, therapeutic, 1 mCi.	Lutathera	Yes	UN	Genetic therapy	N/A	X												Effective 1/1/19. Cost invoice required with claim. Contact Kepro at 800-346-8272 for prior authorization requests.
C9003	Palivizumab, per 50 mg	Synagis	N/A		Antisera														Not Covered
C9014	Injection, cerliponase alfa, 1 mg.	Brineura	Yes	UN	Enzymatic	None	X	X											Closed 12/31/18. See J0567 after this date. Effective 1/1/18. Cost invoice with NDC required. Restricted to ICD-10 E75.4. Minimum age of 3 years.
C9016	Injection, triptorelin pamoate ER, 3.5 mg.	Triptodur	Yes	UN	Gonadotropin	None	X	X											Closed 12/31/18. See J3316 after this date. Effective 1/1/18. Cost invoice with NDC required. ICD-10 diagnosis restriction of E30.1. Minimum age of 2 years.
C9021	Injection, obinituzumab, 10 mg.	Gazyva	Yes	ML	Antineoplastic	none	X	X											Closed 12/31/14. See J9301 after this date. Effective 4/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 204.10. Minimum age restriction of 16 years.
C9022	Injection, elosulfase alfa, 1 mg.	Vimizim	Yes	ML	Enzymatic	none	X	X											Closed 12/31/14. See J1322 after this date. Effective 7/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 277.5. Minimum age restriction of 5 years.
C9024	Injection, liposomal, 1 mg daunorubicin and 2.27 mg cytarabine	Vyxeos	Yes	UN	Antineoplastic	none	X	X											Closed 12/31/18. See J9153 after this date. Effective 1/1/18. Cost invoice with NDC required. Restricted to ICD-10 C92.00 - C92.02. Minimum age of 16 years.
C9025	Injection, ramucirumab, 5 mg.	Cyramza	Yes	ML	Antineoplastic	none	X	X											Closed 12/31/15. See J9308 after this date. Effective 10/1/2015 ICD-10 diagnosis codes C16.0 - C16.9, C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, or C34.80 - C34.82 Effective 4/24/15, ICD-9 restriction of 153.0 - 154.8 added. Effective 12/12/14, ICD-9 diagnosis restriction of 162.0 - 162.8 added. Effective 10/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 151.0 - 151.9. Minimum age restriction of 16 years.
C9026	Injection, vedolizumab, 1 mg.	Entyvio	Yes	UN	Anti-Infective	none	X	X											Closed 12/31/15. See J3380 after this date. Effective 10/1/2015 ICD-10 diagnosis codes K50.00, K50.011 - K50.014, K50.018, K50.019, K50.10, K50.111 - K50.114, K50.118, K50.119, K50.80, K50.811 - K50.814, K50.818, K50.819, K50.90, K50.911 - K50.914, K50.918, K50.919, K51.00, K51.011 - K51.014, K51.018, K51.019, K51.20, K51.211 - K51.214, K51.218, K51.219, K51.30, K51.311 - K51.314, K51.318, K51.319, K51.40, K51.411 - K51.414, K51.418, K51.419, K51.50, K51.511 - K51.514, K51.518, K51.519, K51.80, K51.811 - K51.814, K51.818, K51.819, K51.90, K51.911 - K51.914, K51.918 or K51.919 Effective 10/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 555.0 - 556.9. Minimum age restriction of 16 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
C9027	Injection, pembrolizumab, 1 mg	Keytruda	Yes	UN	Antineoplastic	none	X	X											Closed 12/31/15. See J9271 after this date. Effective 10/2/15, new indication of ICD-10 C33, C34.00, C34.01, C34.02, C34.10, C34.11, C34.12, C34.2, C34.30, C34.31, C34.32, C34.80, C34.81, C34.82, C34.90, C34.91, or C34.92 added. Effective 10/1/2015 ICD-10 diagnosis codes C00.5, C43.0, C43.10 - C43.12, C43.20 - C43.22, C43.30, C43.31, C43.39, C43.4, C43.51, C43.52, C43.59 - C43.62, C43.70 - C43.72, C43.8, C43.9, C44.00 - C44.02, C44.09, C44.101, C44.102, C44.109, C44.111, C44.112, C44.119, C44.121, C44.122, C44.129, C44.191, C44.192, C44.199, C44.201, C44.202, C44.209, C44.211, C44.212, C44.219, C44.221, C44.222, C44.229, C44.291, C44.292, C44.299, C44.300, C44.301, C44.309, C44.310, C44.311, C44.319 - C44.321, C44.329, C44.390, C44.391, C44.399, C44.40 - C44.42, C44.49, C44.500, C44.501, C44.509 - C44.511, C44.519 - C44.521, C44.529, C44.590, C44.591, C44.599, C44.601, C44.602, C44.609, C44.611, C44.612, C44.619, C44.621, C44.622, C44.629, C44.691, C44.692, C44.699, C44.701, C44.702, C44.709, C44.711, C44.712, C44.719, C44.721, C44.722, C44.729, C44.791, C44.792, C44.799, C44.80 - C44.82, C44.89, C44.90, C4A.4, D03.0, D03.10 - D03.12, D03.20 - D03.22, D03.30, D03.39, D03.4, D03.51, D03.52, D03.59 - D03.62, D03.70 - D03.72, D03.8 or D03.9 Effective 1/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 172.0 - 172.9 or 173.0 - 173.9. Minimum age restriction of 16 years.
C9028	Injection, inotuzumab ozogamicin, 0.1 mg.	Besponsa	Yes	UN	Antineoplastic	none	X	X											Closed 12/31/18. See J9229 after this date. Effective 1/1/18. Cost invoice with NDC required. Restricted to ICD-10 C91.00 - C91.02. Minimum age of 16 years.
C9030	Injection, copanlisib, 1 mg	Aliqopa	Yes	EA	Antineoplastic	60 units daily	X	X											Closed 12/31/18. See J9057 after this date. Effective 7/1/18. Cost invoice with NDC required. Restricted to ICD-10 diagnosis of C82.00 - C82.99. Minimum age of 16 years.
C9031	Injection, Lutetium Lu 177, dotatate, therapeutic 1 mCi.	Lutathera	Yes	EA	Radiologic	N/A	X												Closed 12/31/18. See A9513 after this date. Contact Kepro at 800-346-8272 for prior authorization requests. Effective 7/1/18.
C9032	Injection, voretigene neparvovec-rzyl, 1 billion vector genome	Luxturna	Yes	ML	Genetic therapy	N/A	X												Closed 12/31/18. See J3398 after this date. Contact Kepro at 800-346-8272 for prior authorization requests. Effective 7/1/8.
C9036	Injection, patisiran, 0.1 mg	Onpattro	Yes	ML	Amyloidosis agent	Maximum 300 units	X	X											Closed 9/30/19. See J0222 after this date. Effective 1/1/19. Cost invoice with NDC required. Restricted to ICD-10 E85.1. Minimum age 18 yrs.
C9038	Injection, mogamulizumab-kpkc, 1 mg	Poteligeo	Yes	ML	Anti-neoplastic	None	X	X											Closed 9/30/19. See J9204 after this date. Cost invoice with NDC required. Effective 1/1/19. Restricted to ICD-10 C84.01 - C84.09, C84.11 - C84.19.
C9041	Injection, coagulation Factor Xa (recombinant), inactivated, 10 mg	Andexxa	Yes	UN	Anticoagulant reversal agent	None	X	X											Closed 6/30/20. See J7169 after this date. Effective 4/1/19. Cost invoice with NDC required. Note: Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form.
C9043	Injection, levoleucovorin, 1 mg.	Khapzory	Yes	UN	Folate analog	None	X	X											Closed 12/31/19. See J0642 after this date. Effective 4/1/19. Cost invoice with NDC required.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
C9044	Injection, cemiplimab-rwlc, 1 mg.	Libtayo	Yes	ML	Anti-neoplastic	350 units daily	X	X											Closed 9/30/19. See J9119 after this date. Effective 4/1/19. Cost invoice with NDC required. age of 16 years. Minimum
C9045	Injection, moxetumomab pasudotox-tdfk, 0.01 mg.	Lumoxiti	Yes	UN	Anti-neoplastic	None	X	X											Closed 9/30/19. See J9313 after this date. Effective 4/1/19. Cost invoice with NDC required. Restricted to ICD-10 of C91.40, C91.41, C91.42. Minimum age of 16 years.
C9048	Dexamethasone, lacrimal ophthalmic insert, 0.1 mg.	Dextenza	Yes	UN	Anti-inflammatory	4 daily	X	X											Closed 9/30/19. See J1096 after this date. Effective 7/1/19. Cost invoice with NDC required.
C9049	Injection, tagraxofusp-erzs, 10 mcg	Elzonris	Yes	ML	Anti-neoplastic	None	X	X											Closed 9/30/19. See J9269 after this date. 7/1/19. Cost invoice with NDC required. Restricted to ICD-10 C86.4. Minimum age of 2 years. Effective
C9050	Injection, emapalumab-lzsg, 1 mg.	Gamifant	Yes	ML	Immune globulin	None	X	X											Closed 9/30/19. See J9210 after this date. Effective 7/1/19. Cost invoice with NDC required.
C9052	Injection, ravulizumab-cwz, 10 mg	Ultomiris	Yes	ML	Anti-anemia	360 units daily	X	X											Closed 9/30/19. See J1303 after this date. Effective 7/1/19. Cost invoice with NDC required. Restricted to ICD-10 D59.5. age of 16 years. Minimum
C9053	Injection, crizanlizumab-tmca, 1 mg.	Adakveo	Yes	ML	Sickle cell disease	None	X	X											Closed 6/30/20. See J0791 after this date. 4/1/20. Cost invoice with NDC required. D57.0 - D57.819. Effective Restricted to ICD-10 Minimum of 16 years.
C9054	Injection, lefamulin, 1 mg	Xenleta	N/A																Not Covered. See pharmacy POS.
C9055	Injection, brexanolone, 1 mg.	Zulresso	Yes	ML	Anti-depressant	N/A	X	X											Closed 9/30/20. See J1632 after this date. 1/1/20. Cost invoice with NDC required. 346-8272 for prior authorization requests. https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form. Effective Contact Kepro at 800- Go to Note:
C9056	Injection, givosiran, 0.5 mg.	Givlaari	Yes	ML	Acute hepatic porphyria	756 units monthly	X	X											Closed 6/30/20. See J0223 after this date. Cost invoice with NDC required. Restricted to ICD-10 E80.21. age of 16 years. Effective 4/1/20. Minimum
C9057	Injection, cetirizine hydrochloride, 1 mg	Quzytir	N/A																Not covered.
C9058	Injection, pegfilgrastim-bmez, biosimilar, 0.5 mg.	Ziextenzo	Yes	ML	Colony stimulating factor	None	X	X											Closed 6/30/20. See Q5120 after this date. 4/1/20. Cost invoice with NDC required. Restricted to ICD-10 D70.1, T45.1X5A, T45.1X5D, T45.1X5S. Minimum age of 16 years. Effective

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
C9059	Injection, meloxicam, 1 mg	Anjeso	N/A																Not covered. See pharmacy POS.
C9061	Injection, teprotumumab-trbw, 10 mg	Tepezza	Yes	UN	IGFR inhibitor	None	X	X											Closed 9/30/20. See J3241 after this date. Effective 7/1/20. Cost invoice with NDC required. Restricted to ICD-10 E05.00. Minimum age Covered to ASC.
C9062	Injection, daratumumab 10 mg and hyaluronidase-fihj	Darzalex Faspro	Yes	ML	Anti-neoplastic	Max. 1800/30K mg weekly (15 ml vial)	X	X											Closed 12/31/20. See J9144 after this date. Effective 10/1/20. Cost invoice with NDC required. Restricted to ICD-10 C90.00 - C90.02. Minimum age of 16 years.
C9063	Injection, eptinezumab-jjmr, 1 mg	Vyepti	Yes	ML	Anti-migraine	300 mg.	X	X											Closed 9/30/20. See J3032 after this date. 7/1/20. Cost invoice with NDC required. Restricted to ICD-10 G43.001 - G43.919, G43.B0, G43.B1. Minimum age 16 years. Effective
C9064	Mitomycin pyelocalyceal instillation, 1 mg	Jelmyto	Yes	UN	Anti-neoplastic	Max. 60 units weekly	X	X											Closed 12/31/20. See J9281 after this date. Effective 10/1/20. Cost invoice with NDC required. Restricted to ICD-10 C65.1, C65.2. Minimum ages of 16 years.
C9065	Injection, romidepsin, non-lyophilized (e.g. liquid), 1mg	N/A	Yes	ML	Anti-neoplastic	None	X	X											Closed 9/30/21. See J9318 after this date. 10/1/20. Cost invoice with NDC required. 10 C84.00 - C84.19. Effective Restricted to ICD-
C9066	Injection, sacituzumab govitecan-hziy, 10 mg	Trodelyv	Yes	UN	Anti-neoplastic	None	X	X											Closed 12/31/20. See J9317 after this date. Effective 10/1/20. Cost invoice with NDC required. Restricted to ICD-10 C50.01 - C50.929. Minimum age of 16 years.
C9069	Injection, belantamab mafodotin-blmf, 0.5 mg	Blenrep	Yes	UN	Anti-neoplastic	None	X	X											Closed 3/31/21. See J9037 after this date. 1/1/21. C90.0 - C90.02. Effective Restricted to ICD-10 Minimum age of 16 years.
C9070	Injection, tafasitamab-cxix, 2 mg	Monjuvi	Yes	UN	Anti-neoplastic	None	X	X											Closed 3/31/21. See J9349 after this date. 1/1/21. C83.30 - C83.39. 16 years. Effective Restricted to ICD-10 Minimum age of
C9071	Injection, viltolarsen, 10 mg	Viltepso	Yes	ML	Genetic therapy	None	X	X											Closed 3/31/21. See J1427 after this date. 1/1/21. G71.01. Effective Restricted to ICD-10 Minimum age of 4 years.
C9072	Injection, immune globulin, 500 mg	Asceniv	Yes	ML	Immune globulin	None	X	X											Closed 3/31/21. See J1554 after this date. 1/1/21. 10 D80.0 - D80.9, D81.0 - D81.4, D81.7, D81.89, D81.9, D82.0 - D82.9, D83.0, D83.2, D83.8, D83.9. Minimum age of 12 years. Effective Restricted to ICD-

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
C9073	Brexucabtagene autoleucel, up to 200 million autologous anti-cd19 car positive viable t cells, including leukapheresis and dose preparation procedures, per therapeutic dose	Tecartus	Yes	UN	Genetic therapy	N/A	X	X											Closed 3/31/21. See Q2053 after this date. Effective 1/1/21. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. Note: Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form.
C9076	Lisocabtagene maraleucel, up to 110 million autologous anti-cd19 car-positive viable t cells, including leukapheresis and dose preparation procedures, per therapeutic dose	Breyanzi	Yes	UN	Genetic therapy		X	X											Closed 9/30/21. See Q2054 after this date. Effective 7/1/21. Cost invoice with NDC required. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. Note: Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form.
C9077	Injection, cabotegravir and rilpivirine, 2mg/3mg	Cabenuva	Yes	ML	Antiretroviral	None	X	X											Closed 9/30/21. See J0741 after this date. Effective 7/1/21. Cost invoice with NDC required. B20. Effective Restricted to ICD-10 Minimum age of 16 years.
C9078	Injection, trilaciclib, 1 mg	Cosela	Yes	UN	Antineoplastic	None	X	X											Closed 9/30/21. See J1448 after this date. Effective 7/1/21. Cost invoice with NDC required. Restricted to ICD-10 C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.92. Minimum age of 16 years.
C9079	Injection, evinacumab-dgnb, 5 mg	Evkeeza	Yes	ML	Antihyperlipidemic	None	X	X											Closed 9/30/21. See J1305 after this date. Effective 7/1/21. Cost invoice with NDC required. Restricted to ICD-10 E78.01. Minimum age of 12 years.
C9080	Injection, melphalan flufenamide hydrochloride, 1 mg	Pepaxto	Yes	UN	Antineoplastic	40 units daily	X	X											Closed 9/30/21. See J9247 after this date. Effective 7/1/21. Cost invoice with NDC required. Restricted to ICD-10 C90.00, C90.02. Minimum age of 16 years.
C9081	Idecabtagene vicleucel, up to 460 million autologous anti-bcma car-positive viable t cells, including leukapheresis and dose preparation procedures, per therapeutic dose	Abecma	Yes	UN	Genetic therapy	N/A	X												Closed 12/31/21. See Q2055 after this date. Effective 10/1/21. Cost invoice with NDC required. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. Note: Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form.
C9082	Injection, dostarlimab-gxly, 100 mg	Jemperli	Yes	ML	Antineoplastic	5 units daily	X	X	X										Closed 12/31/21. See J9272 after this date. Effective 10/1/21. Cost invoice with NDC required. Restricted to ICD-10 C54.1. Minimum age 16 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
C9083	Injection, amivantamab-vmjw, 10 mg	Rybrevent	Yes	ML	Antineoplastic	140 units daily	X	X	X										Closed 12/31/21. See J9061 after this date. Effective 10/1/21. Cost invoice with NDC required. Restricted to ICD-10 C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92. Minimum age 16 years.
C9084	Injection, loncastuximab tesirine-lpyl, 0.1 mg	Zynlonta	Yes	UN	Antineoplastic	None	X	X	X										Closed 3/31/22. See J9359 after this date. Effective 10/1/21. Cost invoice with NDC required. Restricted to ICD-10 C83.30 - C83.39. Minimum age 16 years.
C9085	Injection, avalglucosidase alfa-ngpt, 4 mg	Nexviazyme	Yes	UN	Metabolic Enzyme Replacement	None	X	X											Closed 3/31/22. See J9219 after this date. Effective 1/1/22. Cost invoice with NDC required. Restricted to ICD-10 E74.02. Minimum age of 1 year.
C9086	Injection, anifrolumab-fnia, 1 mg	Saphnelo	Yes	SOL	Immunosuppressive	300 units daily	X	X											Closed 3/31/22. See J0491 after this date. Effective 1/1/22. Cost invoice with NDC required. Restricted to ICD-10 M32.10 - M32.19, M32.8, M32.9. Minimum age of 18 years.
C9087	Injection, cyclophosphamide, (auromedics), 10 mg	N/A	Yes	SOL	Anti-neoplastic	None	X	X											Closed 3/31/22. See J9071 after this date. Effective 1/1/22. Cost invoice with NDC required.
C9088	Instillation, bupivacaine and meloxicam, 1 mg/0.03 mg	Zynrelief	Yes	SOL	Anesthetic	None	X	X											Closed 9/30/25. See J0668 after this date. Effective 1/1/22. Cost invoice with NDC required. Reimburses to ASC.
C9091	Injection, sirolimus protein-bound particles, 1 mg	Fyarro	Yes	EA	Antineoplastic	None	X	X											Closed 6/30/22. See J9331 after this date. Effective 4/1/22. Cost invoice with NDC required. Restricted to ICD-10 C49.4, C49.6, C49.8, or C49.9. Minimum of 16 years.
C9092	Injection, triamcinolone acetate, suprachoroidal, 1 mg	Xipere	Yes	ML	Anti-inflammatory	None	X	X											Closed 6/30/22. See J3299 after this date. Effective 4/1/22. Cost invoice with NDC required. Restricted to ICD-10 H20.011 - H20.043, H20.11 - H20.23, H20.821, H20.822, H20.823, H30.001 - H30.043, H30.101 - H30.133, H30.21, H30.22, H30.23, H30.811, H30.812, H30.813, H30.891, H30.892, H30.893, H30.91, H30.92, H30.93, H35.021, H35.022, H35.023, H35.061, H35.062, H35.063, H43.89, H44.001 - H44.023, H44.111, H44.112, H44.113.
C9093	Injection, ranibizumab, via sustained release intravitreal implant, 0.1 mg	Susvimo	Yes	EA	VEGF inhibitor	None	X	X											Closed 6/30/22. See J2779 after this date. Effective 4/1/22. Cost invoice with NDC required. Restricted to ICD-10 H35.3210 - H35.3212, H35.3220 - H35.3222, H35.3230 - H35.3232, H35.3290 - H35.3292.
C9094	Inj, sutimlimab-jome, 10 mg	Enjaymo	Yes	ML	Complement inhibitor	None	X	X											Closed 9/30/22. See J1302 after this date. Effective 7/1/22. Cost invoice with NDC required. Restricted to ICD-10 D59.12. Minimum age of 16 years.
C9095	Inj, tebentafusp-tebn, 1 mcg	Kimmtrak	Yes	ML	Antineoplastic	68 units daily	X	X											Closed 9/30/22. See J9274 after this date. Effective 7/1/22. Cost invoice with NDC required. Restricted to ICD-10 C69.30, C69.31, C69.32, C69.40, C69.41, C69.42, C69.60, C69.61, C69.62, C69.90, C69.91, C69.92, Z51.11, Z51.89, Z51.840. Minimum of 16 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
C9096	Injection, filgrastim-ayow, biosimilar, 1 microgram	Releuko	Yes	ML	Colony stimulating factor	None	X	X											Closed 9/30/22. See Q5125 after this date. Effective 7/1/22. Cost invoice with NDC required.
C9097	Inj, faricimab-svoa, 0.1 mg	Vabysmo	Yes	ML	VEGF inhibitor	None	X	X											Closed 9/30/22. See J2777 after this date. Effective 7/1/22. Cost invoice with NDC required. Restricted to ICD-10 H35.3210 - H35.3213, H35.3220 - H35.3223, H35.3230 - H35.3233, H35.3290 - H3293 or E08.311, E08.321, E08.331, E08.341, E08.351, E09.311, E09.321, E09.331, E09.341, E09.351, E10.311, E10.321, E10.331, E10.341, E10.351, E11.311, E11.321, E11.331, E11.341, E11.351, E13.311, E13.321, E13.331, E13.341, E13.351.
C9098	Ciltacabtagene autoleucl, up to 100 million autologous b-cell maturation antigen (bcma) directed car-positive t cells, including leukapheresis and dose preparation procedures, per therapeutic dose	Carvykti	Yes	UN	Genetic therapy	N/A	X	X											Closed 9/30/22. See Q2056 after this date. Effective 7/1/22. Cost invoice with NDC required. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. Note: Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form .
C9113	Inj pantoprazole sodium, via	Protonix	N/A		Gastric Reflux, Esophagitis														Not Covered
C9121	Injection, argatroban	Argatroban	N/A		Thrombin Inhibitor														Not Covered
C9122	Mometasone furoate sinus implant, 10 mcg	Sinuva	Yes	UN	Steroidal	1 unit	X	X											Closed 3/31/21. See J7402 after this date. Effective 7/1/20. Cost invoice with NDC required. Restricted to ICD-10 J33.0 - J33.9. Minimum age 18 years. to ASC. Effective Covered
C9131	Injection, ado-trastuzumab emtansine, 1 mg.	Kadcyla	Yes	EA	Anti-neoplastic	none	X	X											Closed 12/31/13. See J9354. Effective 7/1/13. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 174.0 - 174.9 or 175.0 - 175.9. Minimum age restriction of 16 years.
C9132	Prothrombin complex concentrate (human), per i.u. of factor ix activity	Kcentra	Yes	UN	Coagulation factor		X	X											Closed 6/30/21. See pharmacy point of sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D68.32 or D68.4 Effective 10/1/13. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis code of 286.7. Minimum age restriction of 16 years.
C9133	Factor IX (antihemophilic factor, recombinant), per i.u.	Rixubis	Yes	UN	Anti-hemophilic	none	X	X											Closed 12/31/14. See J7200 after this date. Effective 1/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 286.1. Minimum age restriction of 16 years.
C9134	Injection, Antihemophilic factor XIIIa, recombinant	Tretten	Yes	UN	Anti-hemophilic	none	X	X											Closed 12/31/14. See J7181 after this date. Effective 7/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 286.3.
C9135	Injection, factor ix (antihemophilic factor, recombinant), per IU	Alprolix	Yes	UN	Anti-hemophilic		X	X											Closed 12/31/14. See J7201 after this date. Effective 10/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 286.1.
C9136	Injection, factor viii, fc fusion protein, (recombinant), per IU	Eloctate	Yes	UN	Anti-hemophilic		X	X											Closed 3/31/15. See Q9975 after this date. Effective 1/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 286.0. Minimum age restriction of 2 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
C9137	Injection, Antihemophilic factor VIII, recombinant, PEGylated, 1 IU	Adynovate	Yes	IU	Anti-hemophilic	none	X	X											Closed 12/31/16. See J7207 after this date. Effective 4/1/16. Cost invoice with NDC required. Restricted to ICD-10 D66. Minimum age restriction of 12 years.
C9138	Injection, antihemophilia factor VIII, recombinant, 1 IU	Nuwiq	Yes	IU	Anti-hemophilic	none	X	X											Closed 12/31/16. See J7209 after this date. Effective 4/1/16. Cost invoice with NDC required. Restricted to ICD-10 D66. Minimum age restriction of 2 years.
C9139	Injection, factor IX, albumin fusion protein, recombinant, 1 IU	Idelvion	Yes	IU	Anti-hemophilic		X	X											Closed 12/31/16 See J7202 after this date. Effective 10/1/16. Cost invoice with NDC required. Restricted to ICD-10 diagnosis D67.
C9140	Injection, factor VIII (antihemophilic factor, recombinant), 1 IU	Afstyla	Yes	IU	Anti-hemophilic		X	X											Closed 12/31/17. See pharmacy point of sale (POS). Effective 1/1/17. Cost invoice with NDC required. Restricted to ICD-10 diagnosis D66.
C9142	Injection, bevacizumab-maly, biosimilar, 10 mg	Alymsys	Yes	ML	VEGF inhibitor	None	X	X											Closed 12/31/22. See Q5126 after this date. Effective 10/1/22. Restricted to ICD-10 C18.0 - C18.9, C19, C20, C33, C34.01 - C34.92, C53.0 - C53.9, C56.1 - C56.3, C65.1, C62.2, C66.1, C66.2, C67.0 - C67.9, C68.0, C68.8, C71.0 - C71.9.
C9143	Cocaine hydrochloride nasal solution, 1 mg	Numbrino	Yes	ML	Local anesthetic	Max. 160 units daily	X	X											Effective 1/1/23. Cost invoice with NDC required. Minimum age of 18 years.
C9145	Injection, aprepitant, 1 mg	Aponvie	Yes	ML	Anti-emetic	None	X	X											Closed 3/31/26. See J8502 after this date. Effective 4/1/23. Cost invoice with NDC required.
C9146	Injection, mirvetuximab soravtansine-gynx, 1 mg	Elahere	Yes	ML	Antineoplastic	None	X	X											Closed 6/30/23. See J9063 after this date. Effective 4/1/23. Cost invoice with NDC required. Restricted to ICD-10 C48.1, C48.8, C56.1, C56.2, C56.3, C57.01, C57.02, C57.11, C57.12, C57.21, C57.22, C57.3, C57.4, C57.8, C79.61, C79.62, C79.63. Minimum age of 16 years.
C9147	Injection, tremelimumab-actl, 1 mg	Imjudo	Yes	ML	Antineoplastic	None	X	X											Closed 6/30/23. See J9347 after this date. Effective 4/1/23. Cost invoice with NDC required. Restricted to ICD-10 C22.0, C34.00, C34.01, C34.02, C34.10, C34.11, C34.12, C34.2, C34.30, C34.31, C34.32, C34.80, C34.81, C34.82, C34.90, C34.91, C34.92. Minimum age of 16 years.
C9148	Injection, teclistamab-cqyv, 0.5 mg	Tecvayli	Yes	ML	Antineoplastic	None	X	X											Closed 6/30/23. See J9380 after this date. Effective 4/1/23. Cost invoice with NDC required. Restricted to ICD-10 C90.00, C90.02. Minimum age of 16 years.
C9149	Injection, teplizumab-mzw, 5 mcg	Tzield	Yes	ML	Anti-diabetic	None	X	X											Closed 6/30/23. See J9381 after this date. Effective 4/1/23. Cost invoice with NDC required. Restricted to ICD-10 E10.10, E10.21, E10.22, E10.29, E10.3211, E10.3212, E10.3213, E10.3291, E10.3292, E10.3293, E10.3311, E10.3312, E10.3213, E10.3391, E10.3392, E10.3393, E10.3411, E10.3412, E10.3413, E10.3491, E10.3492, E10.3493, E10.3511, E10.3512, E10.3513, E10.3521, E10.3522, E10.3523, E10.3531, E10.3532, E10.3533, E10.3541, E10.3542, E10.3543, E10.3551, E10.3552, E10.3553, E10.3592, E10.3593, E10.36, E10.37X1, E10.37X2, E10.37X3, E10.39, E10.41, E10.42, E10.43, E10.49, E10.51, E10.52, E10.59, E10.610, E10.618, E10.620, E10.621, E10.622, E10.628, E10.630, E10.638, E10.649, E10.65, E10.69, E10.9, O24.011, O24.012, O24.013, O24.02, O24.03. Minimum age of 8 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
C9151	Injection, pegcetacoplan, 1 mg	Syfovre	Yes	ML	Complement inhibitor	30 units daily	X	X											Closed 9/30/23. See J2781 after this date. Effective 7/1/23. Restricted to ICD-10 H35.3113, H35.3123, H35.3133 or H35.3114, H35.3124, H35.3134.
C9153	Injection, amisulpride, 1 mg	Barhemsys	Yes	ML	Antiemetic	10 units daily	X	X											Closed 12/31/23. See J0184 after this date. Effective 10/1/23. Cost invoice with NDC required.
C9155	Injection, epcoritamab-bysp, 0.16 mg	Epkinly	Yes	ML	Antineoplastic	None	X	X											Closed 12/31/23. See J9321 after this date. 10/1/23. Cost invoice with NDC required. ICD-10 C83.30 - C83.39. of 16 years. Effective Restricted to Minimum age
C9157	Injection, tofersen, 1 mg	Qalsody	Yes	ML	ALS agent	None	X	X											Closed 12/31/23. See J1304 after this date. 10/1/23. Cost invoice with NDC required. Restricted to ICD-10 G12.21. Effective
C9161	Injection, aflibercept hd, 1 mg	Eylea HD	Yes	ML	Neovascular-Age related Macular Degeneration	None	X	X											Closed 3/31/24. See J0177 after this date. Effective 1/1/24. Cost invoice with NDC required. Restricted to ICD-10 E08.3211 - E08.3213, E08.3311 - E08.3313, E08.3411 - E08.3413, E08.3511 - E08.3513, E08.311, E09.3211 - E09.3213, E09.3311 - E09.3313, E09.3411 - E09.3413, E09.3511 - E09.3513, E09.311, E10.3211 - E10.3213, E10.3311 - E10.3313, E10.3411 - E10.3413, E3511 - E3513, E10.311, E11.3211 - E11.3213, E11.3311 - E11.3313, E11.3411 - E11.3413, E11.3511 - E11.3513, E11.311, E13.3211 - E13.3213, E13.3311 - E13.3313, E13.3411 - E13.3413, E13.3511 - E13.3513, E13.311, E08.3291 - E08.3293, E08.3391 - E08.3393, E08.3491 - E08.3493, E08.3521 - E08.3523, E08.3531 - E08.3533, E08.3541 - E08.3543, E08.3551 - E08.3553, E08.3591 - E08.3593, E08.319, E09.3291 - E09.3293, E09.3391 - E09.3393, E09.3491 - E09.3493, E09.3521 - E09.3523, E09.3531 - E09.3533, E09.3541 - E09.3543, E09.3551 - E09.3553, E09.3591 - E09.3593, E09.319, E10.3291 - E10.3293, E10.3391 - E10.3393, E10.3491 - E10.3493, E10.3521 - E10.3523, E10.3531 - E10.3533, E10.3541 - E10.3543, E10.3551 - E10.3553, E10.3591 - E10.3593, E10.319, E11.3291 - E11.3293, E11.3391 - E11.3393, E11.3491 - E11.3493, E11.3521 - E11.3523, E11.3531 - E11.3533, E11.3541 - E11.3543, E11.3551 - E11.3553, E11.3591 - E11.3593, E11.319, E13.3291 - E13.3293, E13.3391 - E13.3393, E13.3491 - E13.3493, E13.3521 - E13.3523, E13.3531 - E13.3533, E13.3541 - E13.3543, E13.3551 - E13.3553, E13.3591 - E13.3593, E13.319, H35.3211 - H35.3231, H35.3212 - H35.3232, H35.3213 - H35.3233, H35.3210 - H35.3230.
C9162	Injection, avacincaptad pegol, 0.1 mg	Izervay	Yes	ML	Complement inhibitor	40 units daily	X	X											Closed 3/31/24. See J2782 after this date. Effective 1/1/24. Cost invoice with NDC required. Restricted to ICD-10 H35.3113, H35.3123, H35.3133, H35.3114, H35.3124, or H35.3134.
C9163	Injection, talquetamab-tgvs, 0.25 mg	Talvey	Yes	ML	Antineoplastic	None	X	X											Closed 3/31/24. See J3055 after this date. Effective 1/1/24. Cost invoice with NDC required. Restricted to ICD-10 C90.00 or C90.02.
C9164	Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg)	Ycanth	Yes	UN	Irritant	None	X	X											Closed 3/31/24. See J7354 after this date. Effective 1/1/24. Cost invoice with NDC required. Restricted to B08.1. Minimum age of 2 years.
C9165	Injection, elranatamab-bcmm, 1 mg	Elrexio	Yes	ML	Antineoplastic	None	X	X											Closed 3/31/24. See J1323 after this date. Effective 1/1/24. Cost invoice with NDC required. Restricted to ICD-10 90.00, C90.01, or C90.02.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
C9167	Injection, adamts13, recombinant-krhn, 10 iu	Adzyna	Yes	UN	Metabolic Enzyme Replacement	None	X	X											Effective 4/1/24 to 6/30/24. See J7171 after this date. Restricted to ICD-10 M31.19. Minimum age of 2 years.
C9169	Injection, nogapendekin alfa inbakicept-pmln, for intravesical use, 1 microgram	Anktiva	Yes	ML	Antineoplastic	None	X	X											Closed 12/31/24. See J9028 after this date. Effective 10/1/24. Restricted to ICD-10 C67.0 - C67.9, D09.0, Z85.81. Minimum age of 18 years.
C9170	Injection, tarlatamab-dlle, 1 mg	Imdeltra	Yes	UN	Antineoplastic	None	X	X											Closed 12/31/24. See J9026 after this date. Effective 10/1/24. Restricted to ICD-10 C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92. Minimum age of 16 years.
C9174	Injection, datopotamab deruxtecán-dlnk, 1 mg	Datroway	Yes	UN	Antineoplastic	540 units	X	X											Closed 9/30/25. See J9011 after this date. Effective 7/1/25. Cost invoice with NDC required. Restricted to ICD-10 C50.011 - C50.929, Z17.32, Z17.411, C77.0 - C77.9, C78.00 - C78.02, C78.1, C78.2, C78.30, C78.39, C78.4, C78.5, C78.6, C78.7, C78.80, C78.89, C79.31, C79.32, C79.51, C79.52, Minimum age of 16 years.
C9175	Injection, treosulfan, 50 mg	Grafapex	Yes	UN	Antineoplastic	None	X	X											Closed 9/30/25. See J0614 after this date. Effective 7/1/25. Cost invoice with NDC required. Restricted to ICD-10 C92.00 - C92.02, D46.0 - D46.9. Minimum of 1 year.
C9232	Injection, idursulfase	Elaprase	N/A		Metabolic Enzyme Replacement														Closed 12/31/07. See J1743 Effective 1/1/08
C9233	Injection, ranibizumab	Lucentis	N/A		neovascular-Age related Macular Degeneration														Closed 12/31/07 - remove from J3490 list. See J2778 effective 1/1/08
C9234	Inj, alglucosidase alfa	Myozyme	N/A		Metabolic Enzyme Replacement														Closed 12/31/07 See J0220 effective 1/1/08
C9235	Injection, panitumumab	Vectibix	N/A		Colorectal Cancer														Closed 12/31/07 See J9303 effective 1/1/08
C9236	Injection, Eculizumab 10 mg																		Closed 12/31/07 See J1300 effective 1/1/08
C9239	Injection, temsirolimus, 1 mg.	Torisel	Yes	UN	Anti-neoplastic		X	X	X										Opened 1/1/08. Closed 12/31/08. Cost invoice required with ICD-9 diagnosis of 189.0-189.9, advanced renal cell carcinoma. See J9330.
C9240	Injection, ixabepilone, 1 mg.	Ixemptra	Yes	UN	Anti-neoplastic		X	X	X										Opened 1/1/08. Closed 12/31/08. Cost invoice required with ICD-9 diagnosis of 174.0-174.9, metastatic/locally advanced breast cancer. See J9207
C9245	Injection, romiplostim, 10 mcg.	Nplate	Yes	UN															Closed 12/31/09. See J2796.
C9246	Injection, gadoxetate disodium, per ml.	Eovist																	

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
C9248	Injection, clevipidine butyrate, 1 mg.	Cleviprex	Yes	ML	Calcium channel blocker	None	X	X											Closed 9/30/25. See J0759 after this date. Effective 1/1/23. Cost invoice with NDC required.
C9249	Injection, certolizumab pegol, 1 mg.	Cimzia	Yes	UN	TNF blocker														Closed 12/31/09. See J0717.
C9250	human plasma, fibrin sealant, 2 ml.	Artiss	Yes	ML	Wound care adhesive	None	X	X											Effective 1/1/23. Cost invoice with NDC required.
C9251	Injection, C1 esterase inhibitor (human), 10 U	Cinryze	Yes	UN	C1 protein inhibitor														Closed 12/31/09. See J0598.
C9252	Injection, plerixafor, 1 mg.	Mozobil	Yes	ML	Hematopoietic														Closed 12/31/09. See J2562.
C9253	Injection, temozolomide, 1 mg.	Temodar	Yes	UN															Closed 12/31/09. See J9328.
C9254	Injection, lacosamide, 1 mg.	Vimpat	Yes	ML	Anti-convulsive	400 units per day	X	X											Effective 10/1/2015 ICD-10 diagnosis codes G40.001, G40.009, G40.011, G40.019, G40.101, G40.109, G40.111, G40.119, G40.201, G40.209, G40.211, G40.219, G40.301, G40.309, G40.311, G40.319, G40.401, G40.409, G40.411, G40.419, G40.501, G40.509, G40.801- G40.804, G40.811 - G40.814, G40.821 - G40.824, G40.89, G40.901, G40.909, G40.911, G40.919, G40.A01, G40.A09, G40.A11, G40.A19, G40.B01, G40.B09, G40.B11 or G40.B19 Effective 1/1/10. Cost invoice with NDC is required with claim. ICD-9 restriction 345.00 - 345.91. Approved for age 17 and above. See J3490 for coverage of other providers.
C9255	Injection, paliperidone palmitate, 1 mg.	Invega Sustenna	Yes	SOL=ML	Anti-psychotic	234 units	X	X											Closed 12/31/10. See J2426. Effective 1/1/10. Cost invoice with NDC is required with claim. ICD-9 restriction 295.00 - 295.95. Approved for age 18 and above. See J3490 for coverage of other providers.
C9256	Injection, dexamethasone intravitreal, implant, 0.1 mg.	Ozurdex	Yes	EA	Anti-inflammatory		X	X											Closed 12/31/10. See J7312. Effective 1/1/10. Cost invoice with NDC is required with claim. ICD-9 restriction 362.83 and 362.35, or 362.83 and 362.36. Approved for age 16 and above. See J3490 for coverage of other providers.
C9257	Injection, bevacizumab, 0.25 mg.	Avastin	Yes	SOL=ML	Anti-neoplastic	20 u. per month	X	X											Effective 6/1/19, H34.8310, H34.8311, H34.8312, H34.8320, H34.8321, H34.8322, H34.8330, H34.8331, H34.8332, H34.8390, H34.8391, H34.8392 added. Effective 10/1/20, ICD-10 diagnosis of E11.3211 - E11.3213, E11.3291 - E11.3293, E11.3311 - E11.3313, E11.3391 - E11.3393, E11.3411 - E11.3413, E11.3491 - E11.3493, E11.3511 - E11.3513, E11.3521 - E11.3523, E11.3531 - E11.3533, E11.3541 - E11.3543, E11.3551 - E11.3553, E11.3591 - E11.3593 added. Effective 10/1/2015 ICD-10 diagnosis codes E08.311, E08.319, E08.321, E08.329, E08.331, E08.339, E08.341, E08.349, E09.311, E09.319, E09.321, E09.329, E09.331, E09.339, E09.341, E09.349, E10.311, E10.319, E11.311, E11.319, E11.329, E11.339, E11.349, E11.359, E13.311, E13.319, H34.811 - H34.813, H34.819, H34.831 - H34.833, H34.839, H34.9, H35.051 - H35.053, H35.059, H35.071 - H35.073, H35.079, H35.20 - H35.23, H35.32, H35.351 - H35.353, H35.359, H35.723, H35.729, H35.81, H35.82, or H40.89 Ophthalmologists use J3490. Effective 1/1/10. ICD-9 restriction 362.01 - 362.07, 362.15, 362.16, 362.29, 362.30, 362.35, 362.36, 362.42, 362.52, 362.53, 362.83, 362.84, 365.63, and 365.89.
C9258	Telavancin HCl, inj., 10 mg.	Vibativ	Yes	UN	Anti-Infective	None	X	X											Closed 12/31/10. See J3095. Effective 4/1/10. Cost invoice with NDC required with claim. ICD-9 restriction of 680.0 - 686.9 and 041.0 - 041.9. Minimum age restriction of 18 years. See J3490 for coverage of other providers.
C9259	Pralatrexate, inj., 1mg.	Folotyn	Yes	ML	Anti-neoplastic	None	X	X											Closed 12/31/10. See J9307. Effective 4/1/10. Cost invoice with NDC is required with claim. ICD-9 restriction of 202.70 - 202.78. Minimum age restriction of 18 years. See J3490 for coverage of other providers.
C9260	Ofatumumab, inj., 10 mg.	Arzerra	Yes	ML	Anti-neoplastic	200 u. Daily	X	X											Closed 12/31/10. See J9302. Effective 4/1/10. Cost invoice with NDC is required with claim. ICD-9 restriction of 204.10 - 204.12. Minimum age restriction of 18 years. See J3490 for coverage of other providers.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
C9261	Ustekinumab, inj., 1 mg.	Stelara	N/A		Anti-neoplastic														Not covered.
C9262	Fludarabine phosphate, oral, 1 mg.	Oforta	N/A		Anti-metabolite														Not covered.
C9263	Injection, ecallantide 1 mg..	Kalbitor	Yes	ML	Hematological	30 u. daily	X	X											Closed 12/31/10. See J1290 after this date. Effective 4/1/10. Cost invoice with NDC is required with claim. ICD-9 restriction of 277.6. Minimum age restriction of 16 years. See J3490 for coverage of other providers.
C9264	Injection, tocilizumab, 1 mg.	Actemra	Yes	ML	Immunologic	Maximum service limit of 800 u. monthly	X	X											Closed 12/31/10. See J3262. Effective 7/1/10. Cost invoice with NDC required with claim. ICD-9 restriction of 714.0 - 714.2. Minimum age restriction of 16 years.
C9265	Injection, romidepsin, 1 mg.	Istodax	Yes	UN	Antineoplastic	None	X	X											Closed 12/31/10. See J9315. Effective 7/1/10. Cost invoice with NDC required with claim. ICD-9 restriction of 202.10 - 202.28. Minimum age restriction of 18.
C9266	Injection, Collagenase clostridium histolyticum, 0.1 mg.	Xiaflex	Yes	UN	Enzymatic	None	X	X											Closed 12/31/10. See J0775. Effective 7/1/10. Cost invoice with NDC required with claim. ICD-9 restriction of 728.6. Minimum age restriction of 18 years.
C9267	Injection, von Willebrand factor complex(human), per 100 IU	Wilate	Yes	UN	Coagulation factor	None	X	X											Closed 12/31/10. See J7184. Effective 7/1/10. Cost invoice with NDC required with claim. ICD-9 restriction of 286.4. Minimum age restriction of 5 years.
C9268	Capsaicin patch	Qutenza	Yes	UN	Analggesic	1 patch per 90 days	X	X											Closed 12/31/10. See J7335. Effective 7/1/10. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 053.19. Minimum age restriction of 18 years.
C9269	Injection, C-1 Esterase inhibitor (human), 10 u.	Berinert	Yes	UN	Protein C-1 inhibitor	Maximum service limit 28 u. daily	X	X											Closed 12/31/10. See J0597. Effective 10/1/10. Cost invoice with NDC required with claim. ICD-9 restriction of 277.6. Minimum age restriction 4 years and above.
C9270	Injection, Immune globulin, IV, non-lyophilized (e.g. liquid), 500 mg.	Gammaplex	N/A		Immune globulin														Not covered.
C9271	Injection, velaglucerase alfa, 100 u.	Vpriv	Yes	UN	Enzymatic	Maximum service limit 1650 u. monthly	X	X											Closed 12/31/10. See J3385. Effective 10/1/10. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 272.7. Minimum age restriction of 4 years.
C9272	Injection, denosumab, 1 mg.	Prolia Xgeva	Yes	ML	Osteoporotic	Maximum service limit of 60 u. twice yearly	X	X											Closed 12/31/11. Effective 10/1/10. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 733.01.
C9273	Sipuleucel-T, minimum of 50 million autologous cells, including all preparatory procedures, per infusion	Provenge																	Not covered. See Q2043.
C9274	Crotalidae polyvalent immune fab (ovine), 1 vial	Crofab																	Not covered.
C9276	Injection, cabazitaxel, 1 mg.	Jevtana	Yes	ML	Antineoplastic	None	X	X											Closed 12/31/11. See J9043. Effective 1/1/11. Cost invoice with NDC required with claim. ICD-9 restriction of 185.0.
C9277	Injection, alglucosidase alfa, 1 mg.	Lumizyme	Yes	UN	Enzymatic	None	X	X											Closed 12/31/11. See J0221. Effective 1/1/11. Cost invoice with NDC required with claim. ICD-9 restriction of 271.0. Minimum age restriction of 8 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
C9278	Injection, incobotulinumtoxins, 1 u	Xeomin	N/A																Not covered. See Q2040.
C9279	Injection, ibuprofen, 100 mg.		N/A																Not covered.
C9280	Injection, eribulin mesylate, 1 mg.	Halaven	Yes	ML	Antineoplastic	8 u. in 21 days	X	X											Closed 12/31/11. See J9179. Effective 4/1/11. Cost invoice with NDC required with claim. ICD-9 restriction of 174.0 - 175.9 or 198.81. Minimum age restriction of 18 years.
C9281	Injection, pegloticase, 1 mg.	Krystexxa	Yes	ML	Hyperuricemic	16 u. monthly	X	X											Closed 12/31/11. See J2507. Effective 4/1/11. Cost invoice with NDC required with claim. ICD-9 restriction of 274.0 - 274.89. Minimum age restriction of 18 years.
C9282	Injection, ceftriaxone sodium, 10 mg.	Teflaro	Yes	UN	Antibiotic	12 units per dose	X	X											Closed 12/31/11. See J0712. Effective 4/1/11. Cost invoice with NDC required with claim. ICD-9 restriction of 041.00 - 041.89 or 482.0 - 482.89. Minimum age restriction of 18 years.
C9284	Injection, ipilimumab, 1 mg.	Yervoy	Yes	UN	Antineoplastic	400 units per 21 days	X	X											Closed 12/31/11. See J9228. Effective 7/1/11. Restricted to ICD-9 diagnosis of 154.2, 154.3, 172.0 - 172.9, 184.0 - 184.4, 187.1 - 187.9, 196.0 - 196.9, 197.0 - 197.8, 198.0 - 198.8. Minimum age restriction of 16 years.
C9285	Patch, lidocaine, 70 mg. & tetracaine, 70 mg.	Synera	Yes	UN	Analgic	None	X	X											Effective 7/1/11. Cost invoice with NDC required.
C9286	Injection, belatacept, 250 mg.	Nulojix	Yes	UN	Immunosuppressive	5.4 units daily maximum	X	X											Closed 12/31/12. See J0485 after this date. Effective 10/1/11. Must submit V42.0 with claim. Minimum age restriction of 18 years.
C9287	Injection, brentuximab vedotin, 1 mg.	Adcetris	Yes	UN	Antineoplastic	180 units per day	X	X											Closed 12/31/12. See J9042 after this date. Effective 1/1/12. Cost invoice with NDC required with claim. ICD-9 restriction of 200.60 - 200.68 or 201.00 - 201.98. Minimum age restriction of 18 years.
C9289	Injection, asparaginase erwinia chrysanthemia, 1000 U.	Erwinaze	Yes	UN	Antineoplastic	None	X	X											Closed 12/31/12. See J9019 after this date. Effective 4/1/12. Cost invoice with NDC required with claim. ICD-9 restriction of 204.00 - 204.02.
C9290	Injection, bupivacaine liposome, 1 mg	Exparel	Yes	UN	Anesthetic	None	X	X											Effective 1/1/24. Cost invoice with NDC required.
C9291	Injection, aflibercept, 2 mg.	Eylea	Yes	ML	neovascular-Age related Macular Degeneration	2 units weekly	X	X											Closed 6/30/12. See Q2046 after this date. Effective 4/1/12. Cost invoice with NDC required with claim. ICD-9 restriction of 362.52. Minimum age restriction of 16 years.
C9292	Injection, pertuzumab, 10 mg.	Perjeta	Yes	ML	Antineoplastic	84 units per 21 days	X	X											Closed 12/31/13. See J9306. Effective 10/1/12. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 174.0 - 174.9 or 175.0 - 175.9. Minimum age restriction of 16 years.
C9294	Injection, taliglucerase alfa, 10 units	Elelyso	Yes	UN	Enzymatic	82 units per 14 days	X	X											Closed 12/31/12. See J3060. Effective 1/1/13. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 272.7. Minimum age restriction of 16 years.
C9295	Injection, carfilzomib, 1 mg	Kyprolis	Yes	UN	Antineoplastic	None	X	X											Closed 12/31/13. See J9047. Effective 1/1/13. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 203.02. Minimum age restriction of 16 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
C9296	Injection, ziv-aflibercept, 1 mg	Zaltrap	Yes	ML	Antineoplastic	550 units per 14 days	X	X											Closed 12/31/13. See J9400. Effective 1/1/13. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 153.0 - 153.9, 154.0, 154.1, or 154.8. Minimum age restriction of 16 years.
C9297	Injection, omacetazine mepesuccinate, 0.01 mg.	Synribo	Yes	UN	Antineoplastic	None	X	X											Closed 12/31/13. See J9262. Effective 4/1/13. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 205.10 - 205.12. Minimum age restriction of 16 years.
C9298	Injection, ocipiasmin, 0.125 mg.	Jetrea	Yes	ML	Ophthalmic	None	X	X											Closed 12/31/13. See J7316. Effective 4/1/13. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 379.27. Minimum age restriction of 16 years.
C9301	Obecabtagene autoleucel, up to 400 million cd19 car-positive viable t cells, including leukapheresis and dose preparation procedures, per therapeutic dose	Aucatzyl	Yes	UN	Antineoplastic	None	X	X											Closed 6/30/25. See Q2008 after this date. Effective 4/1/25. Cost invoice with NDC required. Restricted to ICD-10 C91.00, C91.02, Z51.12. Minimum age of 16 years.
C9302	Injection, zanidatamab-hrii, 2 mg	Ziihera	Yes	Un	Antineoplastic	None	X	X											Closed 6/30/25. See J9276 after this date. Effective 4/1/25. Cost invoice with NDC required. Restricted to ICD-10 C22.1, C23, C24.0, C24.8, C24.9. Minimum age of 16 years.
C9303	Injection, zolbetuximab-clzb, 1 mg	Vyloy	Yes	UN	Antineoplastic		X	X											Closed 6/30/25. See J1326 after this date. Effective 4/1/25. Cost invoice with NDC required. Restricted to ICD-10 C15.5, C15.8, C15.9, C16.0 - C16.9. Minimum age of 16 years.
C9305	Injection, nipocalimab-aahu, 1200 mg/6.5 ml	Imaavy	Yes	ML	FCRN inhibitor	None	X	X											Closed 12/31/25. See J9256 after this date. Effective 10/1/25. Cost invoice with NDC required. Restricted to ICD-10 G70.00, G70.01. Minimum age of 12 years.
C9306	Injection, telisotuzumab vedotin-tllv, 20 mg	Emrelis	Yes	UN	Antineoplastic		X	X											Closed 12/31/25. See J9326 after this date. Effective 10/1/25. Cost invoice with NDC required. Restricted to ICD-10 C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.3, C34.30 - C34.32, C34.8, C34.80 - C34.82, C34.9, C34.90 - C34.92, Z17.32. Minimum age of 16 years.
C9307	Injection, linsoseltamab-gcpt, 1 mg	Lynozyfic	Yes	ML	Antineoplastic	200 units daily	X	X											Closed 3/31/26. See J9601 after this date. Effective 1/1/26. Cost invoice with NDC required. Restricted to ICD-10 C90.00, C90.02, C90.20, C90.22, C90.30, C90.32, Z92.22, Z92.25. Minimum age of 16 years.
C9308	Injection, carboplatin (avixa), 1 mg	Kyxata	Yes	ML	Antineoplastic	None	X	X											Closed 3/31/26. See J9278 after this date. Effective 1/1/26. Cost invoice with NDC required.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
C9309	Injection, onasemnogene abeparvovec-brve (Ivisma), per treatment.	Ivisma	Yes	UN	Genetic therapy	None	X	X											Closed 6/30/26. See J3405 after this date. Effective 4/1/26. Cost invoice with NDC required. Restricted to G12.9. Minimum age of 2 years.
C9310	Injection, leucovorin calcium (avyxa), 1 mg	Vykoura	Yes	ML	Antidote	None	X	X											Effective 7/1/26. Cost invoice with NDC required.
C9399	Unclassified drugs or biolog	Misc Drugs	N/A																Not Covered
C9441	Injection, ferric carboxymaltose, 1 mg	Injectafer	yes	ML	Iron supplement	none	X	X											Closed 6/30/14. See Q9970 after this date. Effective 1/1/14. Cost invoice with NDC required. Restricted to ICD-9 diagnosis of 280.1 - 280.9. Minimum age restriction of 16 years.
C9442	Injection, belinostat, 10 mg	Beleodaq	Yes	UN	Antineoplastic		X	X											Closed 12/31/15. See J9032 after this date. Effective 10/1/2015 ICD-10 diagnosis codes C84.40 - C84.49 Effective 1/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 202.7. Minimum age restriction of 16 years.
C9443	Injection, dalbavancin HCl, 10 mg.	Dalvance	Yes	UN	Anti-infective		X	X											Closed 12/31/15. See J0875 after this date. Effective 10/1/2015 ICD-10 diagnosis codes B78.1, K12.2, L01.00 - L01.03, L01.09, L01.1, L02.01 - L02.03, L02.11 - L02.13, L02.211 - L02.216, L02.219, L02.221 - L02.226, L02.229, L02.231 - L02.236, L02.239, L02.31 - L02.33, L02.411 - L02.416, L02.419, L02.421 - L02.426, L02.429, L02.431 - L02.436, L02.439, L02.511, L02.512, L02.519, L02.521, L02.522, L02.529, L02.531, L02.532, L02.539, L02.611, L02.612, L02.619, L02.621, L02.622, L02.629, L02.631, L02.632, L02.639, L02.811, L02.818, L02.821, L02.828, L02.831, L02.838, L02.91 - L02.93, L03.011, L03.012, L03.019 - L03.022, L03.029, L03.031, L03.032, L03.039, L03.041, L03.042, L03.049, L03.111 - L03.116, L03.119, L03.121 - L03.126, L03.129, L03.211, L03.212, L03.221, L03.222, L03.311 - L03.317, L03.319, L03.321 - L03.327, L03.329, L03.811, L03.818, L03.891, L03.898, L03.90, L03.91, L04.0 - L04.3, L04.8, L04.9, L05.01, L05.02, L05.91, L05.92, L08.0, L08.81, L08.82, L08.89, L08.9, L88, L92.8, L98.0 or L98.3 Effective 1/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 680.0 - 686.9. Minimum age restriction of 16 years.
C9444	Injection, oritavancin, 10 mg	Orbactiv	Yes	UN	Anti-infective		X	X											Closed 12/31/15. See J2407 after this date. Effective 10/1/2015 ICD-10 diagnosis codes B78.1, K12.2, L01.00 - L01.03, L01.09, L01.1, L02.01 - L02.03, L02.11 - L02.13, L02.211 - L02.216, L02.219, L02.221 - L02.226, L02.229, L02.231 - L02.236, L02.239, L02.31 - L02.33, L02.411 - L02.416, L02.419, L02.421 - L02.426, L02.429, L02.431 - L02.436, L02.439, L02.511, L02.512, L02.519, L02.521, L02.522, L02.529, L02.531, L02.532, L02.539, L02.611, L02.612, L02.619, L02.621, L02.622, L02.629, L02.631, L02.632, L02.639, L02.811, L02.818, L02.821, L02.828, L02.831, L02.838, L02.91 - L02.93, L03.011, L03.012, L03.019 - L03.022, L03.029, L03.031, L03.032, L03.039, L03.041, L03.042, L03.049, L03.111 - L03.116, L03.119, L03.121 - L03.126, L03.129, L03.211, L03.212, L03.221, L03.222, L03.311 - L03.317, L03.319, L03.321 - L03.327, L03.329, L03.811, L03.818, L03.891, L03.898, L03.90, L03.91, L04.0 - L04.3, L04.8, L04.9, L05.01, L05.02, L05.91, L05.92, L08.0, L08.81, L08.82, L08.89, L08.9, L88, L92.8, L98.0 or L98.3 Effective 1/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 680.0 - 686.9. Minimum age restriction of 18 years.
C9445	Injection, C-1 Esterase inhibitor (human), 10 u.	Ruconest	Yes	EA	Enzymatic		X	X											Closed 12/31/15. See J0596 after this date. Effective 10/1/2015 ICD-10 diagnosis codes D81.810 or D84.1 Effective 4/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 277.6. Minimum age restriction of 13 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
C9449	Injection, blinatumomab, 1 mcg.	Blincyto	Yes	EA	Antineoplastic		X	X											Closed 12/31/15. See J9039 after this date. Effective 10/1/2015 ICD-10 diagnosis codes C91.00 - C91.02 Effective 4/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 204.00 - 204.02. Minimum age restriction of 13 years.
C9450	Injection, fluocinolone acetonide intravitreal implant, 0.01 mg.	Iluvien	Yes	EA	Anti-inflammatory		X	X											Closed 12/31/15. See J7313 after this date. Effective 10/1/2015 ICD-10 diagnosis codes E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.36, E10.39, E10.65, E11.311, E11.319, E11.321, E11.329, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.36, E11.39, E11.65, E13.311, E13.319, E13.321, E13.329, E13.331, E13.339, E13.341, E13.349, E13.351, E13.359, E13.36 or E13.39 Effective 4/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 250.50-250.53.
C9451	Injection, peramivir, 1 mg.	Rapivab	Yes	ML	Anti-influenza	600 units per day	X	X											Closed 12/31/15. See J2547 after this date. Effective 10/1/2015 ICD-10 diagnosis codes J09.X1 - J09.X3, J09.X9, J10.00, J10.01, J10.08, J10.1, J10.2, J10.81, J10.89, J11.00, J11.08, J11.1, J11.2, J11.81 or J11.89 Effective 4/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 487.0 - 487.8 or 488.01 - 488.89. Minimum age restriction of 18 years.
C9452	Injection, ceftolozane/tazobactam 1.5 G.	Zerbaxa	Yes	EA	Anti-infective		X	X											Closed 12/31/15. See J0695 after this date. Effective 4/1/15. Cost invoice with NDC required with claim. Minimum age restriction of 18 years.
C9453	Injection, nivolumab 1 mg.	Opdivo	Yes	ML	Antineoplastic	none	X	X											Closed 12/31/15. See J9299 after this date. Effective 10/1/15 ICD-10 diagnosis codes C00.5, C33, C34.00, C34.01, C34.02, C34.10, C34.11, C34.12, C34.2, C34.30, C34.31, C34.32, C34.80, C34.81, C34.82, C34.90, C34.91, C34.92, C43, C43.10, C43.11, C43.12, C43.20, C43.21, C43.22, C43.30, C43.31, C43.39, C43.4, C43.51, C43.52, C43.59, C43.60, C43.61, C43.62, C43.70, C43.71, C43.72, C43.8, C43.9, C44.00, C44.01, C44.02, C44.09, C44.101, C44.102, C44.109, C44.111, C44.112, C44.119, C44.121, C44.122, C44.129, C44.191, C44.192, C44.199, C44.201, C44.202, C44.209, C44.21, C44.211, C44.212, C44.219, C44.221, C44.222, C44.229, C44.291, C44.292, C44.299, C44.300, C44.301, C44.309, C44.310, C44.311, C44.319, C44.320, C44.321, C44.329, C44.390, C44.391, C44.399, C44.4, C44.40, C44.41, C44.42, C44.49, C44.500, C44.501, C44.509, C44.510, C44.511, C44.519, C44.520, C44.521, C44.529, C44.590, C44.591, C44.599, C44.601, C44.602, C44.609, C44.611, C44.612, C44.619, C44.621, C44.622, C44.629, C44.691, C44.692, C44.701, C44.702, C44.709, C44.711, C44.712, C44.719, C44.721, C44.722, C44.729, C44.791, C44.792, C44.799, C44.80, C44.81, C44.89, C44.90, C44.91, C44.92, C44.99, C44.9, D03.0, D03.10, D03.11, D03.12, D03.20, D03.21, D03.22, D03.30, D03.39, D03.4, D03.51, D03.52, D03.59, D03.60, D03.61, D03.62, D03.70, D03.71, D03.72, D03.8, D03.9. Effective 7/1/15. Cost invoice with NDC required with claim. Restricted to diagnosis of ICD-9 162.0 - 162.8, 172.0 - 172.9, 173.0 - 173.9. Minimum age restriction of 16 years.
C9455	Injection, siltuximab 10 mg.	Sylvant	Yes	EA	Monoclonal antibody	none	X	X											Closed 12/31/15. See J2860 after this date. Effective 7/1/15. Cost invoice with NDC required with claim. Restricted to diagnosis of ICD-9 785.6 or ICD-10 R59.0, R59.1, or R59.9. Minimum age restriction of 16 years.
C9456	Injection, isavuconazonium sulfate, 1 mg.	Cresemba vial	Yes	EA	Anti-Infective	none	X	X											Closed 12/31/15. See J1833 after this date. Effective 10/1/15. Cost invoice with NDC required with claim. Restricted to diagnosis of ICD-10 B44.0, B44.1, B44.2, B44.7, B44.89, B44.9. Minimum age restriction of 18 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
C9462	Injection, delafloxacin, 1 mg	Baxdela	Yes	EA	Anti-Infective	None	X	X											Effective 4/4/18. Cost invoice with NDC required.
C9463	Injection, aprepitant, 1 mg.	Cinvanti	Yes	ML	Anti-emetic	none	X	X											Closed 12/31/18. See J0185 after this date. Effective 4/1/18. Cost invoice with NDC required.
C9466	Injection, benralizumab, 1 mg	Fasenra	Yes	ML	Anti-asthmatic	None	X	X											Closed 12/31/18. See J0517 after this date. Effective 4/4/18. Cost invoice with NDC required. Restricted to ICD-10 J45.50. Minimum age of 12 years.
C9467	Injection, rituximab and hyaluronidase, 10 mg	Rituxan Hycela	Yes	ML	Anti-neoplastic	None	X	X											Closed 12/31/18. See J9311 after this date. Effective 4/1/18. Cost invoice with NDC required. Restricted to ICD-10 diagnosis of C82.00 - C82.99, C83.30 - C83.39, C91.10, C91.12. Minimum age of 16 years.
C9469	Injection, triamcinolone acetonide, preservative-free, extended-release, microsphere formulation, 1 mg.	Zilretta	Yes	EA	Anti-inflammatory	Max. 32 mg, once yearly	X	X											Closed 6/30/18. See Q9993 after this date. Effective 4/1/18. Cost invoice with NDC required. Restricted to ICD-10 diagnosis of M17.1 - M17.9.
C9472	Injection, talimogene laherparepvec, 1 M PFU	Imlygic	Yes	ML	Anti-neoplastic	none	X	X											Closed 12/31/16. See J9325 after this date. Effective 4/1/16. Cost invoice with NDC required with claim. Minimum age restriction of 16 years.
C9473	Injection, mepolizumab, 1mg.	Nucala	Yes	EA	Monoclonal antibody	none	X	X											Closed 12/31/16. See J2182 after this date. Effective 4/1/16. Cost invoice with NDC required with claim. Restricted to ICD-10 J45.50. Minimum age restriction of 12 years.
C9474	Injection, irinotecan liposome, 1 mg.	Onivyde	Yes	ML	Anti-neoplastic	none	X	X											Closed 12/31/16. See J9205 after this date. Effective 4/1/16. Cost invoice with NDC required with claim. Restricted to ICD-10 C25.0, C25.1, C25.2, C25.3, C25.4, C25.7, C25.8, C25.9. Minimum age restriction of 16 years.
C9475	Injection, necitumumab 1 mg.	Portrazza	Yes	ML	Anti-neoplastic	800 units daily	X	X											Closed 12/31/16. See J9295 after this date. Effective 4/1/16. Cost invoice with NDC required with claim. Restricted to ICD-10 diagnosis C34.01, C34.02, C34.11, C34.12, C34.2, C34.31, C34.32, C34.81, C34.82, C34.91, C34.92, C38.4, C78.01, C78.02. Minimum age restriction of 16 years.
C9476	Injection, daratumumab, 10 mg.	Darzalex	Yes	ML	Anti-neoplastic	210 units daily	X	X											Closed 12/31/16. See J9145 after this date. Effective 7/1/16. Cost invoice with NDC required with claim. Restricted to ICD-10 C90.02. Minimum age restriction of 16 years.
C9477	Injection, elotuzumab, 1 mg.	Empliciti	Yes	UN	Anti-neoplastic	None	X	X											Closed 12/31/16. See J9176 after this date. Effective 7/1/16. Cost invoice with NDC required with claim. Restricted to ICD-10 C90.00, C90.01, C90.02. Minimum age restriction of 16 years.
C9478	Injection, sebelipase alfa, 1 mg.	Kanuma	Yes	ML	Metabolic Enzyme Replacement	None	X	X											Closed 12/31/16. See J2840 after this date. Effective 7/1/16. Cost invoice with NDC required with claim.
C9479	Injection, ciprofloxacin otic, 6 mg.	Otiprio	Yes	ML	Anti-Infective	None	X	X											Closed 12/31/16. See J7342 after this date. Effective 7/1/16. Cost invoice with NDC required with claim.
C9480	Injection, trabectedin, 0.1 mg.	Yondelis	Yes	EA	Anti-neoplastic	None	X	X											Closed 12/31/16. See J9352 after this date. Effective 7/1/16. Cost invoice with NDC required with claim. Restricted to ICD-10 C49.9. Minimum age restriction of 16 years.
C9481	Injection, reslizumab, 1 mg.	Cinqair	Yes	ML	Anti-asthmatic	None	X	X											Closed 12/31/16 See J2786 after this date. Effective 10/1/16. Cost invoice with NDC required. Restricted to ICD-10 J45.50. Minimum age of 18 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
C9483	Injection, atezolizumab, 10 mg.	Tecentriq	Yes	ML	Anti-Infective	120 units daily.	X	X											Closed 12/31/17. See J9022 after this date. Effective 10/18/16, approved ICD-10 diagnosis of C34.00 - C34.92. Effective 10/1/16. Cost invoice with NDC required. Restricted to ICD-10 C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C67.0, C67.1, C67.2, C67.3, C67.4, C67.5, C67.6, C67.7, C67.8, C67.9, C68.0. Minimum age restriction of 16 years.
C9484	Injection, eteplirsen 10 mg.	Exondys 51	Yes	ML	Genetic therapy	none	X	X											Closed 12/31/17. See J1428 after this date. Effective 4/1/17. Cost invoice with NDC required.
C9485	Injection, oloratumab 10 mg.	Lartruvo	Yes	ML	Antineoplastic	none	X	X											Closed 12/31/17. See J9285 after this date. Effective 4/1/17. Cost invoice with NDC required.
C9487	Ustekinumab, IV injection, 1 mg.	Stelara	Yes	ML	Antipsoriatic	none	X	X											Closed 6/30/17. See Q9989. Effective 4/1/17. Cost invoice with NDC required. Restricted to ICD-10 L30.5, L40.0 - L40.4, L40.50 - L40.54, L40.59, L40.8, L40.9, L41.0, L41.1, L41.3 - L41.5, L41.8, L41.9, L42, L44.0, L44.8, L45 or L94.5.
C9490	Injection, bezlotoxumab 10 mg.	Zinplava	Yes	ML	Anti-Infective	none	X	X											Closed 12/31/17. See J0565 after this date. Effective 10/1/17, ICD-10 diagnosis restriction modified to A04.71 or A04.72. Effective 7/1/17. Restricted to ICD-10 diagnosis A04.7. Minimum age restriction of 18 years.
C9491	Injection, avelumab, 10 mg.	Bavencio	Yes	ML	Antineoplastic	None	X	X											Closed 12/31/17. See J9023 after this date. Effective 10/1/17. Cost invoice with NDC required. Restricted to ICD-10 of C4A.0, C4A.10 - C4A.12, C4A.20 - C4A.22, C4A.30 - C4A.39, C4A.4, C4A.51 - C4A.59, C4A.60 - C4A.62, C4A.70 - C4A.72, C4A.8, C4A.9; C65.1, C65.2, C66.1, C66.2, C67.0 - C67.9, C68.0, C68.8. Minimum age of 12 years.
C9492	Injection, durvalumab, 10 mg.	Imfinzi	Yes	ML	Antineoplastic	None	X	X											Closed 12/31/18. See J9173 after this date. Effective 2/16/18, ICD-10 C33, C34.01, C34.02, C34.11, C34.12, C34.2, C34.31, C34.32, C34.81, C34.82, C34.91, C34.92 added. Effective 10/1/17. Cost invoice with NDC required. Restricted to ICD-10 C65.1, C65.2, C66.1, C66.2, C67.0 - C67.9, C68.0, C68.8. Minimum age of 16 years.
C9493	Injection, edaravone, 1 mg.	Radicava	Yes	ML	Antineoplastic	60 units daily	X	X											Closed 12/31/18. See J1301 after this date. Effective 10/1/17. Cost invoice with NDC required. Restricted to ICD-10 G12.21. Minimum age of 16 years.
C9494	Injection, ocrelizumab, 1 mg.	Ocrevus	Yes	ML	Multiple sclerosis	600 units per day	X	X											Closed 12/31/17. See J2350 after this date. Effective 10/1/17. Cost invoice with NDC required. Restricted to ICD-10 G35.
G9020	Rimantadine HCL 100mg oral	Flumadine	N/A		Antiviral														Not Covered
G9033	Amantadine HCL oral brand	Symmetrel	N/A		Parkinsons Disease														Not Covered
G9034	Zanamivir, inh pwr, brand	Relenza	N/A		Antiviral														Not Covered
G9035	Oseltamivir phosp, brand	Tamiflu	N/A		Antiviral														Not Covered
G9036	Rimantadine HCL, brand	Flumandine	N/A		Antiviral														Not Covered
J0120	Injection tetracycline up to 250mg	Achromycin Sumycin Panmycin	Yes	UN	Antibiotic	4 per day	X	X	X	X									Effective 2/29/24, code is closed.
J0128	Injection abarelix 10mg	Plenaxis	Yes	UN	Gonadotropin	None	X	X	X										Effective 10/1/2015 ICD-10 diagnosis code C61 Maximum dosage 100 mg on days 1, 15 & 29, then maximum 100 mg every 4 weeks thereafter. ICD-9 code 185 required on claim form.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J0129	Injection, Abatecept, 10 mg	Orencia	Yes	UN	Anti-rheumatic	100 units every 2 weeks	X	X	X	X									Effective 10/1/2015 ICD-10 diagnosis codes M05.00, M05.011, M05.012, M05.019, M05.021, M05.022, M05.029, M05.031, M05.032, M05.039, M05.041, M05.042, M05.049, M05.051, M05.052, M05.059, M05.061, M05.062, M05.069, M05.071, M05.072, M05.079, M05.09, M05.10, M05.111, M05.112, M05.119, M05.121, M05.122, M05.129, M05.131, M05.132, M05.139, M05.141, M05.142, M05.149, M05.151, M05.152, M05.159, M05.161, M05.162, M05.169, M05.171, M05.172, M05.179, M05.19, M05.30, M05.60, M05.611, M05.612, M05.619, M05.621, M05.622, M05.629, M05.631, M05.632, M05.639, M05.641, M05.642, M05.649, M05.651, M05.652, M05.659, M05.661, M05.662, M05.669, M05.671, M05.672, M05.679, M05.69, M05.711, M05.712, M05.719, M05.721, M05.722, M05.729, M05.731, M05.732, M05.739, M05.741, M05.742, M05.749, M05.751, M05.752, M05.759, M05.761, M05.762, M05.769, M05.811, M05.812, M05.819, M05.821, M05.822, M05.829, M05.831, M05.832, M05.839, M05.841, M05.842, M05.849, M05.851, M05.852, M05.859, M05.861, M05.862, M05.869, M06.071, M06.072, M06.079, M06.1, M06.211, M06.212, M06.219, M06.221, M06.222, M06.229, M06.231, M06.232, M06.239, M06.241, M06.242, M06.249, M06.251, M06.252, M06.259, M06.261, M06.262, M06.269, M06.811, M06.812, M06.819, M06.821, M06.822, M06.829, M06.831, M06.832, M06.839, M06.841, M06.842, M06.849, M06.851, M06.852, M06.859, M06.861, M06.862, M06.869, M06.871, M06.872, M06.879 or M06.9 New code effective 1/1/07. ICD-9 codes 714.0-714.2 or 714.81 required on claim form.
J0130	Injection abciximab 10mg	ReoPro	N/A		Antiplatelet														Not Covered
J0131	Injection, acetaminophen, 10 mg.		N/A																Not Covered
J0132	Injection, acetylcysteine, 100 mg	Acetadote Mucomyst	Yes	ML	Antidote	None	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes T39.012A, T39.014A, T39.014D, T39.014S, T39.092A, T39.094A, T39.094D, T39.094S, T39.1X1A -T39.1X4A, T39.2X2A, T39.2X4A, T39.2X4D, T39.2X4S, T39.311A, T39.311D, T39.311S, T39.312A, T39.312D, T39.312S, T39.313A, T39.313D, T39.313S, T39.314A, T39.314D, T39.314S, T39.392A, T39.394A, T39.394D, T39.394S, T39.4X2A, T39.4X4A, T39.4X4D, T39.4X4S, T39.8X2A, T39.8X4A, T39.92xA, T39.94xA, T40.0X2A, T40.0X4A, T40.0X4D, T40.0X4S, T40.1X2A, T40.1X4A, T40.1X4D, T40.1X4S, T40.2X2A, T40.2X4A, T40.2X4D, T40.2X4S, T40.3X2A, T40.3X4A, T40.3X4D, T40.3X4S, T40.4X2A, T40.4X4A, T41.1X2A, T41.202A, T41.292A, T41.3X2A or T41.42xA ICD-9 codes required on claim form: 965.4, E850.4, E935.4, E950.0, E962.0, E980.0
J0133	Injection, acyclovir, 5mg		Yes	PWD=UN SOL=ML	Antiviral	None	X	X	X	X									Nurse practitioner added 1/1/09.
J0135	Injection adalimumab 20mg	Humira	N/A		Anti-rheumatic														Not Covered
J0150	Injection adenosine 6mg	Adenoscan Adenocard	Yes	ML	Anti-arrhythmic	None													Not Covered
J0151	Injection, adenosine for diagnostic use, 1 mg (Not to be used to report any adenosine phosphate compounds, instead use a9270)	Adenocard	Yes	ML	Diagnostic Agent	None	X	X	X								X		Closed 12/31/14. See J0153 after this date. Effective 1/1/14.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J0152	Injection adenosine for diag. use 30mg	Adenocard	Yes	PWD=UN SOL=ML	Diagnostic Agent	None	X	X	X								X		Closed 12/31/13. See J0151. Replaces J0151. Use only for stress testing. Separate billing when test provided in physician's office or IDTF. Adults only.
J0153	Injection, adenosine, 1 mg (not to be used to report any adenosine phosphate compounds)	Adenocard	Yes	ML	Diagnostic Agent	None	X	X	X								X		Effective 1/1/15.
J0162	Injection, epinephrine (fresenius), not therapeutically equivalent to j0165, 0.1 mg	NA	Yes	ML	Adrenergic	None	X	X	X	X									Effective 1/1/26.
J0163	Injection, epinephrine in sodium chloride (endo), 0.1 mg	NA	Yes	ML	Adrenergic	None	X	X	X	X									Effective 10/1/25.
J0164	Injection, epinephrine in sodium chloride (baxter), 0.1 mg	NA	Yes	ML	Adrenergic	None	X	X	X	X									
J0167	Injection, epinephrine (hospira), not therapeutically equivalent to j0165, 0.1 mg	NA	Yes	ML	Adrenergic	None	X	X	X										Effective 7/1/25.
J0168	Injection, epinephrine (international medication systems), not therapeutically equivalent to j0165, 0.1 mg	NA	Yes	ML	Adrenergic	None	X	X	X										Effective 7/1/25.
J0169	Injection, epinephrine (adrenalin), not therapeutically equivalent to j0165, 0.1 mg	Adrenalin	Yes	ML	Adrenergic	None	X	X	X										Effective 7/1/25.
J0170	Injection adrenalin epinephrine up to 1ml ampule	Epipen Adrenalin Chloride, SusPhrine	Yes	ML	Respiratory	1 per day	X	X	X	X									Closed 12/31/10. See J0171 after this date.
J0171	Injection, epinephrine, 0.1 MG.	Adrenalin	Yes	ML	Antidote	None	X	X	X	X									Closed 6/30/25. New code effective 1/1/11.
J0172	Injection, aducanumab-awwa, 2 mg	Aduhelm	Yes	SOL	Alzheimer's agent	None	X	X	X										Closed 12/31/25. Effective 3/1/22, prior authorization is required. Please contact Kepro at 800-346-8272, or wmedicalservices@kepro.com. Service limit is removed. Effective 1/1/22. Minimum age of 50 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J0174	Injection, lecanemab-irimb, 1 mg	Leqembi	Yes	ML	Monoclonal Antibody	Nione	X	X	X										Effective 7/25/23. Restricted to ICD-10 diagnosis G30.0, G30.1, G30.8, G30.9, G31.84.
J0175	Injection, donanemab-azbt, 2 mg	Kisunla	Yes	ML	Monoclonal Antibody	None	X	X	X										Effective 7/2/24. Restricted to ICD-10 diagnosis of G30.0, G30.1, G30.8, G30.9, or G31.84.
J0177	Injection, aflibercept hd, 1 mg	Eylea HD	Yes	ML	neovascular-Age related Macular Degeneration	None	X	X	X										Effective 4/1/24 Covered to ASC. Restricted to ICD-10 E08.3211 - E08.3213, E08.3311 - E08.3313, E08.3411 - E08.3413, E08.3511 - E08.3513, E08.311, E09.3211 - E09.3213, E09.3311 - E09.3313, E09.3411 - E09.3413, E09.3511 - E09.3513, E09.311, E10.3211 - E10.3213, E10.3311 - E10.3313, E10.3411 - E10.3413, E3511 - E3513, E10.311, E11.3211 - E11.3213, E11.3311 - E11.3313, E11.3411 - E11.3413, E11.3511 - E11.3513, E11.311, E13.3211 - E13.3213, E13.3311 - E13.3313, E13.3411 - E13.3413, E13.3511 - E13.3513, E13.311, E08.3291 - E08.3293, E08.3391 - E08.3393, E08.3491 - E08.3493, E08.3521 - E08.3523, E08.3531 - E08.3533, E08.3541 - E08.3543, E08.3551 - E08.3553, E08.3591 - E08.3593, E08.319, E09.3291 - E09.3293, E09.3391 - E09.3393, E09.3491 - E09.3493, E09.3521 - E09.3523, E09.3531 - E09.3533, E09.3541 - E09.3543, E09.3551 - E09.3553, E09.3591 - E09.3593, E09.319, E10.3291 - E10.3293, E10.3391 - E10.3393, E10.3491 - E10.3493, E10.3521 - E10.3523, E10.3531 - E10.3533, E10.3541 - E10.3543, E10.3551 - E10.3553, E10.3591 - E10.3593, E10.319, E11.3291 - E11.3293, E11.3391 - E11.3393, E11.3491 - E11.3493, E11.3521 - E11.3523, E11.3531 - E11.3533, E11.3541 - E11.3543, E11.3551 - E11.3553, E11.3591 - E11.3593, E11.319, E13.3291 - E13.3293, E13.3391 - E13.3393, E13.3491 - E13.3493, E13.3521 - E13.3523, E13.3531 - E13.3533, E13.3541 - E13.3543, E13.3551 - E13.3553, E13.3591 - E13.3593, E13.319, H35.3211 - H35.3231, H35.3212 - H35.3232, H35.3213 - H35.3233, H35.3210 - H35.3230.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J0178	Injection, aflibercept, 1 mg	Eylea	Yes	ML	neovascular-Age related Macular Degeneration	4 units per week	X	X							X				Effective 2/8/23, ICD-10 H35.101 - H35.109, H35.111 - H35.119, H35.121 - H35.129, H35.131 - H35.139, H35.141 - H35.149, H35.151 - H35.159, and H35.161 - H35.169 added. Effective 7/1/21, added ICD-10 E08.3211 - E08.3213, E08.3311 - E08.3313, E08.3411 - E08.3413, E08.3511 - E08.3513, E09.3211 - E09.3213, E09.3311 - E09.3313, E09.3411 - E09.3413, E09.3511 - E09.3513, E10.3211 - E10.3213, E10.3311 - E10.3313, E10.3411 - E10.3413, E10.3511 - E10.3513, E11.3211 - E11.3213, E11.3311 - E11.3313, E11.3411 - E11.3413, E11.3511 - E11.3513, E13.3211 - E13.3213, E13.3311 - E13.3313, E13.3411 - E13.3413, E13.3511 - E13.3513, E11.3591 - E11.3593. Effective 5/13/19, added ICD-10: E08.319, E08.3291 - E08.3293, E08.3391 - E08.3393, E08.3491 - E08.3493, E08.3521 - E08.3523, E08.3531 - E08.3533, E08.3541 - E08.3543, E08.3551 - E08.3553, E08.3591 - E08.3593, E09.319, E09.3291 - E08.3293, E09.3391 - E08.3393, E09.3491 - E09.3493, E09.3521 - E09.3523, E09.3531 - E0.3533, E09.3541 - E09.3543, E09.3551 - E09.3553, E09.3591 - E09.3593, E10.319, E10.3291 - E10.3293, E10.3391 - E10.3393, E10.3491 - E10.3493, E10.3521 - E10.3523, E10.3531 - E10.3533, E10.3541 - E10.3543, E10.3551 - E10.3553, E10.3591 - E10.3593, E11.319, E11.3291 - E11.3293, E11.3391 - E11.3393, E11.3491 - E11.3493, E11.3521 - E11.3523, E11.3531 - E11.3533, E11.3541 - E11.3543, E13.319, E13.3291 - E13.3293, E13.3391 - E13.3393, E13.3491 - E13.3493, E13.3521 - E13.3523, E13.3531 - E13.3533, E13.3541 - E13.3543, E13.3551 - E13.3553, E13.3591 - E13.3593. Effective 10/1/16, ICD-10 diagnosis codes E10.3211, E10.3212, E10.3213, E10.3311, E10.3312, E10.3313, E10.3411, E10.3412, E10.3413, E10.3511, E10.3512, E10.3513, E11.3211, E11.3212, E11.3213, E11.3311, E11.3312, E11.3313, E11.3411, E11.3412, E11.3413, E11.3511, E11.3512, E11.3513, H34.8110, H34.8111, H34.8112, H34.8120, H34.8121, H34.8122, H34.8130, H34.8131, H34.8132, H34.8190, H34.8191, H34.8192, H34.8310, H34.8311, H34.8312, H34.8320, H34.8321, H34.8322, H34.8330, H34.8331, H34.8332, H35.3211, H35.3212, H35.3213, H35.3221, H35.3222, H35.3223, H35.3231, H35.3232, H35.3233 added. Effective 10/1/2015 ICD-10 diagnosis codes E10.311, E10.321, E10.331, E10.341, E10.351, E11.311, E11.321, E11.331, E11.341, E11.351, H34.811, H34.812, H34.813, H34.819, H34.839, H35.32 or H35.81 Effective 10/6/14, ICD-9 diagnosis restriction of 362.83 and 362.36 added. Effective 7/29/14, ICD-9 diagnosis restriction of 362.07 added. Effective 1/1/13. Restricted to ICD-9 diagnosis of 362.52, or 362.83 and 362.35. Minimum age restriction of 16 years
J0179	Injection, brolucizumab- dbll, 1 mg (Beovu)	Beovu	Yes	ML	Macular degeneration	Six units daily	X	X	X										Effective 1/1/20.
J0180	Injection agalsidase beta 1mg	Fabrazyme	Yes	UN	Enzyme	None	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes E75.21, E75.22, E75.240 - E75.243, E75.248, E75.249, E75.3, E77.0, E77.1, E77.8, or E77.9 Requires Prior Authorization for children 16<years of age. Submit copies of physician's medical records, specialist's medical records (as appropriate), member's weight, signs and symptoms and diagnostic test results to confirm diagnosis of ICD-9-CM code 272.7 to BMS Medical Director. Children 16> years of age, do not require prior authorization. ICD-9-CM Code 272.7 must be documented on the claim form.
J0184	Injection, amisulpride, 1 mg	Barhemsys	Yes	ML	Anti-emetic	10 units daily	X	X	X										Effective 1/1/24. Covered to ASC.
J0185	Injection, aprepitant, 1 mg.	Cinvanti	Yes	ML	Anti-emetic	None	X	X	X										Effective 1/1/19.
J0190	Injection biperiden lactate 5mg	Akineton	Yes	UN	Anti-dyskinetic	4 per day	X	X	X										Closed 6/30/20. No drug manufacturer participation in federal drug rebate program.
J0200	Injection alatroflaxacin mesylate 100mg	Trovan IV Trova-floxacin	N/A		Antibiotic														Closed 12/31/25.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J0202	Injection, alemtuzumab, 1 mg	Lemtrada	Yes	ML	Anti-schlerotic	none	X	X	X										Effective 10/1/25, restricted to ICD-10 G35.A, G35.B0, G35.B1, G35.B2, G35.C0, G35.C1, and G35.C2. Effective 1/1/16. Restricted to diagnosis ICD-10 G35. Minimum age restriction of 17 years.
J0205	Injection alglucerase 10U	Ceredase	Yes	ML	Enzyme	None	X	X	X										Effective 2/29/24, code is closed. Effective 10/1/2015 ICD-10 diagnosis codes E75.21, E75.22, E75.240 - E75.243, E75.248, E75.249, E75.3, E77.0, E77.1, E77.8, or E77.9 ICD-9 code 272.7 required on claim form.
J0207	Injection amifostine 500mg	Ethiol	Yes	UN	Anti-neoplastic	None	X	X	X										
J0208	Injection, sodium thiosulfate, 100 mg	Pedmark	Yes	ML	Antidote	None	X	X											Effective 4/1/23. Restricted to ICD-10 T45.1X5A, T45.1X5D, T45.1X5S.
J0210	Injection methyl dopate HCl up to 250mg	Aldomet Aldoril	Yes	ML	Anti-hypertensive	None	X	X	X										
J0215	Injection alefacept 0.5mg	Amevive	Yes	UN	Monoclonal Antibody	30 units per week X 12 weeks in 6 month period per lifetime	X	X	X										Effective 2/29/24, code is closed. 30 units per week X 12 weeks in a 6 month period per lifetime.
J0217	Injection, velmanase alfa-tycv, 1 mg	Lamzede	Yes	UN	Enzymatic	None	X	X	X										Effective 1/1/24. Covered to ASC. Restricted to ICD-10 E77.1. Minimum age of 3 years.
J0218	Injection, olipudase alfa-rpcp, 1 mg	Xenpozyme	Yes	EA	Metabolic Enzyme Replacement	None	X	X	X										Effective 4/1/23. Restricted to ICD-10 E75.240, E75.241, E75.244, E75.248, or E75.249.
J0219	Injection, avalglucosidase alfa-ngpt, 4 mg	Nexviazyme	Yes	EA	Enzymatic	None	X	X	X										Effective 4/1/22. Restricted to ICD-10 E74.02, Pompe disease. Minimum age of 1 year.
J0220	Injection, alglucosidase alfa, 10 mg.	Myozyme	Yes	UN	Metabolic Enzyme Replacement	None	X	X	X										Closed 6/30/20. No drug manufacturer participation in federal drug rebate program. New code effective 1/1/08. Replaces C9234.
J0221	Injection, alglucosidase alfa, 10 mg.	Lumizyme	Yes	UN	Enzymatic	none	X	X	X								X		Effective 10/1/2015 ICD-10 diagnosis codes E74.00 - E74.04 or E74.09 Effective 8/1/14, minimum age restriction removed. Effective 1/1/12. Restricted to ICD-9 diagnosis 271.0. Minimum age restriction of 8 years.
J0222	Injection, patisiran, 0.1 mg	Onpatro	Yes	ML	Amyloidosis agent	300 units daily	X	X	X										Effective 10/1/19. to ICD-10 E85.1. restriction of 18 years. Restricted Minimum age
J0223	Injection, givosiran, 0.5 mg	Givlaari	Yes	ML	Acute hepatic porphyria	756 units monthly	X	X	X										Effective 7/1/20. ICD-10 E80.21. 16 years. Restricted to Minimum age
J0225	Injection, vutrisiran, 1 mg	Amvuttra	Yes	ML	Amyloidosis agent	None	X	X	X										Effective 1/1/25. Restricted to ICD-10 diagnosis E85.1, E85.82, E85.4.
J0248	Injection, remdesivir, 1 mg	Veklury	Yes	UN ML	Monoclonal Antibody	None	X	X	X	X									Effective 12/23/21. coverage to FQHCs. Includes

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J0256	Injection alpha 1 proteinase inhibitor human 10mg	Prolastin-C Aralast Zemaira	Yes	UN	Alpha-1 antitrypsin	800 u. weekly	X	X	X										Service limit adjusted upward, 10/1/10.
J0257	Injection, alpha-1 proteinase inhibitor (human), 10 MG	Glassia	Yes	UN	Enzymatic	820 units per week	X	X	X							X			Effective 10/1/2015 ICD-10 diagnosis codes J43.0 - J43.2, J43.8 or J43.9 Effective 1/1/12. Restricted to ICD-9 diagnosis 492.8. Minimum age restriction of 16 years.
J0270	Injection alprostadil 1.25mcg	Caverject Muse Prostin VR Pediatric	Yes	PWD=UN SOL=ML	Pro-staglandin	None	X	X	X										Not for self administration. IV only
J0275	Alprostadil urethral suppository	Muse	N/A		Pro-staglandin														Not Covered
J0278	Injection, amikacin sulfate, 100 mg	Amikin	Yes	PWD=UN SOL=ML	Antibiotic	None	X	X	X	X				X					Nurse practitioner added 1/1/09.
J0280	Injection aminophyllin up to 250mg	Phyllocontin	Yes	PWD=UN SOL=ML	Broncho-dilator	None	X	X	X									X	
J0282	Injection, amiodarone HCl 30 mg	Cordarone	Yes		Anti-arrhythmic		X	X											Effective 2/1/16, coverage added for OP hospitals.
J0283	Injection, amiodarone in dextrose, 30 mg	Nexterone	Yes	ML	Anti-arrhythmic	None	X	X											Effective 1/1/23.
J0285	Injection amphotericinB 50mg	Abelcent, Amphocin, Fungizonef	Yes	UN	Anti-fungal	None	X	X	X										
J0287	Injection amphotericinB lipid complex 10mg	Abelcet	Yes	ML	Anti-fungal	None	X	X	X										
J0288	Injection amphotericinB cholesteryl sulfate complex 10mg	Amphotec	Yes	UN	Anti-fungal	None	X	X	X										Effective 2/29/24, code is closed.
J0289	Injection amphotericinB liposome 10mg.	Ambisome	Yes	UN	Antibiotic	None	X	X	X										
J0290	Injection ampicillin sodium 500mg.	Totacillin-N Omnipen-N	Yes	UN	Antibiotic	None	X	X	X	X								X	
J0295	Injection ampicillin sodium sulbactam sodium 1.5g	Unasyn	Yes	UN	Antibiotic	None	X	X	X	X									
J0300	Injection amobarbital up to 125mg.	Amytal	Yes	UN	Anti-convulant	None	X	X	X										
J0330	Injection succinylcholine chloride up to 20mg.	Anectine Quelicin Succostrin	Yes	PWD=UN SOL=ML	Neuro-muscular blocker	None	X	X	X										
J0348	Injection, anidulafungin, 1 mg	Eraxis	Yes	UN	Anti-fungal	200 units per day	X	X	X	X									New code effective 1/1/07. Nurse practitioner added 1/1/09.
J0349	Injection, rezafungin, 1 mg	Rezzayo	Yes	EA	Antifungal	None	X	X	X										Effective 10/1/23. Restricted to ICD-10 B37.1, B37.49, B37.7, B37.8, B37.81, B37.82, or B37.89. Minimum of 18 years.
J0350	Injection anistreplase 30U	Eminase	N/A		Thrombolytic agent														Closed 12/31/25.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J0360	Injection hydralazine HCl up to 20mg	Apresoline	Yes	PWD=UN SOL=ML	Anti-hypertensive	None	X	X	X										
J0364	Injection, apomorphine HCl, 1 mg	Apokyn	Yes	PWD=UN SOL=ML	Dopamine Agonist	None	X	X	X	X									Effective 12/1/25 ICD-10 diagnosis restrictions added G20.A, G20.A2, G20.B1, G20.B2. Effective 10/1/2015 ICD-10 diagnosis codes G20 or G21.4 New code effective 1/1/07. ICD-9 code 332.0 required on claim form. Nurse practitioner added 1/1/09.
J0365	Injection, aprotonin, 10,000kui	Trasylol	N/A		Blood Product Derivative														Closed 12/31/25.
J0380	Injection metaraminol bitartrate 10mg	Aramine	Yes	PWD=UN SOL=ML	Adrenergic agonist	None	X	X	X										Effective 2/29/24, code is closed.
J0390	Injection chloroquine HCl up to 250mg	Aralen	N/A		Anti-infective														Not Covered
J0391	Injection, artesunate, 1 mg	NA	Yes	UN	Antimalarial	None	X	X	X										Effective 1/1/24. Covered to ASC. Restricted to ICD1-0 B50.0, B50.8, B59.9.
J0395	Injection arbutamine HCl 1 mg	GenESA	Yes	UN	Thrombolytic agent	None	X	X	X									X	Effective 2/29/24, code is closed.
J0400	Injection, Aripiprazole IM, 0.25 mg	Abilify	N/A		Atypical anti-psychotic														New code effective 1/1/08. Not covered. See POS pharmacy.
J0401	Injection, aripiprazole, extended release, 1 mg	Abilify Maintena	N/A		Atypical anti-psychotic														New code effective 1/1/14. Not covered. See POS pharmacy.
J0456	Injection azithromycin 500 mg.	Zithromax	Yes	UN	Antibiotic	1 per day	X	X	X										
J0457	Injection, aztreonam, 100 mg	NA	Yes	UN	Anti-bacterial	None	X	X											Effective 7/1/23. Cost invoice required.
J0458	Injection, aztreonam/avibactam, 7.5 mg/2.5 mg (10 mg)	Emblaveo	Yes	UN	Anit-infective	None	X	X	X	X									Effective 10/1/25.
J0460	Injection atropine sulfate up to 0.3mg	AtroPen	Yes	ML	Anti-cholenergic	3 per day	X	X	X	X									Closed 12/31/09. See J0461.
J0461	Injection, atropine sulfate, 0.01 mg.	AtroPen	Yes	ML	Anti-cholenergic	None	X	X	X	X									Effective 1/1/10.
J0463	Injection, atropine sulfate (Fresenius and therapeutically equivalent), 0.01 mg.	NA	Yes	ML	Anti-cholenergic	None	X	X	X	X									Effective 4/1/26.
J0470	Injection dimercaprol 100 mg.	BAL in oil	Yes	ML	Antidote	None	X	X	X										
J0475	Injection baclofen 10mg	Lioresal	Yes	PWD=UN SOL=ML	Skeletal muscle relaxant	4 per day	X	X	X									X	Effective 10/1/25, ICD-10 G35.A, G35.B0, G35.B1, G35.B2, G35.C0, G35.C1, and G35.C2 added. Effective 10/1/2015 ICD-10 diagnosis codes G04.1, G40.401, G40.409, G40.411, G40.419, G80.0 - G80.2, G80.4, G80.8 - G81.14, G82.20 - G82.22, G82.50 - G82.54, G83.0, G83.10 - G83.14, G83.20 - G83.24, G83.30 - G83.34, G83.4, G83.5, G83.81 - G83.84, G83.89, G83.9, I63.50, I63.511, I63.512, I63.519, I63.521, I63.522, I63.529, I63.531, I63.532, I63.539, I63.541, I63.542, I63.549, I63.59, R25.0 - R25.3, R25.8 or R25.9 ICD-9 diagnosis of 342.1 to 342.10, 342.11, 342.12, 343.0 - 344.9, 345.60 - 345.61, 434.91, or 781.0 must be documented on claim form.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J0476	Injection baclofen 50mcg	Lioresal for intrathecal trial	Yes	ML	Skeletal muscle relaxant	1 per week	X	X	X									X	For intrathecal trial only.
J0480	Injection, basiliximab, 20 mg	Simulect	N/A		Immuno-suppressant														Not Covered
J0485	Injection, belatacept, 1 mg	Nulojix	Yes	UN	Immuno-suppressant	1350 units daily	X	X	X										Effective 12/1/18, ICD-10 diagnosis code restricted to: Z94.0 - Z94.9 only. Effective 10/1/2015 ICD-10 diagnosis codes Z48.22 or Z94.0 Effective 1/1/13. Must be billed with V42.0. Minimum age restriction of 18 years.
J0490	Injection, belimumab, 10 mg.	Benlysta	Yes	UN	Immunologic	260 units per month	X	X	X							X			Effective 10/1/2015 ICD-10 diagnosis codes M32.0, M32.10 - M32.15, M32.19, M32.8 or M32.9 Effective 1/1/12. Restricted to ICD-9 diagnosis 710.0. Minimum age restriction of 16 years.
J0491	Injection, anifrolumab-fnia, 1 mg	Saphnelo	Yes	ML	Immunosuppressive	300 units daily	X	X	X										Effective 3/31/24, age limitation and diagnosis restrictions are removed. Effective 4/1/22. Restricted to ICD-10 M32.10 - M32.19, M32.8, M32.9. Minimum age of 18 years.
J0500	Injection dicyclomine HCl up to 20mg	Bentyl Antispas Dilomine Dibent DiSpaz Neoquess	Yes	PWD=UN SOL=ML	Anti-cholenergic	None	X	X	X										
J0515	Injection benzotropine mesylate 1mg	Cogentin	Yes	PWD=UN SOL=ML	Anti-cholenergic	None	X	X	X	X		X							
J0517	Injection, benralizumab, 1 mg	Fasenra	Yes	ML	Anti-asthmatic	None	X	X	X										Effective 1/1/19. Restricted to J45.50. Minimum of 12 years.
J0520	Injection bethanechol chloride up to 5mg	Urecholine Mytonachol	Yes	UN	Cholenergic	None	X	X	X										
J0528	Injection, fosfomycin disodium, 20 mg	Conteppo	Yes	EA	Anti-infective	900 units daily	X	X	X	X									Effective 7/1/26. Minimum age of 18 years.
J0530	Injection penicillinG benzathine & penicillinG procaine up to 600K U	Bicillin CR	Yes	ML	Antibiotic	None	X	X	X	X									Closed 12/31/09. See J0559.
J0540	Injection penicillinG benzathine & penicillinG procaine up to 1.2m U	Bicillin CR	Yes	ML	Antibiotic	None	X	X	X	X									Closed 12/31/09. See J0559.
J0550	Injection penicillin G benzathine & penicillinG procaine up to 2.4m U	Bicillin CR	Yes	ML	Antibiotic	None	X	X	X	X									Closed 12/31/09. See J0559.
J0558	Injection, penicillin G benzathine & penicillin G procaine, 100,000 U.	Bicillin CR	Yes	ML	Antibiotic	none	X	X	X	X						X			Effective 1/1/11.
J0559	Injection, penicillin G benzathene and penicillin G procaine, 2500 U	Bicillin CR	Yes	ML	Antibiotic	none	X	X	X	X						X			Closed 12/31/10. See J0558 after this date. Original effective date, 1/1/10. Deny with ICD-9 diagnosis of 090.0 - 097.9

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J0560	Injection penicillinG benzathine up to 600K U	Bicillin LA Permapen	Yes	ML	Antibiotic	None	X	X	X	X									Closed 12/31/10. See J0561 after this date.
J0561	Injection, penicillin G benzathine, 100,000 U.	Bicillin LA Permapen	Yes	ML	Antibiotic	None	X	X	X							X			New code effective 1/1/11.
J0565	Injection, bezlotoxumab, 10 mg.	Zinplava	Yes	ML	Anti-infective	None	X	X	X	X									Effective 1/1/18. Restricted to ICD-10 A04.71, A04.72. Minimum age of 18 years.
J0567	Injection, cerliponase alfa, 1 mg	Brineura	Yes	ML (individual syringe) UN (kit)	Enzymatic	None	X	X	X										Effective 1/1/19. Restricted to ICD-10 E75.4. Minimum of 3 years.
J0570	Buprenorphine implant, 74.2 mg	Probuphine	Yes	ML	Anti-dependence	Eight units yearly			X										Closed 12/31/24. Effective 1/1/17. Restricted to ICD-10 diagnosis F11.20, F11.21, F11.229, F11.259, F11.23, F11.93. Minimum age of 16 years.
J0571	Buprenorphine, oral, 1 mg.	Subutex	Yes	EA	Anti-dependence	24 units daily						X							Effective 7/1/17. Covered entities are Mental Health Clinic & Mental Health Rehabilitation.
J0572	Buprenorphine/Naloxone, oral, 2 mg./0.5 mg.	Suboxone	Yes	EA	Anti-dependence	3 units daily						X							Effective 7/1/17. Covered entities are Mental Health Clinic & Mental Health Rehabilitation.
J0574	Buprenorphine/Naloxone, oral, 8 mg./2 mg.	Suboxone	Yes	EA	Anti-dependence	3 units daily						X							Effective 7/1/17. Covered entities are Mental Health Clinic & Mental Health Rehabilitation.
J0582	Injection, bivalirudin (endo), not therapeutically equivalent to J0583, 1 mg	NA	Yes	ML	Anti-coagulant	None	X	X											Effective 10/1/25.
J0583	Injection bivalirudin 1mg	Angiomax	Yes	UN	Anti-coagulant	None	X	X											0
J0584	Injection, burosumab-twza 1 mg	Crysvita	Yes	ML	Hypophosphatemia	90 units daily	X	X	X										Effective 1/1/19. Restricted to ICD-10 E83.31
J0585	Botulinum toxin type A per unit.	Botox	Yes	UN	Neuro-muscular blocker	none	X	X	X										See previous webpage for Botulinum Code Coverage and diagnoses. Prior authorization required. Contact Kepro Healthcare at 800-346-8272 or 304-343-9663. Effective 1/1/07. CPT codes 31513, 31570, 31571, 43201, 43236, 46505, 52287, 64615, 64616, 64617, 64614, 64640, 64642, 64643, 64644, 64645, 64646, 64647, 64650, 64653 or 67345 must be billed on claim form.
J0586	Injection, abobotulinumtoxinA, 5 U	Dysport	Yes	UN	Neuro-muscular blocker	none	X	X	X										See previous webpage for Botulinum Code Coverage and diagnoses. Prior authorization required. Contact Kepro Healthcare at 800-346-8272 or 304-343-9663 Effective 1/1/10. CPT codes 31513, 31570, 31571, 43201, 43236, 46505, 64616, 64617, 64614, 64640, 64642, 64643, 64644, 64645, 64646, 64647, 64650, 64653 or 67345 must be billed on claim form.
J0587	Botulinum toxin type B per 100 U	Myobloc	Yes	ML	Neuro-muscular blocker	none	X	X	X										See previous webpage for Botulinum Code Coverage and diagnoses. Prior authorization required. Contact Kepro Healthcare at 800-346-8272 or 304-343-9663 Effective 1/1/07. CPT codes 31513, 31570, 31571, 43201, 43236, 46505, 64616, 64617, 64614, 64640, 64642, 64643, 64644, 64645, 64646, 64647, 64650, 64653 or 67345 must be billed on claim form.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J0588	Injection, incobotulinumtoxin A, 1 unit	Xeomin	Yes	UN	Neuro-muscular blocker	none	X	X	X										See previous webpage for Botulinum Code Coverage and diagnoses. Prior authorization required. Contact Kepro Healthcare at 800-346-8272 or 304-343-9663 Effective 1/1/12. CPT codes 31513, 31570, 31571, 43201, 43236, 46505, 64616, 64617, 64614, 64640, 64642, 64643, 64644, 64645, 64646, 64647, 64650, 64653 or 67345 must be billed on claim form. Minimum age restriction of 5 years.
J0591	Injection, deoxycholic acid, 1 mg	Kybella	N/A																Not covered.
J0592	Injection buprenorphine HCl 0.1mg	Buprenix	Yes	PWD=UN SOL=ML	Analgesic narcotic	6 per day	X	X	X										
J0594	Injection, busulfan, 1 mg	Busulfex	Yes	ML	Alkylating agent	None	X	X	X										New code effective 1/1/07.
J0595	Injection butorphanol tartrate 1mg	Stadol	Yes	PWD=UN SOL=ML	Analgesic narcotic	None	X	X	X										
J0596	Injection, c1 esterase inhibitor (recombinant), 10 units	Ruconest	Yes	UN	Enzymatic	None	X	X	X										Effective 1/1/16. Restricted to ICD-10 D81.810, D84.1. Minimum age restriction of 13 years.
J0597	Injection, C-1 esterase inhibitor (human), 10 U.	Beriner	Yes	UN	C1 protein inhibitor	Maximum service limit 280 u. daily	X	X	X							X			Effective 10/1/2015 ICD-10 diagnosis codes D81.810 or D84.1 Update to service limit, effective 1/1/11. New code effective 1/1/11. Restricted to ICD-9 diagnosis 277.6. Restricted to age 16 and above.
J0598	Injection, C1 esterase inhibitor (human), 10 U	Cinryze	Yes	UN	C1 protein inhibitor	none	X	X	X	X						X			Effective 10/1/2015 ICD-10 diagnosis codes D81.810 or D84.1 Service limit update, effective 4/1/11. Code effective 1/1/10. Restricted to ICD-9 diagnosis 277.6. Restrict to age 16 and above.
J0600	Injection edetate calcium disodium up to 1000mg.	Calcium Disodium Versenate, Calcium EDTA	Yes	PWD=UN SOL=ML	Antidote	None	X	X	X										
J0606	Injection, etelcalcetide, 0.1 mg.	Parsabiv	Yes	ML	Parathyroid	None	X	X	X	X									Effective 1/1/18. Restricted to ICD-10 N25.81. Minimum age of 16 years.
J0610	Injection calcium gluconate 10ml	Kaleinate	Yes	UN	Electrolyte Supplement	None	X	X											Closed 3/31/23.
J0611	Injection, calcium gluconate (wg critical care), per 10 ml	NA	Yes	ML	Electrolyte Supplement	None	X	X	X										Closed 3/31/23. Effective 1/1/23.
J0612	Injection, calcium gluconate (fresenius kabi), per 10 mg	NA	Yes	ML	Electrolyte Supplement	None	X	X	X										Effective 4/1/23.
J0613	Injection, calcium gluconate (wg critical care), per 10 mg	NA	Yes		Electrolyte Supplement	None	X	X	X										Effective 4/1/23.
J0614	Injection, treosulfan, 50 mg	Grafapex	Yes	UN	Antineoplastic	None	X	X											Effective 10/1/25. Restricted to ICD-10 C92.00 - C92.02, D46.0 - D46.9. Minimum 1 year of age.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J0620	Injection calcium glycerophosphate & calcium lactate 10ml	Calphosan	Yes	ML	Electrolyte Supplement	1 per day	X	X	X										Effective 2/29/24, code is closed.
J0630	Injection calcitonin salmon up to 400 U	Miacalcin Caalcimar	N/A		Antidote														Not covered.
J0636	Injection calcitriol 0.1mcg	Calcijex	Yes	ML	Vitamin, fat soluble	30 per day	X	X	X									X	
J0637	Injection caspofungin acetate 5mg	Cancidas	Yes	UN	Anti-fungal	14 per day	X	X	X										
J0638	Injection, canakinumab, 1 mg.	Ilaris	Yes	UN	Interleukin-1beta blocker	Maximum service limit 150 u. daily	X	X	X							X			Code closed 10/31/13. Refer to Pharmacy Point of Sale. New code effective 1/1/11. Restricted to ICD-9 diagnosis 708.2. Restricted to age 4 and above.
J0640	Injection Leucovorin calcium 50mg	Wellcovorin	Yes	PWD=UN SOL=ML	Antidote	25 per day	X	X	X										
J0641	Injection, levoleucovorin, 0.5 mg	Fusilev	Yes	UN	Folate analog		X	X	X										Physician added to covered providers, effective 1/1/10. New code effective 1/1/09.
J0642	Injection, levoleucovorin, 0.5 mg	Khapzory	Yes	UN	Folate analog	None	X	X	X										Effective 10/1/19.
J0651	Injection, levothyroxine sodium (fresenius kabi) not therapeutically equivalent to j0650, 10 mcg	NA	Yes	UN	Thyroid hormone	None	X	X	X										Effective 4/1/24. Covered to ASC.
J0665	Injection, bupivacaine, NOS, 0.5 mg	NA	Yes	ML	Anesthetic	None	X	X	X										Effective 1/1/25.
J0666	Injection, bupivacaine liposome, 1 mg	Exparel	Yes	ML	Anesthetic	None	X	X	X										Effective 1/1/25.
J0668	Instillation, bupivacaine and meloxicam, 1 mg/0.03 mg	Zynrelef	Yes	ML	Anesthetic	None	X	X											Effective 10/1/25. Reimburses to ASC provider type.
J0687	Injection, cefazolin sodium (wg critical care), not therapeutically equivalent to j0690, 500 mg	NA	Yes	UN	Antibiotic	None	X	X	X										Effective 7/1/24.
J0688	Injection, cefazolin sodium (hikma), not therapeutically equivalent to j0690, 500 mg	NA	Yes	UN	Antibiotic	None	X	X	X										Effective 1/1/24.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J0689	Injection, cefazolin sodium (baxter), not therapeutically equivalent to J0690, 500 mg	NA	Yes	ML	Antibiotic	None	X	X	X										Effective 1/1/23.
J0670	Injection mepivacaine HCL 10ml.	Carbocaine Polocaine Isocaine HCL	Yes	ML	Local Anesthetic	1 per day	X	X	X										
J0690	Injection cefazolin sodium 500mg.	Ancef Kefzol Zolicef	Yes	PWD=UN SOL=ML	Antibiotic	None	X	X	X	X								X	
J0691	Injection, lefamulin, 1 mg	Xenleta	N/A																Not covered. See pharmacy POS.
J0692	Injection cefepime HCL 500mg	Maxipime	Yes	UN	Antibiotic	8 per day	X	X	X	X									
J0693	Injection, cefiderocol, 5 mg	Fetroja	Yes	EA	Antibiotic	None	X	X	X										Closed 9/30/21. See J0699 after this date. Effective 1/1/21. Restricted to ICD-10 N10, N11.0 - N11.9, N12, N13.6, N16, N30.00, N30.01, N30.20, N30.21, N30.80, N30.81, N30.90, N30.91, N34.1, N34.2, N39.0. Minimum age of 18 years.
J0694	Injection cefoxitin sodium 1g	Mefoxin	Yes	PWD=UN SOL=ML	Antibiotic	1 per day	X	X	X	X									
J0695	Injection, ceftolozane 50 mg and tazobactam 25 mg	Zerbaxa	Yes	UN	Antibiotic	None	X	X	X	X									Effective 1/1/16. Minimum age of 18 years.
J0696	Injection ceftriaxone sodium 250 mg.	Rocephin	Yes	PWD=UN SOL=ML	Antibiotic	8 per day	X	X	X	X	X							X	
J0697	Injection sterile cefuroxime sodium 750mg	Kefurox Zinacef	Yes	PWD=UN SOL=ML	Antibiotic	2 per day	X	X	X	X								X	
J0698	Cefotaxime sodium per g	Claforan	Yes	PWD=UN SOL=ML	Antibiotic	1 per day	X	X	X	X								X	
J0701	Injection, cefepime hydrochloride (baxter), not therapeutically equivalent to maxipime, 500 mg	NA	Yes	ML	Antibiotic	None	X	X	X										Effective 1/1/23.
J0703	Injection, cefepime hydrochloride (b braun), not therapeutically equivalent to maxipime, 500 mg	NA	Yes	EA	Antibiotic	None	X	X	X										Effective 1/1/23.
J0699	Injection, cefiderocol, 10 mg	Fetroja	Yes	EA	Antibiotic	None	X	X	X										Effective 10/1/21. Restricted to ICD-10 N10, N11.0 - N11.9, N12, N13.6, N16, N30.00, N30.01, N30.20, N30.21, N30.80, N30.81, N30.90, N30.91, N34.1, N34.2, N39.0. Minimum age of 18 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J0702	Injection betamethasone acetate & betamethasone sodium phosphate 3mg	Celestone Soluspan	Yes	ML	Anti-inflammatory	9 per day	X	X	X	X				X					
J0704	Injection bemethasone sodium phosphate 4mg.	Adbeon	Yes	UN	Anti-inflammatory	2 per day	X	X	X	X	X			X					
J0706	Injection caffeine citrate 5 mg	Cafcit	Yes	PWD=UN SOL=ML	Analeptic	None	X	X	X										
J0710	Injection cephapirin sodium up to 1g	Cefadyl	Yes	UN	Antibiotic	1 per day	X	X	X									X	Effective 2/29/24, code is closed.
J0712	Injection, ceftaroline fosamil, 10 mg.	Teflaro	Yes	UN	Antibiotic	120 units per day	X	X	X	X							X		Effective 10/1/2015 ICD-10 diagnosis codes A48.1, A49.02, A49.1 - A49.3, A49.8, B95.0, B95.1 - B95.5, B95.61, B95.62, B95.7, B95.8, B96.0, B96.1, B96.20 - B96.23, B96.29, B96.3 - B96.7, B96.81, B96.89, J14, J15.0, J15.1, J15.20, J15.211, J15.212, J15.29, J15.3 - J15.6 or J15.8 Effective 1/1/12. Restricted to ICD-9 diagnosis 041.00 - 041.89 or 482.0 - 482.89.
J0713	Injection ceftazidime 500 mg	Ceptaz Fortaz Tazidime	N/A		Antibiotic														Not Covered
J0714	Injection, ceftazidime and avibactam, 0.5 g/0.125 g	Avycaz	Yes	UN	Antibiotic	None	X	X	X	X									Effective 1/1/16. Minimum age of 18 years.
J0715	Injection ceftizoxime sodium 500 mg	Cefzox	Yes	PWD=UN SOL=ML	Antibiotic	2 per day	X	X	X	X									Effective 2/29/24, code is closed.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J0717	Injection, certolizumab pegol, 1 mg	Cimzia	Yes	UN	TNF blocker	400 units per day	X	X	X	X									Effective 10/1/2015 ICD-10 diagnosis codes K50.00, K50.011 - K50.014, K50.018, K50.019, K50.10, K50.111 - K50.114, K50.118, K50.119, K50.80, K50.811 - K50.814, K50.818, K50.819, K50.90, K50.911 - K50.914, K50.918, K50.919, M05.00, M05.011, M05.012, M05.019, M05.021, M05.022, M05.029, M05.031, M05.032, M05.039, M05.041, M05.042, M05.049, M05.051, M05.052, M05.059, M05.061, M05.062, M05.069, M05.071, M05.072, M05.079, M05.09, M05.10, M05.111, M05.112, M05.119, M05.121, M05.122, M05.129, M05.131, M05.132, M05.139, M05.141, M05.142, M05.149, M05.151, M05.152, M05.159, M05.161, M05.162, M05.169, M05.171, M05.172, M05.179, M05.19, M05.30, M05.60, M05.611, M05.612, M05.619, M05.621, M05.622, M05.629, M05.631, M05.632, M05.639, M05.641, M05.642, M05.649, M05.651, M05.652, M05.659, M05.661, M05.662, M05.669, M05.671, M05.672, M05.679, M05.69, M05.711, M05.712, M05.719, M05.721, M05.722, M05.729, M05.731, M05.732, M05.739, M05.741, M05.742, M05.749, M05.751, M05.752, M05.759, M05.761, M05.762, M05.769, M05.811, M05.812, M05.819, M05.821, M05.822, M05.829, M05.831, M05.832, M05.839, M05.841, M05.842, M05.849, M05.851, M05.852, M05.859, M05.861, M05.862, M05.869, M06.071, M06.072, M06.079, M06.1, M06.211, M06.212, M06.219, M06.221, M06.222, M06.229, M06.231, M06.232, M06.239, M06.241, M06.242, M06.249, M06.251, M06.252, M06.259, M06.261, M06.262, M06.269, M06.4, M06.811, M06.812, M06.819, M06.821, M06.822, M06.829, M06.831, M06.832, M06.839, M06.841, M06.842, M06.849, M06.851, M06.852, M06.859, M06.861, M06.862, M06.869, M06.871, M06.872, M06.879, M06.9, M08.00, M08.3, M08.40, M08.411, M08.412, M08.419, M08.421, M08.422, M08.429, M08.431, M08.432, M08.439, M08.441, M08.442, M08.449, M08.451, M08.452, M08.459, M08.461, M08.462, M08.469, M08.471, M08.472, M08.479, M08.48, M12.00, M12.011, M12.012, M12.019, M12.021, M12.022, M12.029, M12.031, M12.032, M12.039, M12.041, M12.042, M12.049, M12.051, M12.052, M12.059, M12.061, M12.062, M12.069, M12.071, M12.072, M12.079, M12.08 or M12.09 Effective 1/1/14. Restricted to ICD-9 diagnosis 555.0 - 555.9 or 714.0 - 714.9 . Restrict to age 18 and above.
J0718	Injection, certolizumab pegol, 1 mg.	Cimzia	Yes	UN	TNF blocker	400 units per day	X	X	X	X						X			Closed 12/31/13. See J0717. Effective 1/1/10. Restricted to ICD-9 diagnosis 555.0 - 555.9 or 714.0 - 714.9 . Restrict to age 18 and above.
J0720	Injection chloramphenicol sodium succinate up to 1 g	Chloromycetin Sodium Succinate	Yes	UN	Antibiotic	None	X	X	X										
J0725	Injection, chorionic gonadotropin per 1000 USP units	Novarel Profasi Pregnyl	Yes	UN	Gonadotropin	10 per day	X	X	X										Not for fertility treatment and diagnosis. Restricted to female, maximum age of 21 years. Service limit updated, effective 11/1/09.
J0735	Injection clonidine HCl 1mg	Catapres Duraclon	Yes	PWD=UN SOL=ML	Alpha Adrenergic Agonist	None	X	X	X										
J0737	Injection, clindamycin phosphate (baxter), not therapeutically equivalent to J0736, 300 mg	NA	Yes	ML	Antibiotic	None	X	X	X										Effective 4/1/25.
J0738	Injection, lenacapavir, 1 mg, fda approved prescription, only for use as hiv pre-exposure prophylaxis (not for use as treatment for hiv)	Yeztugo	Yes	ML	Antiretroviral	927 units daily	X	X	X										Effective 10/1/25.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J0739	Injection, cabotegravir, 1 mg	Apretude	Yes	ML	Anti-viral	None	X	X	X										Effective 7/1/22. Minimum age of 12 years.
J0740	Injection cidofovir 375mg	Vistide	Yes	ML	Anti-viral	None	X	X	X										
J0741	Injection, cabotegravir and rilpivirine, 2mg/3mg	Cabenuva	Yes	ML	Antiviral	None	X	X	X										Effective 12/1/25, ICD-10 diagnosis Z21 added. Effective 10/1/21. Restricted to ICD-10 B20. Minimum age of 16 years.
J0742	Injection, imipenem 4 mg, cilastatin 4 mg and relebactam 2 mg	Recarbrio	Yes	UN	Antibiotic	4 units daily	X	X	X										Effective 7/1/20. Minimum age 18 years.
J0743	Injection cilastatin sodium imipenem 250 mg.	Primaxin	Yes	UN	Anti-infective	None	X	X	X	X								X	
J0744	Injection ciprofloxacin for IV infusion 200mg	Cipro Cloxan	Yes	ML	Antibiotic	None	X	X	X	X									
J0745	Injection codeine phosphate 30mg	Phenaphen with codeine	Yes	PWD=UN SOL=ML	Analgesic narcotic	None	X	X	X										
J0752	Oral, lenacapavir, 300 mg, fda approved prescription, only for use as hiv pre-exposure prophylaxis (not for use as treatment for hiv)	Yeztugo	Yes	EA	Antiretroviral	4 daily	X	X	X										Effective 10/1/25.
J0759	Injection, clevipine butyrate, 1 mg	Cleviprex	Yes	ML	Calcium channel blocker	None	X	X	X										Effective 10/1/25. Minimum 18 years of age.
J0760	Injection colchicine 1mg		Yes	PWD=UN SOL=ML	Anti-gout	None	X	X	X										
J0770	Injection colistimethate sodium up to 150mg.	Coly-Mycin M	Yes	UN	Antibiotic	None	X	X	X										
J0775	Injection, collagenase, clostridium histolyticum, 0.01 mg.	Xiaflex	Yes	UN	Enzymatic	None	X	X	X	X									Effective 10/1/2015 ICD-10 diagnosis code M72.0 New code effective 1/1/11. Restricted to ICD-9 diagnosis 728.6 Restricted to ages 18 years and above.
J0780	Injection prochlorperazine up to 10mg	Compazine Compa-Z Contrazine	Yes	PWD=UN SOL=ML	Antiemetic	None	X	X	X	X									
J0791	Injection, crizanlizumab-tmca, 5 mg	Adakveo	Yes	ML	Sickle cell disease	None	X	X	X										Effective 7/1/20. to ICD019 D57.0 - D57.819. 16 years. Restricted Minimum age
J0795	Injection, corticorelin ovine triflutate, 1 mcg	ACTHREL	Yes		Diagnostic Agent														Closed 12/31/25.
J0800	Injection corticotropin up to 40U	Cortrosyn ACTH Acthar	Yes	ML	Adrenal	None			X									X	Closed 9/30/23. See J0801, J0802 after this date.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J0801	Injection, corticotropin (acthar gel), up to 40 units	Acthar	Yes	ML	Adrenal	None	X	X	X										Effective 10/1/23.
J0802	Injection, corticotropin (ani), up to 40 units	NA	Yes	ML	Adrenal	None	X	X	X										Effective 10/1/23.
J0833	Injection, cosyntropin, NOS, 0.25 mg.				Diagnostic Agent														Not covered.
J0834	Injection, cosyntropin, 0.25 mg.	Cortrosyn	Yes	UN	Diagnostic Agent	3 per day	X	X	X	X							X		Diagnosis restrictions removed, effective 1/1/12. Code opened 1/1/10. Restricted to ICD-9 diagnosis 255.41 - 255.42.
J0835	Injection cosyntropin 0.25mg	Cortrosyn	Yes	UN	Diagnostic Agent	3 per day			X									X	Closed 12/31/09. See J0833 & J0834.
J0840	Injection, crotalidae polyvalent immune fab (ovine), up to 1 gram	CroFab	No	N/A	Anti-venom	Maximum of 4 units daily	X	X											Effective 8/1/18.
J0850	Injection cytomegalovirus immune globulin IV (human) per vial	CytoGam	N/A		Immune globulin														Not covered.
J0870	Injection, imetelstat, 1 mg	Rytelo	Yes	UN	Antineoplastic	None	X	X	X										Effective 1/1/25. Restricted to ICD-10 D46.0, D46.1, D46.A, D46.B, D46.4, D46.Z, D46.9. Minimum age of 16 years.
J0872	Injection, daptomycin (xellia), unrefrigerated, not therapeutically equivalent to J0878 or J0873, 1 mg	NA	Yes	UN	Antibiotic	None	X	X	X										Effective 7/1/24.
J0873	Injection, daptomycin (xellia) not therapeutically equivalent to J0878, 1 mg	NA	Yes	UN	Antibiotic	None	X	X	X										Effective 1/1/24.
J0874	Injection, daptomycin (baxter), not therapeutically equivalent to J0878, 1 mg	NA	Yes	ML	Antibiotic	None	X	X	X										Effective 10/1/23.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J0875	Injection, dalbavancin, 5mg	Dalvance	Yes	UN	Antibiotic	none	X	X	X										Effective 4/1/25, diagnosis restrictions have been removed. Effective Effective 7/23/21, age restriction has been removed. 9/1/21, ICD-10 R78.81 added. Effective 9/22/20, ICD-10 diagnosis of A40.0 - A40.9, A41.01 - A41.2, A49.01, A49.02, A49.1, B95.0, B95.1, B95.3 - B95.8 added. Effective 1/1/16. Restricted to diagnosis ICD-10 B78.1, K12.2, L01.00 - L01.03, L01.09, L01.1 - L02.03, L02.11 - L02.13, L02.211 - L02.216, L02.219, L02.221 - L02.226, L02.229, L02.231 - L02.236, L02.239, L02.31 - L02.33, L02.411 - L02.416, L02.419, L02.421 - L02.426, L02.429, L02.431 - L02.436, L02.439, L02.511, L02.512, L02.519, L02.521, L02.522, L02.529, L02.531, L02.532, L02.539, L02.611, L02.612, L02.619, L02.621, L02.622, L02.629, L02.631, L02.632, L02.639, L02.811, L02.818, L02.821, L02.828, L02.831, L02.838, L02.91 - L02.93, L03.011, L03.012, L03.019, L03.021, L03.022, L03.029, L03.031, L03.032, L03.039, L03.041, L03.042, L03.049, L03.111 - L03.116, L03.119, L03.121 - L03.126, L03.129, L03.211, L03.212, L03.221, L03.222, L03.311 - L03.316, L03.317, L03.319, L03.321 - L03.326, L03.327, L03.329, L03.811, L03.818, L03.891, L03.898, L03.90, L03.91, L04.0 - L04.3, L04.8, L04.9, L05.01, L05.02, L05.91, L05.92, L08.0, L08.81, L08.82, L08.89, L08.9, L88, L92.8, L98.0 or L98.3. Minimum age of 16 years.
J0877	Injection, daptomycin (hospira), not therapeutically equivalent to j0878, 1 mg	NA	Yes	EA	Antibiotic	None	X	X	X										Effective 1/1/23.
J0878	Injection daptomycin 1mg.	Cubicin	Yes	UN	Antibiotic		X	X	X										Service limit removed, effective 6/1/18. Maximum dose 4 units per day X 14 days. Adults only.
J0879	Injection, difelikefalin, 0.1 mcg	Korsuva	Yes	ML	Anti-priuritic		X	X	X									X	Effective 4/18/22. Restricted to ICD-10 L29.8.
J0881	Injection, darbepoetin alfa, 1 mcg(non-ESRD use)	Aranesp	Yes	ML	Colony stimulating factor	None	X	X	X	X									Effective 10/1/2015 ICD-10 diagnosis codes N18.6 (End Stage Renal Disease) Exclude ICD-9 585.6(End Stage Renal Disease). Nurse practitioner added 1/1/09.
J0882	Injection, darbepoetin alfa, 1 mcg(for ESRD on dialysis)	Aranesp	Yes	ML	Colony stimulating factor	None	X	X	X	X								X	Effective 10/1/2015 ICD-10 diagnosis codes N18.6 (End Stage Renal Disease) ICD-9 585.6(End Stage Renal Disease) needed on claim form. Nurse practitioner added 1/1/09.
J0883	Injection, argatroban, 1 mg (for non-ESRD use)				Thrombolytic agent														Effective 1/1/17. Not covered.
J0884	Injection, argatroban, 1 mg (for ESRD on dialysis)				Thrombolytic agent														Effective 1/1/17. Not covered.
J0885	Injection, epoetin alfa, 1000 units(for non-ESRD use)	Epogen, Procrit	Yes	ML	Colony stimulating factor	None	X	X	X	X									Effective 10/1/2015 ICD-10 diagnosis code N18.6 (End Stage Renal Disease) excluded. Exclude ICD-9 585.6(End Stage Renal Disease). Nurse practitioner added 1/1/09.
J0886	Injection, epoetin alfa, 1000 units(for ESRD on dialysis)	Epogen, Procrit	Yes	ML	Colony stimulating factor	None	X	X	X	X								X	Closed 12/31/15. See Q4081. Effective 10/1/2015 ICD-10 diagnosis codes N18.6 (End Stage Renal Disease) ICD-9 585.6(End Stage Renal Disease) needed on claim form. Nurse practitioner added 1/1/09.
J0887	Injection, epoetin beta, 1 mcg. (ESRD use)	Mircera	Yes	ML	Erythropoieton Stimulating agent	none												X	Effective 1/1/15. Include diagnosis of ICD-9 585.6 or ICD-10 N18.6.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J0888	Injection, epoetin beta, 1 mcg. (non-ESRD use)	Mircera	Yes	ML	Erythropoieton Stimulating agent	none												X	Effective 1/1/15. Exclude diagnosis of ICD-9 585.6 or ICD-10 N18.6.
J0890	Injection, peginesatide, 0. 1 mg	Omontys	Yes	ML	Erythropoieton Stimulating agent	None												X	Voluntary Drug Recall: Effective 2/24/13, until further notice. Effective 1/1/13. Restricted to ICD-9 diagnosis of 285.21 and 585.6. Minimum age restriction of 16 years.
J0891	Injection, argatroban (accord), not therapeutically equivalent to j0883, 1 mg (for non-esrd use)	NA	Yes	ML	Thrombolytic agent	None	X	X	X										Effective 1/1/23.
J0892	Injection, argatroban (accord), not therapeutically equivalent to j0884, 1 mg (for esrd on dialysis)	NA	Yes	ML	Thrombolytic agent	None	X	X	X										Effective 1/1/23.
J0893	Injection, decitabine (sun pharma) not therapeutically equivalent to j0894, 1 mg	NA	Yes	EA	Anti-neoplastic	None	X	X	X										Effective 1/1/23.
J0894	Injection, decitabine, 1 mg	Dacogen	Yes	UN	Anti-neoplastic	None	X	X	X										New code effective 1/1/07.
J0895	Injection deferoxamine mesylate 500mg	Desferal	Yes	UN	Antidote	12 per day	X	X	X									X	
J0896	Injection, luspatercept-aamt, 0.25 mg	Reblozyl	Yes	UN	Hematopoietic	None	X	X	X										Effective 7/1/20. Restricted to ICD-10 D46.1, D46.A, D46.B, D46.4, D46.Z, D46.9, D56.1, D56.5.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J0897	Injection, denosumab, 1 mg.	Prolia Xgeva	Yes	ML	Osteoporotic	120 units per 27 days	X	X	X	X						X			As of 10/1/22, diagnosis restrictions are removed. Effective 4/1/19, ICD-10 added: C40.00 - C40.92, C41.9, and D48.0. Effective 1/4/18, C90.00, C90.01, C90.02 added to Xgeva in physician and hospital contracts. Effective 10/1/2015 ICD-10 diagnosis codes: For Hospital and Physician restricted to: C33, C34.00, C34.01, C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.80, C34.81, C34.82, C34.90 - C34.92, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.219, C50.221, C50.222, C50.229, C50.311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421, C50.422, C50.429, C50.511, C50.512, C50.519, C50.521, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621, C50.622, C50.629, C50.811, C50.812, C50.819, C50.821, C50.822, C50.829, C50.911, C50.912, C50.919, C50.921, C50.922, C50.929, C61, C64.1, C64.2, C64.9, C65.1, C65.2, C65.9, C73, C79.51, C79.52 and those identified for Nurse Practitioners below. For Nurse Practitioner and Home infusion restricted to: M48.50xA - M48.58xA, M80.00xA, M80.00xD, M80.00xG, M80.00xK, M80.00xP, M80.00xS, M80.011A, M80.012A, M80.019A, M80.021A, M80.022A, M80.029A, M80.031A, M80.032A, M80.039A, M80.041A, M80.042A, M80.049A, M80.051A, M80.052A, M80.059A, M80.061A, M80.062A, M80.069A, M80.069D, M80.069G, M80.069K, M80.069P, M80.071A, M80.072A, M80.079A, M80.08xA, M80.80xA, M80.80xD, M80.80xG, M80.80xK, M80.80xP, M80.80xS, M80.811A, M80.812A, M80.819A, M80.821A, M80.822A, M80.829A, M80.831A, M80.832A, M80.839A, M80.841A, M80.842A, M80.849A, M80.851A, M80.852A, M80.859A, M80.861A, M80.861D, M80.861G, M80.861K, M80.861P, M80.862A, M80.862D, M80.862G, M80.862K, M80.862P, M80.869A, M80.869D, M80.869G, M80.869K, M80.869P, M80.871A, M80.872A, M80.879A, M80.88xA, M81.0, M81.6, M81.8, M84.40xA, M84.40xD, M84.40xG, M84.40xK, M84.40xP, M84.40xS, M84.411A, M84.412A, M84.419A, M84.421A, M84.422A, M84.429A, M84.431A - M84.434A, M84.439A, M84.441A - M84.446A, M84.451A, M84.452A, M84.453A, M84.454A, M84.459A, M84.461A - M84.464A, M84.469A, M84.469S, M84.471A, M84.471S, M84.472A, M84.472S, M84.473A, M84.473D, M84.473S, M84.474A - M84.479A, M84.48xA, M84.50xA, M84.50xD, M84.50xG, M84.50xK, M84.50xP, M84.50xS, M84.511A, M84.512A, M84.519A, M84.521A, M84.522A, M84.529A, M84.531A - M84.534A, M84.539A, M84.541A, M84.542A, M84.549A, M84.550A - M84.553A, M84.559A, M84.561A - M84.564A, M84.569A, M84.571A - M84.576A, M84.58xA, M84.60xA, M84.60xD, M84.60xG, M84.60xK, M84.60xP, M84.60xS, M84.611A, M84.612A, M84.619A, M84.621A, M84.622A, M84.629A, M84.631A - M84.634A, M84.639A, M84.641A, M84.642A, M84.649A - M84.653A, M84.659A, M84.661A - M84.664A, M84.669A, M84.669S, M84.671A - M84.676A or M84.68xA Service limit updated, 3/13/14. Effective 1/1/12. Restricted to 162.0 - 162.9, 174.0 - 174.9, 175.0 - 175.9, 185, 189.0, 189.1, 193, 198.5, 733.01 - 733.19 for Hospital and Physician. Restricted to ICD-9 diagnosis 733.01 - 733.19 only for Nurse Practitioner and Home infusion.
J0898	Injection, argatroban (auromedics), not therapeutically equivalent to J0883, 1 mg (for non-esrd use)	NA	Yes	ML	Thrombolytic agent	None	X	X	X										Effective 1/1/23.
J0899	Injection, argatroban (auromedics), not therapeutically equivalent to J0884, 1 mg (for esrd on dialysis)	NA	Yes	ML	Thrombolytic agent	None	X	X	X										Effective 1/1/23.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J0900	Injection testosterone enanthate & estradiol valerate up to 1cc	Andro-Estro 90-4 Androgyn LA	Yes	UN	Androgen	1 every 3 weeks	X	X	X										Female only.
J0911	Instillation, taurilidine 1.35 mg and heparin sodium 100 units	Defencath	Yes	ML	Catheter lock solution	None	X	X	X	X								X	Effective 7/1/24.
J0945	Injection brompheniramine maleate 10mg	ND Stat	Yes	PWD=UN SOL=ML	Respiratory agent	1 per day	X	X	X										
J0970	Injection estradiol valerate up to 40mg	Delestrogen Estradiol LA Valergen Estra-L	Yes	PWD=UN SOL=ML	Contraceptive	1 every 3 weeks	X	X	X	X									Female only.
J1000	Injection depoestradiol cypionate up to 5mg	Estradiol Cypionate Estra-D Estra-Cyp Estro-LA	Yes	PWD=UN SOL=ML	Hormonal Replacement	1 per 3 weeks	X	X	X	X									Female only.
J1010	Injection, methylprednisolone acetate, 1 mg	NA	Yes	UN	Anti-inflammatory	None	X	X	X										Effective 4/1/24.
J1020	Injection methylprednisolone acetate 20mg	DepoMedrol	Yes	UN	Anti-inflammatory	None	X	X	X	X				X					Closed 3/31/24.
J1030	Injection methylprednisolone acetate 40mg	DepoMedrol MPrednisol Rep-Pred	Yes	PWD=UN SOL=ML	Anti-inflammatory	None	X	X	X	X				X					Closed 3/31/24.
J1040	Injection methylprednisolone acetate 80mg	DepoMedrol Medralone Prednisol RedPred	Yes	ML	Anti-inflammatory	None	X	X	X	X				X					Closed 3/31/24. Podiatrist added as covered provider, effective 1/1/10.
J1050	Injection, medroxyprogesterone acetate, 1 mg	Depo-Provera	Yes	ML	Contraceptive	None	X	X	X	X	X								Effective 1/1/13.
J1051	Injection medroxyprogesterone acetate 50mg	Depo-Provera	Yes	ML	Contraceptive	20 per day	X	X	X										Closed 12/31/12. See J1050 after this date. Female only.
J1055	Injection medroxyprogesterone acetate 150 mg	Depo-Provera	Yes	ML	Contraceptive	1 per day	X	X	X	X	X								Closed 12/31/12. See J1050 after this date. Female only.
J1056	Injection medroxyprogesterone acetate/estradiol cypionate 5mg/25mg	Lunelle	Yes	ML	Contraceptive	1 per day	X	X	X	X	X								Female only.
J1060	Injection testosterone cypionate & estradiol cypionate up to 1ml	Depo-Testadiol Andro/Fem	Yes	ML	Androgen	1 per 3 weeks	X	X	X										Female only.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J1070	Injection testosterone cypionate up to 100mg	Depo-Testosterone Depotest	Yes	PWD=UN SOL=ML	Androgen	Male only.	X	X	X	X									Closed 12/31/14. See J1071 after this date. Service limit removed 1/1/13. Nurse practitioner added 1/1/09.
J1071	Injection, testosterone cypionate, 1mg	Depo-Testosterone Depotest	Yes	PWD=UN SOL=ML	Androgen	Male only.	X	X	X	X								X	Effective 1/1/24, restricted to male only. Effective 1/1/15.
J1073	Testosterone pellet, implant, 75 mg	Testopel	Yes	UN	Androgen	None	X	X	X	X									Effective 1/1/26.
J1080	Injection testosterone cypionate 1cc 200mg	Depo-Testosterone Depotest Andro-Cyp 200	Yes	ML	Androgen	1 per week	X	X	X	X									Closed 12/31/14. See J1071 after this date. Male only. Nurse practitioner added 1/1/09.
J1094	Injection dexamethasone acetate 1mg	Dalalone LA	Yes	PWD=UN SOL=ML	Anti-inflammatory	20 per day	X	X	X					X					Closed 3/31/25.
J1095	Injection, dexamethasone 9%, 1 mcg	Dexycu	Yes	UN	Anti-inflammatory	None	X	X	X										Effective 7/1/22.
J1096	Dexamethasone, lacrimal ophthalmic insert, 0.1 mg	Dextenza	Yes	UN	Anti-inflammatory	Four units per eye	X	X	X										Effective 10/1/19.
J1097	Phenylephrine 10.16 mg/ml and ketorolac 2.88 mg/ml ophthalmic irrigation solution, 1 ml.	Omidria	Yes	ML	Anti-inflammatory	None	X	X	X										Effective 10/1/19.
J1100	Injection, dexamethosone sodium phosphate 1mg	Cortastat Dalalone	Yes	ML	Anti-inflammatory	None	X	X	X	X				X					Service limit removed, effective 1/1/11.
J1110	Injection dihydroergotamine mesylate 1mg	DHE 45	Yes	PWD=UN SOL=ML	Anti-migraine	3 per day	X	X	X										
J1120	Injection acetazolamide sodium up to 500mg	Diamox	Yes	UN	Glaucoma	None	X	X	X										
J1130	Injection, diclofenac sodium, 0.5 mg																		Effective 1/1/17. Not covered. See pharmacy POS.
J1160	Injection digoxin up to 0.5 mg	Lanoxin	Yes	PWD=UN SOL=ML	Anti-arrhythmic	None	X	X	X										

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J1162	Injection, digoxin immune fav (ovine), per vial	Digibind, Digifab	Yes	UN	Antidote	10 vials	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes T36.0X2A, T36.0X2D, T36.0X2S, T36.0X4A, T36.0X4D, T36.0X4S, T36.1X2A, T36.1X4A, T36.2X2A, T36.2X2D, T36.2X2S, T36.2X4A, T36.2X4D, T36.2X4S, T36.3X2A, T36.3X2D, T36.3X2S, T36.3X4A, T36.3X4D, T36.3X4S, T36.4X2A, T36.4X2D, T36.4X2S, T36.4X4A, T36.4X4D, T36.4X4S, T36.5X2A, T36.5X2D, T36.5X2S, T36.5X4A, T36.5X4D, T36.5X4S, T36.6X2A, T36.6X2D, T36.6X2S, T36.6X4A, T36.6X4D, T36.6X4S, T36.7X2A, T36.7X2D, T36.7X2S, T36.7X4A, T36.7X4D, T36.7X4S, T36.8X2A, T36.8X4A, T36.92xA, T36.94xA, T37.0X2A, T37.0X2D, T37.0X2S, T37.0X4A, T37.0X4D, T37.0X4S, T37.1X2A, T37.1X2D, T37.1X2S, T37.1X4A, T37.1X4D, T37.1X4S, T37.2X2A, T37.2X2D, T37.2X2S, T37.2X4A, T37.3X2A, T37.3X4A, T37.4X2A, T37.4X2D, T37.4X2S, T37.4X4A, T37.4X4D, T37.4X4S, T37.5X2A, T37.5X2D, T37.5X2S, T37.5X4A, T37.5X4D, T37.5X4S, T37.8X2A, T37.8X2D, T37.8X2S, T37.8X4A, T37.8X4D, T37.8X4S, T37.92xA, T37.92xD, T37.92xS, T37.94xA, T37.94xD, T38.0X2A, T38.0X2D, T38.0X2S, T38.0X4A, T38.0X4D, T38.0X4S, T38.1X2A, T38.1X4A, T38.2X2A, T38.2X4A, T38.3X2A, T38.3X4A, T38.4X2A, T38.4X2D, T38.4X2S, T38.4X4A, T38.4X4D, T38.4X4S, T38.5X2A, T38.5X4A, T38.6X2A, T38.6X4A, T38.7X2A, T38.7X4A, T38.802A, T38.804A, T38.812A, T38.814A, T38.892A, T38.894A, T38.902A, T38.904A, T38.992A, T38.994A, T40.5X2A, T40.5X2D, T40.5X2S, T40.5X4A, T40.5X4D, T40.5X4S, T40.602A, T40.602D, T40.602S, T40.604A, T40.604D, T40.604S, T40.692A, T40.692D, T40.692S, T40.694A, T40.694D, T40.694S, T41.0X4A, T41.1X4A, T41.204A, T41.294A, T41.3X4A, T41.44xA, T41.5X4A, T42.0X2A, T42.0X2D, T42.0X2S, T42.0X4A, T42.0X4D, T42.0X4S, T42.1X2A, T42.1X2D, T42.1X2S, T42.1X4A, T42.1X4D, T42.1X4S, T42.2X2A, T42.2X2D, T42.2X2S, T42.2X4A, T42.2X4D, T42.2X4S, T42.5X2A, T42.5X2D, T42.5X2S, T42.5X4A, T42.5X4D, T42.5X4S, T42.6X2A, T42.6X4A, T42.72xA, T42.74xA, T42.8X2A, T42.8X2D, T42.8X2S, T42.8X4A, T42.8X4D, T42.8X4S, T44.0X2A, T44.0X4A, T44.1X2A, T44.1X2D, T44.1X2S, T44.1X4A, T44.2X2A, T44.2X2D, T44.2X2S, T44.2X4A, T44.2X4D, T44.2X4S, T44.3X2A, T44.3X4A, T44.4X2A, T44.4X2D, T44.4X2S, T44.4X4A, T44.5X2A, T44.5X2D, T44.5X2S, T44.5X4A, T44.6X2A, T44.6X2D, T44.6X2S, T44.6X4A, T44.6X4D, T44.6X4S, T44.7X2A, T44.7X2D, T44.7X2S, T44.7X4A, T44.7X4D, T44.7X4S, T44.8X2A, T44.8X2D, T44.8X2S, T44.8X4A, T44.902A, T44.902D, T44.902S, T44.904A, T44.904D, T44.904S, T44.992A, T44.992D, T44.992S, T44.994A, T45.0X2A, T45.0X4A, T45.1X2A, T45.1X4A, T45.2X2A, T45.2X2D, T45.2X2S, T45.2X4A, T45.2X4D, T45.2X4S, T45.3X2A, T45.3X2D, T45.3X2S, T45.3X4A, T45.3X4D, T45.3X4S, T45.4X2A, T45.4X2D, T45.4X2S, T45.4X4A, T45.4X4D, T45.4X4S, T45.512A, T45.512D, T45.512S, T45.514A, T45.514D, T45.514S, T45.522A, T45.522D, T45.522S, T45.524A, T45.602A, T45.604A, T45.612A, T45.612D, T45.612S, T45.614A, T45.614D, T45.614S, T45.622A, T45.622D, T45.622S, T45.624A, T45.624D, T45.624S, T45.692A, T45.694A, T45.7X2A, T45.7X2D, T45.7X2S, T45.7X4A, T45.7X4D, T45.7X4S, T45.8X2A, T45.8X2D, T45.8X2S, T45.8X4A, T45.8X4D, T45.8X4S, T45.92xA, T45.92xD, T45.92xS, T45.94xA, T45.94xD, T45.94xS, T46.0X1A, T46.0X1D, T46.0X1S, T46.0X2A, T46.0X3A, T46.0X4A, T46.0X5A, T46.0X5S, T46.1X1A, T46.1X1D, T46.1X1S, T46.1X2A, T46.1X2D, T46.1X2S, T46.1X3A, T46.1X4A, T46.1X4D, T46.1X4S, T46.2X1A, T46.2X1D, T46.2X1S, T46.2X2A, T46.2X3A, T46.2X4A, T46.3X1A, T46.3X1D, T46.3X1S, T46.3X2A, T46.3X2D, T46.3X2S, T46.3X4A, T46.3X4D, T46.3X4S, T46.4X1A, T46.4X1D, T46.4X1S, T46.4X2A, T46.4X2D, T46.4X2S, T46.4X4A, T46.4X4D, T46.4X4S, T46.5X1A, T46.5X1D, T46.5X1S, T46.5X2A, T46.5X4A, T46.6X1A, T46.6X1D, T46.6X1S, T46.6X2A, T46.6X4A, T46.7X1A, T46.7X1D,
J1164	Injection, diltiazem hydrochloride in 0.72% sodium chloride, 0.5 mg.	NA	Yes	ML	Calcium channel blocker	None	X	X	X	X									Effective 4/1/26.
J1165	Injection phenytoin sodium 50mg	Dilantin	Yes	PWD=UN SOL=ML	Anti-convulsant	None	X	X	X										
J1170	Injection hydromorphone up to 4mg	Dilaudid	Yes	PWD=UN SOL=ML	Analgesic narcotic	12 units per day	X	X	X										Closed 9/30/24. See J1171 after this date.
J1171	Injection, hydromorphone, 0.1 mg	Dilaudid	Yes	ML	Analgesic narcotic	None	X	X	X										Effective 10/1/24.
J1180	Injection dyphylline up to 500mg	Lufyllin Diler	Yes	PWD=UN SOL=ML	Broncho-dilator	None	X	X	X										

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J1190	Injection dexrazoxane HCl per 250mg	Zinecard	Yes	UN	Cardio-protective Agent	None	X	X	X										
J1200	Injection diphenhydramine HCl up to 50mg.	Benadryl	Yes	PWD=UN SOL=ML	Anti-histamine	None	X	X	X	X									
J1201	Injection, cetirizine hydrochloride, 0.5 mg	Quzytir	N/A																Not covered.
J1203	Injection, ciplagucosidase alfa-atga, 5 mg	Pombiliti	Yes	UN	Enzymatic	None	X	X	X										Effective 4/1/24. Restricted to ICD-10 E74.02.
J1205	Injection chlorothiazide sodium 500mg	Diuril Sodium	Yes	UN	Anti-hypertensive	None	X	X	X	X									
J1212	Injection DMSO dimethylsulfoxide 50%, 50 ml	Rimso	Yes	ML	Anti-inflammatory	1 per day	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes N30.10 or N30.11 ICD-9 code 595.1 required on claim form.
J1230	Injection methadone HCl up to 10mg	Dolphine HCL	Yes	PWD=UN SOL=ML	Analgesic narcotic	None	X	X	X										
J1240	Injection dimenhydrinate up to 50mg	Dramamine	N/A		Antiemetic														Not Covered
J1245	Injection dipyridamole 10 mg	Persantine	Yes	PWD=UN SOL=ML	Antiplatelet	None	X	X	X								X		
J1250	Injection dobutamine HCl 250mg.	Dobutrex	Yes	PWD=UN SOL=ML	Adrenergic agonist	None	X	X	X								X		
J1260	Injection dolasetron mesylate 10mg	Anzemet	Yes	ML	Antiemetic	None	X	X	X										
J1265	Injection, dopamine Hcl, 40mg	Hydrochloride Intorpin	Yes	PWD=UN SOL=ML	Adrenergic agonist	None	X	X	X	X									Nurse practitioner added 1/1/09.
J1267	Injection, Doripenem, 10 mg.	Doribax	Yes	UN	Antibiotic	limited to 18 years or older	X	X											Closed 12/31/25. New code effective 1/1/09. Approved for maximum dose of 1500 mg. administered over 24 hours.
J1270	Injection doxercalciferol 1mcg.	Hectorol	Yes	ML	Vitamin D analog	20 per day	X	X	X									X	
J1271	Injection, doxycycline hyclate, 1 mg.	NA	Yes	UN	Antibiotic	None	X	X	X										Effective 4/1/25.
J1289	Injection, narsoplimab-wuug, 1 mg	Yartemlea	Yes	ML	complement inhibitor	None	X	X	X										Effective 7/1/26. Restricted to ICD-10 M31.11. Minimum age of 2 years
J1290	Injection, ecallantide 1 mg.	Kalbitor	Yes	ML	Hematological	30 u. daily	X	X	X	X							X		Effective 10/1/2015 ICD-10 diagnosis codes D.81.810 or D84.1 Effective 6/1/14, minimum age restriction modified to 12 years. New code effective 1/1/11. Restricted to ICD-9 diagnosis 277.6. Restricted to age 16 and above.
J1299	Injection, eculizumab, 2 mg	Soliris	Yes	ML	Monoclonal Antibody	None	X	X	X										Effective 4/1/25, ICD-10 diagnosis restrictions removed. Effective 4/1/25. Restricted to ICD-10 D59.3, D59.5, D59.6 or D59.8.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J1300	Injection, Eculizumab 10 mg	Soliris	Yes	ML	Monoclonal Antibody	None	X	X	X										Closed 3/31/25. See J1299 after this date. Effective 10/1/2015 ICD-10 diagnosis codes D59.3, D59.5, D59.6 or D59.8 ICD-9 diagnosis codes expanded to include 283.11, effective 10/1/11. New code effective 1/1/08. Replaces C9236. ICD-9 code 283.2 required on claim form.
J1301	Injection, edaravone, 1 mg	Radicava	Yes	ML	ALS agent	None	X	X	X										Effective 1/1/19. Restricted to ICD-10 G12.21. Minimum age of 16 years.
J1302	Injection, sutimlimab-jome, 10 mg	Enjaymo	Yes	ML	complement inhibitor	None	X	X	X										Effective 10/1/22. Restricted to ICD-10 D59.12. Minimum age of 16 years.
J1303	Injection, ravulizumab-cwvz, 10 mg.	Ultomiris	Yes	ML	Monoclonal Antibody	360 units daily	X	X	X										Effective 4/27/22, ICD-10 diagnosis G70.00, G70.01 added. Minimum age is removed. Effective 10/18/19, ICD-10 C95.3 added. Effective 10/1/19. Restricted to ICD10 diagnosis D59.5. Minimum age of 16 years.
J1304	Injection, tofersen, 1 mg	Qalsody	Yes	ML	ALS agent	None	X	X	X										Effective 1/1/24. Restricted to ICD-10 G12.21.
J1305	Injection, evinacumab-dgnb, 5mg	Evkeeza	Yes	ML	Antihyperlipide mic	None	X	X	X										Effective 10/1/21. Restricted to ICD-10 E78.01. Minimum age of 12 years.
J1307	Injection, crovalimab-akkz, 10 mg	PiaSky	Yes	ML	complement inhibitor	None	X	X	X										Effective 1/1/25. Restricted to ICD-10 D59.5. Minimum age of 13 years.
J1308	Injection, famotidine, 0.25 mg	NA	Yes	ML	Gastric rerlux	None	X	X	X										Effective 4/1/25.
J1320	Injection amitriptyline HCl up to 20mg	Elavil Enovil	Yes	PWD=UN SOL=ML	Anti-depressant	1 per day	X	X	X	X		X							
J1322	Injection, elosulfase alfa, 1mg	Vimizim	yes	ML	Enzymatic	None	X	X	X										Effective 1/1/15. Restricted to ICD-9 277.5. Minimum age restriction of 5 years.
J1323	Injection, elranatamab-bcmm, 1 mg	Elrexio	Yes	UN	Antineoplastic	None	X	X	X										Effective 4/1/24. Covered to ASC. Restricted to ICD-10 C90.00 - C90.02.
J1324	Injection, enfuvirtide, 1 mg	Fuzeon	N/A		Fusion inhibitor														Not covered. Refer to Pharmacy Point of Sale.
J1325	Injection epoprostenol 0.5mg.	Flolan	Yes	UN	Prostaglandin	None	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes I10, I27.0 - I27.2, I27.81, I27.82, I27.89 or I27.9 Requires ICD-9 code 416.XX on claim form.
J1326	Injection, zolbetuximab-cizb, 2 mg	Vyloy	Yes	EA	Antineoplastic	None	X	X	X										Effective 7/1/25. Restricted to ICD=10 C15.5, C15.8, C15.9, C16.0 - C16.9. Minimum age of 16 years
J1327	Injection eptifibatide 5mg	Integrillin	Yes	ML	Antiplatelet	None	X	X											
J1330	Injection ergonovine maleate up to 0.2mg	Ergotrate Maleate	Yes	PWD=UN SOL=ML	Antimigraine	None	X	X	X										Effective 2/29/24, code is closed.
J1335	Injection ertapenem sodium 500mg	Invanz	Yes	UN	Antibiotic	None	X	X	X										
J1364	Injection erythromycin lactobionate 500 mg		Yes	UN	Antibiotic	4 per day	X	X	X										

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J1370	Injection, esomeprazole sodium, 1 mg	NA	Yes	UN	Proton pump inhibitor	None	X	X	X										Effective 10/1/25.
J1380	Injection estradiol valerate up to 10mg	Delestrogen Estradiol Gynogen	N/A		Contraceptive														Not Covered
J1390	Inection estradiol valerate up to 20mg	Delestrogen Dioval Estradiol Gynogen Valergan Estra L	Yes	ML	Contraceptive	None	X	X	X	X	X								Female only.
J1410	Injection estrogen conjugated 25mg	Premarin IV	Yes	UN	Estrogen Derivative	1 per day	X	X	X										Female only.
J1411	Injection, etranacogene dezaparvovec-drlb, per therapeutic dose	Hemgenix	Yes	UN	Genetic therapy	NA	X												Effective 4/1/23. Contact Acentra at 800-346-8272 for prior authorization.
J1412	Injection, valoctocogene roxaparvovec-rvox, per ml, containing nominal 2 x 10 ¹³ vector genomes	Roctavian	Yes	UN	Genetic therapy	None	X	X											Effective 5/1/26, contact Accentra at 800-346-8272 for prior authorization. Effective 1/1/24. Restricted to ICD-10 D66.
J1413	Injection, delandistrogene moxeparvovec-rokl, per therapeutic dose	Elevidys	Yes	UN	Genetic therapy	None	X	X											Effective 7/1/24. Contact Acentra at 800-346-8272 for prior authorization. Effective 1/1/24. Restricted to ICD-10 G71.01.
J1427	Injection, viltolarsen, 10 mg	Viltepso	Yes	SOL=ML	Muscular dystrophy	None	X	X											Effective 4/1/21. Restricted to ICD-10 G71.01. Minimum age of 4 years.
J1428	Injection, eteplirsen, 10 mg.	Exondys 51	Yes	ML	Genetic therapy	N/A	X	X											Effective 1/1/18. As of 6/1/18, contact Kepro at 800-346-8272 for prior authorization requests.
J1429	Injection, golodirsen, 10 mg	Vyondys 53	Yes	ML	Genetic therapy	N/A	X	X											Effective 7/1/20. Contact Kepro at 800-346-8272 for prior authorization requests.
J1430	Injection, ethanolamine oleate, 100 mg	Ethatrolin	Yes	ML	Sclerosing Agent	None	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes I85.00, I85.01, I85.10, I85.11, I86.0 - I86.3, I86.8, K92.0 - K92.2 or N43.3 ICD-9 code 456.XX, 578.XX, or 603.9 on claim form.
J1435	Injection estrone 1mg	Theelin Aqueous Estone 5 Kestrone 5	N/A		Hormonal Replacement														Not Covered
J1436	Injection etidronate disodium 300mg	Didronel	Yes	ML	Bone Restorative Agent	None	X	X	X										Effective 2/29/24, code is closed.
J1437	Injection, ferric derisomaltose, 10 mg	Monoferric	Yes	ML	Iron replacement	None	X	X	X	X									Effective 7/1/21.
J1438	Injection etanercept 25mg	Enbrel	Yes	PWD=UN SOL=ML	Anti-rheumatic	2 per day	X	X	X										

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J1439	Injection, ferric carboxymaltose, 1mg	Injectafer	Yes	ML	iron therapy	none	X	X	X										Effective 12/17/21, minimum age restriction of 16 years reduced to 1 year. Effective 10/1/2015 ICD-10 diagnosis codes D50.0, D50.1, D50.8, D50.9, D53.8 or D64.9 Effective 1/1/15. Restricted to ICD-9 diagnosis of 280.0 - 280.9. Minimum age restriction of 16 years.
J1440	Fecal microbiota, live - jslm, 1 ml	Rebyota	Yes	ML	Fecal transplantation	None	X	X	X										Effective 7/1/23. Restricted to ICD-10 A04.71, A04.72. Minimum of 18 years.
J1441	Injection filgrastim (G-CSF) 480mcg	Neupogen	Yes	ML	Colony stimulating factor	2 per day	X	X	X										Closed 12/31/13. See J1442.
J1442	Injection, filgrastim (g-csf), excludes biosimilars, 1 microgram	Neupogen	Yes	ML	Colony stimulating factor	1500 units per day	X	X	X										Effective 1/1/14.
J1446	Injection, tbo-filgrastim, 5 micrograms	Granix	Yes	ML	Colony stimulating factor	140 units per day	X	X	X									X	Closed 12/31/15. See J1447 after this date. Effective 10/1/2015 ICD-10 diagnosis codes D70.0 - D70.4, D70.8 or D70.9 Effective 1/1/14. Restricted to ICD-9 diagnosis of 288.00 - 288.09. Minimum age restriction of 16 years.
J1447	Injection, tbo-filgrastim, 1 microgram	Granix	Yes	ML	Colony stimulating factor	700 units per day	X	X	X									X	Effective 7/1/22, ICD-10 diagnosis restriction have been removed. Effective 1/1/16. Restricted to diagnosis ICD-10 D70.0 - D70.4, D70.8 or D70.9. Minimum age restriction of 16 years.
J1448	Injection, trilaciclib, 1mg	Cosela	Yes	UN	Antineoplastic	None	X	X	X										Effective 10/1/21. Restricted to ICD-10 C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.92. Minimum age of 16 years.
J1450	Injection fluconazole 200mg	Diflucan	Yes	PWD=UN SOL=ML	Antifungal	None	X	X	X										

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J1451	Injection, fomepizole, 15 mg	Antizol	Yes	ML	Antidote	None	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes T46.2X4S, T51.0X2A - T51.0X4A, T51.1X1A, T51.1X1D, T51.1X1S, T51.1X2A - T51.1X4A, T51.2X2A - T51.2X4A, T51.3X2A - T51.3X4A, T51.8X2A - T51.8X4A, T51.91xA - T51.94xA, T52.0X2A - T52.0X4A, T52.1X1A - T52.1X4A, T52.2X1A - T52.2X4A, T52.3X1A - T52.3X4A, T52.4X1A - T52.4X4A, T52.8X1A - T52.8X4A, T52.91xA - T52.94xA, T53.0X2A, T53.0X4A, T53.1X2A, T53.1X4A, T53.2X2A, T53.2X4A, T53.3X2A, T53.3X4A, T53.4X2A, T53.4X4A, T53.6X2A, T53.6X4A, T53.7X2A, T53.7X4A, T53.92xA, T53.94xA, T55.0X3A, T55.1X3A, T56.0X2A - T56.0X4A, T56.1X2A - T56.1X4A, T56.2X2A - T56.2X4A, T56.3X2A - T56.3X4A, T56.4X2A - T56.4X4A, T56.5X2A - T56.5X4A, T56.6X2A - T56.6X4A, T56.7X2A - T56.7X4A, T56.812A - T56.814A, T56.892A - T56.894A, T56.92xA - T56.94xA, T57.0X3A - T57.3X3A, T57.8X2A - T57.8X4A, T57.92xA, T57.94xA, T60.0X3A - T60.4X3A, T60.8X3A, T60.93xA, T61.02xA - T61.04xA, T61.12xA - T61.14xA, T61.772A - T61.774A, T61.782A - T61.784A, T61.8X2A - T61.8X4A, T61.92xA - T61.94xA, T62.0X2A - T62.0X4A, T62.1X2A - T62.1X4A, T62.2X2A - T62.2X4A, T62.8X2A - T62.8X4A, T62.92xA - T62.94xA, T63.002A - T63.004A, T63.012A - T63.014A, T63.022A - T63.024A, T63.032A - T63.034A, T63.042A - T63.044A, T63.062A - T63.064A, T63.072A - T63.074A, T63.082A - T63.084A, T63.092A - T63.094A, T63.112A - T63.114A, T63.122A - T63.124A, T63.192A - T63.194A, T63.2X2A - T63.2X4A, T63.302A - T63.304A, T63.312A - T63.314A, T63.322A - T63.324A, T63.332A - T63.334A, T63.392A - T63.394A, T63.412A - T63.414A, T63.422A - T63.424A, T63.432A - T63.434A, T63.442A - T63.444A, T63.452A - T63.454A, T63.462A - T63.464A, T63.482A - T63.484A, T63.512A - T63.514A, T63.592A - T63.594A, T63.612A - T63.614A, T63.622A - T63.624A, T63.632A - T63.634A, T63.692A - T63.694A, T63.712A - T63.714A, T63.792A - T63.794A, T63.812A - T63.814A, T63.822A - T63.824A, T63.832A - T63.834A, T63.892A - T63.894A, T63.92xA - T63.94xA, T64.02xA - T64.04xA, T64.82xA - T64.84xA, T65.0X2A - T65.0X4A, T65.1X2A - T65.1X4A, T65.212A - T65.214A, T65.222A - T65.224A, T65.292A - T65.294A, T65.3X2A - T65.3X4A, T65.4X2A - T65.4X4A, T65.5X2A - T65.5X4A, T65.6X2A - T65.6X4A, T65.812A - T65.814A, T65.822A - T65.823A, T65.832A - T65.834A, T65.892A, T65.892D, T65.893A, T65.894A, T65.894D, T65.894S, T65.92xA or T65.94xA ICD-9 code 980.1, 980.9, 982.8, E860.2, E950.9, E862.4, E962.1, or E980.9 required on claim form.
J1452	Injection omivirsen sodium intraocular 1.65mg.	Vitravene	Yes	ML	Anti-viral		X	X							X				Effective 2/29/24, code is closed.
J1453	Injection, fosaprepitant, 1 mg.	Emend	Yes	UN	Anti-emetic		X	X	X										New code effective 1/1/09.
J1455	Injection foscarnet sodium 1000mg	Foscavir	Yes	ML	Anti-viral	None	X	X	X										Effective 2/29/24, code is closed.
J1456	Injection, fosaprepitant (teva), not therapeutically equivalent to j1453, 1 mg	NA	Yes	EA	Antiemetic	None	X	X	X										Effective 1/1/23.
J1457	Injection gallium nitrate 1 mg	Ganite	N/A		Anti-hypercalcemic														Closed 12/31/25.
J1458	Injection, galsulfase, 1 mg	Naglazyme	Yes	ML	Enzyme replenisher	None	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes E76.01 - E76.03, E76.1, E76.210, E76.211, E76.219, E76.22, E76.29, E76.3, E76.8 or E76.9 New code effective 1/1/07. Given weekly based on weight. Age restricted to 5 years and older. ICD-9 code 277.5 required on claim form.
J1459	Injection, immune globulin, IV, nonlyophilized(liquid), 500 mg.	Privigen	Yes	SOL=ML	Immune globulin		X	X											New code effective 1/1/09.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J1460	Injection gamma globulin IM 1cc	Gammar Gamastan	Yes	ML	Immune globulin	1 per day	X	X	X										
J1470	Injection gamma globulin IM 2cc	Gammar Gamastan	Yes	ML	Immune globulin	1 per day	X	X	X										
J1480	Injection gamma globulin IM 3cc	Gammar Gamastan	Yes	ML	Immune globulin	1 per day	X	X	X										
J1490	Injection gamma globulin IM 4cc	Gammar Gamastan	Yes	ML	Immune globulin	1 per day	X	X	X										
J1500	Injection gamma globulin IM 5cc	Gammar Gamastan	Yes	ML	Immune globulin	1 per day	X	X	X										
J1510	Injection gamma globulin IM 6cc	Gammar Gamastan	Yes	ML	Immune globulin	1 per day	X	X	X										
J1520	Injection gamma globulin IM 7cc	Gammar Gamastan	Yes	ML	Immune globulin	1 per day	X	X	X										
J1530	Injection gamma globulin IM 8cc	Gammar Gamastan	Yes	ML	Immune globulin	1 per day	X	X	X										
J1540	Injection gamma globulin IM 9cc	Gammar Gamastan	Yes	ML	Immune globulin	1 per day	X	X	X										
J1550	Injection gamma globulin IM 10cc	Gammar Gamastan	Yes	ML	Immune globulin	1 per day	X	X	X										
J1554	Injection, immune globulin, 500 mg	Asceniv	Yes	ML	Immune globulin	None	X	X	X										Effective 4/1/21. Restricted to ICD-10 D80.0 - D80.9, D81.0 - D81.39, D81.4, D81.7, D81.89, D81.9, D82.0 - D82.9, D83.0, D83.2, D83.8, D83.9. Minimum age of 12 years.
J1555	Injection, immune globulin (cuvitru), 100 mg	Cuvitru	Yes	ML	Immune globulin	None	X	X	X										Effective 1/1/18. Restricted to D83.0 - D83.9. Minimum age of 2 years.
J1556	Injection, immune globulin, 500 mg	Bivigam	N/A																New code effective 1/1/14. Not Covered. See pharmacy POS .
J1557	Injection, immune globulin, intravenous, non-lyophilized (e.g. liquid), 500 mg.	Gammaplex	Yes	ML	Immune globulin	none	X	X	X								X		Effective 10/1/2015 ICD-10 diagnosis codes D69.3, D80.0 - D80.9, D81.0 - D81.2, D81.4, D81.6, D81.7, D81.89, D81.9, D82.0, D82.1, D83.0, D83.1, D83.2, D83.8 or D83.9 Effective 3/8/13, new ICD-9 diagnosis restriction of 287.31 added. Effective 1/1/12. Restricted to ICD-9 diagnosis 279.00 - 279.2.
J1558	Injection, immune globulin, 100 mg	Xembify	Yes	ML	Immune globulin	None	X	X	X										Effective 7/1/20. Restricted to ICD-10 D80.0 - D80.9, D81.0 - D81.9, D82.0 - D82.9. Minimum age 2 years.
J1559	Injection, immune globulin, 100 mg	Hizentra	N/A																Not covered. Refer to Pharmacy Point of Sale.
J1560	Injection gamma globulin IM over 10cc	Gammar Gamastan	Yes	ML	Immune globulin	5 per day	X	X	X	X									
J1561	Injection, immune globulin, (Gamunex/Gamunex-C/Gammaked), nonlyophilized (e.g., liquid), 500 mg	Gamunex-C	Yes	ML	Immune globulin	None	X	X											New code effective 1/1/08. Replaces Q4092.
J1562	Injection, immune globulin, subcutaneous, 100 mg		N/A		Immune globulin														Closed 12/31/25.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J1565	Injection RSV immune globulin IV 50mg	RespiGam	Yes	ML	Immune globulin	None	X	X	X	X									Closed effective 4/01/08.
J1566	Injection, immune globulin, intravenous, lyophilized (e.g., powder), not otherwise specified, 500 mg	Carimune Gammagard S/D	Yes	UN	Immune globulin	None	X	X	X										Effective 1/1/09.
J1567	Injection, immune globulin, IV, lyophilized, 500mg		Yes	ML	Immune globulin	None	X	X	X										Closed effective 12/31/07.
J1568	Octagam injection, immune globulin, (Octagam) IV, non-lyophilized (i.e., liquid), 500mg	Octagam	Yes	ML	Immune globulin	None	X	X	X										Physician added as covered provider, effective 1/1/16. New code effective 1/1/08. Replaces Q4087.
J1569	Injection, immune globulin, (Gammagard liquid), nonlyophilized, (e.g., liquid), 500 mg	Gammagard	Yes	ML	Immune globulin	None	X	X	X										New code effective 1/1/08. Replaces Q4088. Approved for physician billing, effective 1/1/08.
J1570	Injection ganciclovir sodium 500mg	Cytovene	Yes	UN	Anti-viral	None	X	X	X										
J1571	Injection, hepatitis B immune globulin, IM, 0.5m	Hepagam B Nabi Hb	Yes	ML	Immune globulin	None	X	X											New code effective 1/1/08. Replaces Q4090.
J1572	Fiebogamma Injection - Injection, immune globulin (Fiebogamma), IV, non-lyophilized (e.g., liquid), 500mg.	Flebogamma	Yes	ML	Immune globulin	None	X	X											Closed 12/31/25. effective 1/1/08. Replaces Q4091. New code
J1573	Injection, Hepatitis B immune globulin (Hepagam B) IV 0.5 m.	Hepagam B	Yes	ML	Immune globulin	None	X	X											New code effective 1/1/08.
J1574	Injection, ganciclovir sodium (exela) not therapeutically equivalent to j1570, 500 mg	NA	Yes	ML	Antiviral	None	X	X	X										Effective 1/1/23.
J1577	Injection, immune globulin (qivigy), 100 mg	Qivigy	Yes	ML	Immune globulin	None	X	X	X										Effective 7/1/26.
J1580	Injection Garamycin gentamicin up to 80mg	Gentamine Sulfate Jenamicin	Yes	ML	Antibiotic	None	X	X	X									X	
J1590	Injection gatifloxacin 10 mg	Tequin Zymar	Yes	ML	Antibiotic	40 per day	X	X	X										
J1595	Injection glatiramer acetate	Copaxone	N/A		Multiple Sclerosis														Not Covered

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J1598	Injection, glycopyrrolate (fresenius kabi), not therapeutically equivalent to j1596, 0.1 mg	NA	Yes	ML	Anti-cholenergetic	None	X	X	X										Effective 7/1/24.
J1599	injection, immune globulin, intravenous, non-lyophilized(liquid), NOS, 500 mg.	N/A	N/A																Not Covered
J1600	Injection gold sodium thiomalate up to 50mg	Aurolate Myochrysine	Yes	PWD=UN SOL=ML	Anti-rheumatic	None	X	X	X										
J1602	Injection, golimumab, 1 mg, for intravenous use	Simponi Aria	Yes	ML	TNF blocker	300 units per month	X	X	X	X									Effective 9/1/19, add ICD-10 L40.50, L40.51, L40.52, L40.59, M05.70, M06.00, M45.9. Effective 10/1/2015 ICD-10 diagnosis codes M05.00, M05.011, M05.012, M05.019, M05.021, M05.022, M05.029, M05.031, M05.032, M05.039, M05.041, M05.042, M05.049, M05.051, M05.052, M05.059, M05.061, M05.062, M05.069, M05.071, M05.072, M05.079, M05.09, M05.10, M05.111, M05.112, M05.119, M05.121, M05.122, M05.129, M05.131, M05.132, M05.139, M05.141, M05.142, M05.149, M05.151, M05.152, M05.159, M05.161, M05.162, M05.169, M05.171, , M05.172, M05.179, M05.19, M05.30, M05.60, M05.611, M05.612, M05.619, M05.621, M05.622, M05.629, M05.631, M05.632, M05.639, M05.641, M05.642, M05.649, M05.651, M05.652, M05.659, M05.661, M05.662, M05.669, M05.671, M05.672, M05.679, M05.69, M05.711, M05.712, M05.719, M05.721, M05.722, M05.729, M05.731, M05.732, M05.739, M05.741, M05.742, M05.749, M05.751, M05.752, M05.759, M05.761, M05.762, M05.769, M05.811, M05.812, M05.819, M05.821, M05.822, M05.829, M05.831, M05.832, M05.839, M05.841, M05.842, M05.849, M05.851, M05.852, M05.859, M05.861, M05.862, M05.869, M06.071, M06.072, M06.079, M06.1, M06.211, M06.212, M06.219, M06.221, M06.222, M06.229, M06.231, M06.232, M06.239, M06.241, M06.242, M06.249, M06.251, M06.252, M06.259, M06.261, M06.262, M06.269, M06.4, M06.811, M06.812, M06.819, M06.821, M06.822, M06.829, M06.831, M06.832, M06.839, M06.841, M06.842, M06.849, M06.851, M06.852, M06.859, M06.861, M06.862, M06.869, M06.871, M06.872, M06.879, M06.9, M08.00, M08.3, M08.40, M08.411, M08.412, M08.419, M08.421, M08.422, M08.429, M08.431, M08.432, M08.439, M08.441, M08.442, M08.449, M08.451, M08.452, M08.459, M08.461, M08.462, M08.469, M08.471, M08.472, M08.479, M08.48, M12.00, M12.011, M12.012, M12.019, M12.021, M12.022, M12.029, M12.031, M12.032, M12.039, M12.041, M12.042, M12.049, M12.051, M12.052, M12.059, M12.061, M12.062, M12.069, M12.071, M12.072, M12.079, M12.08 or M12.09 Effective 1/1/14. Restricted to ICD-9 diagnosis 714.0 - 714.9. Minimum age restriction of 18 years.
J1610	Injection glucagon HCl 1mg.	Glucagon GlucaGen	Yes	UN	Antidote	None	X	X	X										
J1611	Injection, glucagon hydrochloride (fresenius kabi), not therapeutically equivalent to j1610, per 1 mg	NA	Yes	EA	Antidote	None	X	X	X										Effective 1/1/23.
J1620	Injection gonadorelin HCl 100mcg	Factrel Lutrepulse	Yes	UN	Gonadotropin	None	X	X	X										Effective 2/29/24, code is closed. Not for fertility treatment and diagnosis.
J1626	Injection granisetron HCl 100mcg	Kytril	Yes	ML	Antiemetic	20 per day	X	X	X										

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J1627	Injection, granisetron, extended release, 0.1 mg	Sustol	Yes	ML	Antiemetic	None	X	X	X										Effective 1/1/24.
J1630	Injection haloperidol up to 5mg	Haldol	Yes	PWD=UN SOL=ML	Anti-psychotic	2 per day	X	X	X	X		X							Nurse practitioner added 1/1/09.
J1631	Injection haloperidol decanoate 50mg	Haldol Decanoate 50	Yes	ML	Anti-psychotic	1 per day	X	X	X	X		X							Nurse practitioner added 1/1/09.
J1632	Injection, brexanolone, 1 mg	Zulresso	Yes	ML	Anti-depressant	N/A	X	X	X										Effective 10/1/20. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. Note: Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form.
J1640	Injection, hemin, 1mg	Panhematin	Yes	UN	Enzyme inhibitor	None	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes E70.20, E70.21, E70.29, E70.30, E70.310, E70.311, E70.318 - E70.321, E70.328 - E70.331, E70.338, E70.339, E70.39, E70.5, E70.8, E70.9, E80.0, E80.1, E80.20, E80.21, E80.29, P70.8, P72.0, P72.2, P72.8, P74.5, P74.6, P74.8 or P84 ICD-9 code 277.1, 270.2, 775.8, 775.81, 775.89 required on claim form.
J1642	Injection heparin sodium (heparin lock flush) 10U.	HepLock HepLock U/P	No	PWD=UN SOL=ML	Anti-coagulant	5 per day	X	X								X			Effective 6/23/26, the NDC requirement is removed.
J1643	Injection, heparin sodium (pfizer), not therapeutically equivalent to j1644, per 1000 units	NA	Yes	ML	Anti-coagulant	None	X	X	X										Effective 1/1/23.
J1644	Injection heparin sodium 1000U	Heparin Sodium Liquemin Sodium	Yes	PWD=UN SOL=ML	Anti-coagulant	1 unit X 7 consecutive days - lifetime	X	X	X	X								X	Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime. Nurse practitioner added 1/1/09.
J1645	Injection dalteparin sodium 2500IU	Fragmin	Yes	ML	Anti-coagulant	1 unit X 7 consecutive days - lifetime	X	X	X	X									Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
J1650	Injection enoxaparin sodium 10mg	Lovenox	Yes	ML	Anti-coagulant	1 unit X 7 consecutive days - lifetime	X	X	X	X									Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
J1652	Injection fondaparinux sodium 0.5 mg	Arixtra	Yes	ML	Anti-coagulant	1 unit X 7 consecutive days - lifetime	X	X	X	X									Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
J1655	Injection tinzaparin sodium 1000 IU.	Innohep	Yes	ML	Anti-coagulant	1 unit X 7 consecutive days - lifetime	X	X	X	X									Effective 2/29/24, code is closed. Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
J1670	Injection tetanus immune globulin human up to 250U	HyperTet	Yes	ML	Immune globulin	1 per 10 years	X	X	X	X									

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J1675	Injection, histrelin acetate, 10mcg	Vantas	Yes	UN	Gonadotropin	1 per year	X	X	X										Cost invoice required with claim form
J1680	Injection, human fibrinogen concentrate, 100 mg.	RiaSTAP	Yes	UN	Antifibrinolytic	none	X	X	X				X				X		Closed 12/31/12. See J7178 after this date. Effective 1/1/10. Restricted to ICD-9 diagnosis 286.3 or 286.6.
J1700	Injection hydrocortisone acetate up to 25mg	Hydrocortone Acetate	Yes	PWD=UN SOL=ML	Anti-inflammatory	None	X	X	X	X									
J1710	Injection hydrocortisone sodium phosphate up to 50mg	Hydrocortone Phosphate	Yes	PWD=UN SOL=ML	Anti-inflammatory	None	X	X	X	X									Effective 2/29/24, code is closed.
J1720	Injection hydrocortisone sodium succinate up to 100mg	Solu-Cortef A-Hydrocort	Yes	UN	Anti-inflammatory	None	X	X	X	X									
J1725	Injection, hydroxyprogesterone caproate, 1 mg.	Makena	Yes	ML		250 u. weekly	X	X	X	X	X								Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes O09.211 - O09.213, O09.219, O47.00, O47.9, O47.02, O47.03, O47.1, O47.9, O60.00, O60.02, O60.03. Effective 1/1/12. Restricted to ICD-9 diagnosis 644.0 - 644.2 or V23.41. Cost invoice with NDC required with claim. Minimum age restriction of 16 years. Service limit of 250 units weekly at 16 - 36 weeks gestation. Please note: If product on cost invoice indicates a multi-dose vial, then reimbursement will be one-fifth invoice amount.
J1730	Injection diazoxide up to 300mg	Hyperstat IV	Yes	PWD=UN SOL=ML	Anti-hypertensive	1 per day	X	X	X										
J1738	Injection, meloxicam, 1 mg.	Anjeso	Yes	ML	Anti-inflammatory	None	X	X	X	X									Effective 1/1/22.
J1740	Injection, ibandronate sodium, 1 mg	Boniva	Yes	PWD=UN SOL=ML	Bisphosphonate	3 units every 3 months	X	X	X	X									Effective 10/1/2015 ICD-10 diagnosis codes M81.0, M81.6 or M81.8 New code effective 1/1/07. ICD-9 codes 733.00-733.09 are required on claim form. Restricted to females. Providers should be able to document why patient cannot take oral bisphosphonate. Nurse practitioner added 1/1/09.
J1741	Injection, ibuprofen, 100 mg	Caldolor	Yes	ML	Anti-inflammatory	None	X	X	X	X									Effective 1/1/22.
J1742	Injection ibutilide fumarate 1mg	Corvert	Yes	ML	Anti-arrhythmic	None	X	X	X										
J1743	Injection, idursulfase 1 mg	Elaprase	Yes	ML	Metabolic Enzyme Replacement	None	X	X	X										New code effective 1/1/08. Replaces Q9232.
J1745	Injection, infliximab, excludes bio-similar, 10 mg.	Remicade	Yes	UN	Anti-rheumatic	None	X	X	X										
J1746	Injection, ibalizumab-uiyk, 10 mg	Trogarzo	Yes	ML	Anti-retroviral	None	X	X	X										Effective 1/1/19. Restricted to ICD-10 B20.
J1747	Injection, spesolimab-sbzo, 1 mg	Spevigo	Yes	ML	Antipsoriatic	None	X	X	X										Effective 4/1/23. Restricted to ICD-10 L40.1. Minimum age of 16 years
J1750	Injection, iron dextran, per 50 mg.	Infed Dexferrum	Yes	ML	iron salt	None	X	X	X	X								X	New code effective 1/1/09. Nurse practitioner added 1/1/09.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J1751	Injection, iron dextran 165, 50 mg	Infed Dexferrum	Yes	ML	Iron salt	None	X	X	X	X									Code closed effective 6/30/08. See Q4098.
J1752	Injection, iron dextran 267, 50 mg	Infed Dexferrum	Yes	ML	Iron salt	None	X	X	X	X									Code closed effective 6/30/08. See Q4098.
J1756	Injection iron sucrose 1mg IV	Venofer	Yes	ML	Iron supplement	1000 mg. per 13 days, effective 2/1/16	X	X	X							X		X	Home infusion provider added, effective 4/1/12.
J1785	Injection imiglucerase per unit	Cerezyme	Yes	UN	Enzyme	None	X	X	X										Code closed 12/31/10. See J1786 after this date. ICD-9 code 272.7 required on claim form.
J1786	injection, imiglucerase, 10 units	Cerezyme	Yes	UN	Enzyme	Maximum service limit 1650 u. monthly	X	X	X							X			Effective 10/1/2015 ICD-10 diagnosis codes E75.21, E75.22, E75.240 - E75.243, E75.248, E75.249, E75.3, E77.0, E77.1, E77.8, or E77.9 Home Infusion provider added, effective 1/1/11. New code effective 1/1/11. Restricted to ICD-9 diagnosis 272.7. Minimum age restriction of 2 years and above.
J1790	Injection droperidol up to 5mg	Inapsine	Yes	PWD=UN SOL=ML	Antiemetic	1 per day	X	X	X										
J1800	Injection propranolol HCl up to 1mg.	Inderal	Yes	PWD=UN SOL=ML	Anti-anginal	None	X	X	X										
J1807	Injection, ethacrynate sodium, 1 mg	NA	Yes	UN	Diuretic	None	X	X	X										Effective 10/1/25.
J1809	Injection, fosdenopterin, 0.1 mg	Nulibry	Yes	UN	Metabolic Enzyme Replacement	None	X	X											Effective 10/1/25. Restricted to ICD-10 E72.10.
J1810	Injection droperidol & fentanyl cit-rate up to 2ml ampule	Innovar	Yes	UN	Antiemetic	None	X	X	X										Effective 2/29/24, code is closed.
J1815	Injection insulin 5U	Humalog Humulin Lispo	Yes	ML	Anti-diabetic	20 per day	X	X	X	X									Effective 10/1/2015 ICD-10 diagnosis codes E10.10, E10.11, E10.21, E10.22, E10.29, E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.36, E10.39 - E10.44, E10.49, E10.51, E10.52, E10.59, E10.610, E10.618, E10.620 - E10.622, E10.628, E10.630, E10.638, E10.641, E10.649, E10.65, E10.69, E10.8, E10.9, E11.00, E11.01, E11.21, E11.22, E11.29, E11.311, E11.319, E11.321, E11.329, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.36, E11.39 - E11.44, E11.49, E11.51, E11.52, E11.59, E11.610, E11.618, E11.620 - E11.622, E11.628, E11.630, E11.638, E11.641, E11.649, E11.65, E11.69, E11.8, E11.9, E13.00, E13.01, E13.10, E13.11, E13.21, E13.22, E13.29, E13.311, E13.319, E13.321, E13.329, E13.331, E13.339, E13.341, E13.349, E13.351, E13.359, E13.36, E13.39 - E13.44, E13.49, E13.51, E13.52, E13.59, E13.610, E13.618, E13.620 - E13.622, E13.628, E13.630, E13.638, E13.641, E13.649, E13.65, E13.69, E13.8 or E13.9 ICD-9 code 250.00 - 250.9X required on claim form.
J1817	Insulin for administration thru insulin pump per 50 U	Humalog	N/A		Anti-diabetic														Not Covered
J1823	Injection, inebilizumab-cdon, 1 mg	Uplizna	Yes	SOL	Immunosuppressive	300 units daily	X	X	X										Effective 1/1/21. ICD-10 G36.0. years. Restricted to Minimum age of 16
J1825	Injection interferon beta 1a 33mcg	Avonex	N/A		Biological Response Modulator														Not covered. Refer to Pharmacy Point of Sale.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J1826	Injection, interferon beta-1a, 30 mcg.	Avonex Rebif	N/A		Biological Response Modulator														Not covered. Refer to Pharmacy Point of Sale.
J1830	Injection interferon beta 1b 0.25mg	Betaseron	N/A		Biological Response Modulator														Not covered. Refer to Pharmacy Point of Sale.
J1833	Injection, isavuconazonium, 1 mg vial	Cresemba vial	Yes	UN	Anti-Infective	None	X	X	X										Effective 1/1/16. Restricted to diagnosis ICD-10 B44.0, B44.1, B44.2, B44.7, B44.89, B44.9, B48.4. Minimum age of 18 years.
J1834	Injection, isoniazid, 1 mg	NA	Yes	ML	Anitbacterial	None	X	X	X	X									Effective 10/1/25.
J1835	Injection itraconazole 50 mg.	Sporanox	Yes	UN	Anti-fungal	None	X	X	X										
J1837	Injection, posaconazole, 1 mg	NA	Yes	ML	Anti-fungal	None	X	X	X	X									Effective 1/1/26.
J1840	Injection kanamycin sulfate up to 55mg	Kantrex Klebcil	Yes	PWD=UN SOL=ML	Antibiotic	None	X	X	X										Effective 2/29/24, code is closed.
J1850	Injection kanamycin sulfate up to 75mg	Kantrex Klebcil	Yes	UN	Antibiotic	None	X	X	X										Effective 2/29/24, code is closed.
J1885	Injection ketoralac tromethamine 15mg	Toradol	Yes	PWD=UN SOL=ML	Analgesic	None	X	X	X	X				X				X	
J1890	Injection cephalothin sodium up to 1g	Cephalothin Sodium Keflin	Yes	N/A	Antibiotic	None	X	X	X										Effective 2/29/24, code is closed.
J1930	Injection, lanreotide, 1 mg.	Somatuline Depot	Yes	UN	Somatostatic agent		X	X	X										Effective 1/1/25 ICD-10 diagnoses D3A.00, D3A.010, D3A.011, D3A.012, D3A.019, D3A.020, D3A.021, D3A.022, D3A.023, D3A.024, D3A.025, D3A.026, D3A.026, D3A.029, D3A.092, D3A.093, D3A.094, D3A.095, D3A.096, D3A.098 added. Effective 1/1/24, ICD-10 C7A.098 added. Effective 4/1/22, added to physician's contracts. Effective 10/1/2015 ICD-10 diagnosis codes C25.4, C7A.010 - C7A.012, C7A.019 - C7A.026, C7A.029, C7A.092 - C7A.096, D13.7, D3A.010 - D3A.012, D3A.019 - D3A.026, D3A.029, D3A.092 - D3A.096, E22.0 or E34.4 New ICD-9 diagnoses added, effective 12/16/14. Full range includes 157.4, 209.00 - 209.03, 209.10 - 209.17, 209.23 - 209.27, 209.40 - 209.43, 209.50 - 209.57, 209.63 - 209.67, 211.7, 253.0. New code effective 1/1/09.
J1931	Injection laronidase 0.1 mg	Aldurazyme	Yes	ML	Enzyme	None	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes E76.01 - E76.03, E76.1, E76.210, E76.211, E76.219, E76.22, E76.29, E76.3, E76.8 or E76.9 ICD-9 code 277.5 required on claim form.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J1932	Injection, lanreotide, (Cipla), 1 mg	N/A	Yes	ML	Somatostatic agent	None	X	X	X										Effective 10/1/22.
J1938	Injection, furosemide, 1 mg	NA	Yes	ML	Diuretic	None	X	X	X	X									Effective 4/1/25.
J1940	Injection furosemide up to 20mg.	Lasix Furomide	Yes	PWD=UN SOL=ML	Anti-hypertensive Diuretic	None	X	X	X	X									Closed 3/31/25.
J1942	Injection, aripiprazole lauroxil, 1 mg																		Effective 1/1/17. Not covered. See pharmacy POS.
J1945	Injection, lelpirudin, 50 mg	Refludan	Yes	UN	Anti-coagulant	None	X	X	X										Effective 2/29/24, code is closed.
J1950	Injection leuprolide acetate 3.75mg.	Lupron Depot	Yes	UN	Anti-neoplastic	None	X	X	X										
J1953	Injection, levetiracetam, 10 mg.	Keppra	Yes	UN	Anti-epileptic	limited to 16 years or older	X	X	X										New code effective 1/1/09.
J1955	Injection levocarnitine1g.	Carnitor	N/A		Nutritional Supplement									X					Added to Podiatry contract, effective 4/1/21.
J1956	Injection, levofloxacin, 250 mg.	Levaquin	Yes	ML	Antibiotic	3 per day	X	X	X										
J1960	Injection levorphanol tartrate up to 2mg	Levo Dromoran	Yes	PWD=UN SOL=ML	Analgesic narcotic	1.5 per day	X	X	X										
J1980	Injection hyoscyamine sulfate up to 0.25mg.	Levsin	Yes	PWD=UN SOL=ML	Anti-cholenergic	2 per day	X	X	X	X									

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J1990	Injection chlordiazepoxide HCL up to 100mg.	Librium	N/A		Benzodiazepine														Not Covered
J2001	Injection lidocaine HCl IV infusion 10mg	Xylocaine	Yes	PWD=UN SOL=ML	Anti-arrhythmic	None	X	X											Closed 9/30/24. See J2002 after this date.
J2002	Injection, lidocaine hcl in 5% dextrose, 1 mg	NA	Yes	ML	Anti-arrhythmic	None	X	X	X										Effective 10/1/24.
J2003	Injection, lidocaine hydrochloride, 1 mg	NA	Yes	ML	Anesthetic	None	X	X	X										Effective 10/1/24.
J2010	Injection lincomycin HCl up to 300mg	Lincocin	Yes	PWD=UN SOL=ML	Antibiotic	None	X	X	X	X									
J2020	Injection linezolid 200 mg	Zyvox	Yes	ML	Antibiotic	6 per day	X	X	X										
J2021	Injection, linezolid (hospira) not therapeutically equivalent to j2020, 200 mg	NA	Yes	ML	Antibiotic	None	X	X	X										Effective 1/1/23.
J2060	Injection lorazepam 2mg	Ativan	Yes	PWD=UN SOL=ML	Anti-anxiety	2 per day	X	X	X	X		X						X	Nurse practitioner added 1/1/09.
J2150	Injection mannitol in 25% in 50ml	Osmitol	Yes	PWD=UN SOL=ML	Diuretic	None	X	X	X	X									Closed 9/30/25. Nurse practitioner added 1/1/09.
J2151	Injection, mannitol, 250 mg	NA	Yes	ML	None	Diuretic	X	X	X	X									Effective 10/1/25.
J2170	Injection, mecasermin, 1 mg	Increlex	N/A		Insulin-like growth factor														Not covered.
J2175	Injection meperidine HCl per 100mg	Demerol	Yes	PWD=UN SOL=ML	Analgesic narcotic	2 per day	X	X	X	X									Nurse practitioner added 1/1/09.
J2180	Injection meperidine & promethazine HCl up to 50mg	Mepergan	Yes	ML	Analgesic combo narcotic	2 per day	X	X	X	X									Effective 2/29/24, code is closed.
J2182	Injection, mepolizumab, 1 mg	Nucala	Yes	UN	Anti-asthmatic	None	X	X	X	X									Effective 12/12/17, ICD-10 diagnosis M30.1 added. Effective 1/1/17. Restricted to ICD-10 45.50. Minimum age of 12 years.
J2183	Injection, meropenem (wg critical care), not therapeutically equivalent to j2185, 100 mg	NA	Yes	UN	Antibiotic	None	X	X	X										Effective 7/1/24.
J2184	Injection, meropenem (b. braun) not therapeutically equivalent to j2185, 100 mg	NA	Yes	EA	Antibiotic	None	X	X	X										Effective 1/1/23.
J2185	Injection meropenem 100 mg	Merrem	Yes	UN	Antibiotic	None	X	X	X	X									Nurse practitioner added 1/1/09.
J2210	Injection methylergonovine maleate up to 0.2mg.	Methergine	Yes	ML	Ergot alkaloid & derivative	1 per day	X	X	X										

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J2247	Injection, micafungin sodium (par pharm) not thereapeutically equivalent to j2248, 1 mg	NA	Yes	EA	Anti-fungal	None	X	X	X										Effective 1/1/23.
J2248	Injection, micafungin sodium, 1 mg	Mycamine	Yes	UN	Anti-fungal	150 units per day	X	X	X	X									New code effective 1/1/07. Nurse practitioner added 1/1/09.
J2249	Injection, remimazolam, 1 mg	Byfavo	Yes	UN	Anesthetic	None	X	X	X										Effective 7/1/23.
J2250	Injection midazolam HCl per 1mg	Versed	N/A		Benzodiazepine														Not Covered.
J2251	Injection, midazolam hydrochloride (wg critical care) not therapeutically equivalent to j2250, per 1 mg	NA	Yes	ML	Benzodiazepine	None	X	X	X										Effective 1/1/23.
J2260	Injection milrinone lactate 5mg	Primacor	Yes	ML	Enzyme	None	X	X	X										
J2265	Injection, minocycline hydrochloride, 1 mg.	Minocin	N/A																Not covered.
J2270	Injection morphine sulfate up to 10mg	Roxanol	Yes	ML	Analgesic narcotic	5 per day	X	X	X	X									Nurse practitioner added 1/1/09.
J2271	Injection morphine sulfate 100mg.	Roxanol	Yes	PWD=UN SOL=ML	Analgesic narcotic	None	X	X	X										Closed 12/31/14. See J2274 after this date.
J2272	Injection, morphine sulfate (fresenius kabi) not therapeutically equivalent to j2270, up to 10 mg	NA	Yes	ML	Analgesic narcotic	None	X	X	X										Effective 1/1/23.
J2274	Injection, morphine sulfate, preservative-free for epidural or intrathecal use, 10mg		Yes	ML	Analgesic narcotic	None	X	X	X									X	Effective 1/1/15. Must be billed with CPT 62310, 62311, 62318, 62319, 62360, 62361, 62362, 62365, 62367, 62368, 62369, or 62370.
J2275	Injection, morphine sulfate (preservative-free sterile solution) 10mg	Astramorph PF Duramorph	Yes	ML	Analgesic narcotic	None	X	X	X									X	Closed 12/31/14. See J2274 after this date.
J2277	Injection, motixafortide, 0.25 mg	Aphexda	Yes	UN	Hematopoietic	None	X	X	X										Effective 4/1/24. Covered to ASC. Minimum 16 years.
J2278	Injection, ziconotide, 1mcg	Prialt	Yes	ML	Analgesic	Max. 500 per day	X	X	X										Closed effective 10/1/24 (Manufacturer no longer participates in federal drug rebate program). Change to service limit effective 7/1/17.
J2280	Injection moxifloxacin 100 mg	Avelox	Yes	ML	Antibiotic	5 per day	X	X	X	X									

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J2281	Injection, moxifloxacin (fresenius kabi) not therapeutically equivalent to j2280, 100 mg	NA	Yes	ML	Antibiotic	None	X	X	X										Effective 1/1/23.
J2291	Injection, nafcillin sodium (baxter), 20 mg	NA	Yes	ML	Antibiotic	None	X	X	X	X									Effective 10/1/25.
J2300	Injection nalbuphine HCl per 10mg	Nubain	Yes	PWD=UN SOL=ML	Analgesic narcotic	6 per day	X	X	X	X									Nurse practitioner added 1/1/09.
J2310	Injection naloxone HCl per 1mg	Narcan	Yes	PWD=UN SOL=ML	Antidote	None	X	X	X	X									Closed 6/30/25. Nurse practitioner added 1/1/09.
J2315	Injection, naltrexone, depot form, 1 mg	Depade, ReVia, Vivitrol	Yes	UN	Opioid receptor antagonist	380 units per 4 weeks	X	X	X			X							Effective 1/1/21, restricted to ICD-10 of F10.20, F10.21, or F11.20 - F11.29. Effective 10/1/2015 ICD-10 diagnosis codes F10.20, F10.21 or F10.229 New code effective 1/1/07. ICD-9 code 303.XX required on claim form.
J2320	Injection nandrolone decanoate up to 50mg.	Decadurabolin	Yes	PWD=UN SOL=ML	Anabolic steroid	1 per week	X	X	X										Effective 2/29/24, code is closed.
J2321	Injection nandrolone decanoate up to 100mg.	Decadurabolin Hybolin Decanoate	Yes	PWD=UN SOL=ML	Anabolic steroid	1 per week	X	X	X									X	
J2322	Injection nandrolone decanoate up to 200mg	Decadurabolin Neoburabolin	Yes	ML	Anabolic steroid	1 per week	X	X	X										
J2323	Injection, Natalizumab 1 mg	Tysabri	Yes	ML	Leukocyte Adhesion Inhibitor	None	X	X	X										New code effective 1/1/08. Replaces Q4079.
J2325	Injection, nesiritide, 0.1mg	Natrecor	Yes	UN	Vasodilator	None	X	X											Effective 10/1/2015 ICD-10 diagnosis codes I50.20, I50.21, I50.23, I50.30, I50.31, I50.33, I50.40 - I50.43, or I50.9 ICD-9 code 428.0, 428.20, 428.21, 428.23, 428.30, 428.31, 428.33, 428.40, 428.41, or 428.43 required on claim form. Not for office use.
J2326	Injection, nusinersen 0.1 mg.	Spinraza	Yes	SOL=ML	Genetic therapy	N/A	X	X											Effective 1/1/18. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria.
J2327	Injection, risankizumab-rzaa, 1 mg.	Skyrizi	Yes	ML	Monoclonal antibody	NA	X	X	X										Effective 3/1/23. Contact Kepro at 800-346-8272 for prior authorization requests.
J2329	Injection, ublituximab-xiy, 1mg	Briumvi	Yes	ML	Multiple Sclerosis	None	X	X	X										Effective 10/1/25, restricted to ICD-10 G35.A, G35.B0, G35.B1, G35.B2, G35.C0, G35.C1, and G35.C2. Effective 7/1/23. Restricted to ICD-10 G35.
J2350	Injection, ocrelizumab, 1 mg.	Ocrevus	Yes	ML	Multiple Sclerosis	600 units daily	X	X	X										Effective 10/1/25, restricted to ICD-10 G35.A, G35.B0, G35.B1, G35.B2, G35.C0, G35.C1, and G35.C2. Effective 1/1/18. Restricted to ICD-10 G35. Minimum age of 16 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J2351	Injection, ocrelizumab, 1 mg and hyaluronidase-ocsq	Ocrevus Zunovo	Yes	ML	Multiple Sclerosis	None	X	X	X										Effective 10/1/25, restricted to ICD-10 G35.A, G35.B0, G35.B1, G35.B2, G35.C0, G35.C1, and G35.C2. Effective 4/1/25. Restricted to ICD-10 G35. Minimum age of 16 years.
J2353	Injection octreotide depot form for IM 1mg	Sandostatin	Yes	UN	Antidiarrheal	None	X	X	X										
J2354	Injection onctreotide non-depot form for SQ or IV 25 mcg	Sandostatin	Yes	ML	Antidiarrheal	1 unit X 7 consecutive days - lifetime	X	X	X										For IV route only. Physician reimbursement for administration is limited to 1 unit X 7 consecutive days per lifetime.
J2355	Injection oprelvekin 5 mg	Neumega	Yes	UN	Platelet growth factor	2 per day	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes D69.51 or D69.59 ICD-9 code 287.4 required on claim form.
J2356	Injection, tezepelumab-ekko, 1 mg	Tezspire	Yes	ML	Anti-asthmatic	None	X	X	X	X									Effective 7/1/22. Restricted to ICD-10 J45.50 or J45.52. Minimum age of 12 years.
J2357	Injection omalizumab 5 mg.	Xolair	Yes	UN	Anti-asthmatic	None	X	X	X										Effective 7/6/16, Minimum age restriction of 6 years. Effective 10/1/2015 ICD-10 diagnosis codes J44.0, J44.1, J44.9, J45.20 - J45.22, J45.30 - J45.32, J45.40 - J45.42, J45.50 - J45.52, J45.901, J45.902, J45.909, J45.990, J45.991, J45.998 or L50.1 Effective 3/21/14, ICD-9 diagnosis of 708.1 added. ICD-9 code 493.XX required on claim form. For children: the first dose may be split into 2 doses the first week.
J2358	Injection, olanzapine, long-acting, 1 mg.	Zyprexa Relprevv	Yes	UN	Antipsychotic	Maximum service limit 405 u. monthly	X	X	X	X		X					X		Effective 10/1/2015 ICD-10 diagnosis codes F20.0 - F20.3, F20.5, F20.81, F20.89, F20.9 or F25.9 New code effective 1/1/11. Restricted to ICD-9 diagnosis 295.00 - 295.95. Restricted to age 18 and above.
J2360	Injection orphenadrine citrate up to 60 mg.	Norflex	Yes	PWD=UN SOL=ML	Muscle relaxant	1 per day	X	X	X										
J2361	Injection, depemokimab-ulaa, 1 mg	Exdennurr	Yes	ML	Monoclonal antibody	None	X	X	X										Effective 7/1/26. Restricted to ICD-10 J45.50, J45.51, J82.83. Minimum age of 12 years.
J2370	Injection phenylephrine HCl up to 1ml	Neo-Synephrine	Yes	ML	Adrenergic agonist	1 per day	X	X	X										Closed 6/30/23. See J2371 or J2372.
J2371	Injection, phenylephrine hydrochloride, 20 micrograms	NA	Yes	ML	Adrenergic agonist	None	X	X	X										Effective 7/1/23.
J2372	Injection, phenylephrine hydrochloride (biophen), 20 micrograms	Biophen	Yes	ML	Adrenergic agonist	None	X	X	X										Effective 7/1/23.
J2373	Injection, phenylephrine hydrochloride, 20 micrograms	Immpheniv	Yes	ML	Adrenergic agonist	None	X	X	X										Effective 7/1/24.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J2400	Injection chloroprocaine HCl 30ml	Nesacaine Nesacaine MPF	Yes	ML	Local Anesthetic	1 per day	X	X	X										Closed 12/31/22. See J2401 or J2402 after this date.
J2401	Injection, chloroprocaine hydrochloride, per 1 mg	NA	Yes	ML	Local Anesthetic	None	X	X	X										Effective 1/1/23.
J2402	Injection, chloroprocaine hydrochloride, per 1 mg	Clorotekal	Yes	ML	Local Anesthetic	None	X	X	X										Effective 1/1/23.
J2405	Injection ondansetron HCl 1mg	Zofran	Yes	PWD=UN SOL=ML	Antiemetic	32 per day	X	X	X										
J2406	Injection, oritavancin, 10 mg	Kimyrsa	Yes	UN	Antibiotic	120 units daily	X	X	X	X									Effective 10/1/21. Minimum age of 18 years.
J2407	Injection, oritavancin, 10 mg	Orbactiv	Yes	UN	Antibiotic	None	X	X	X										Effective 1/1/16. Restricted to diagnosis ICD-10 B78.1, K12.2, L01.00 - L01.03, L01.09, L01.1 - L02.03, L02.11 - L02.13, L02.211 - L02.216, L02.219, L02.221 - L02.226, L02.229, L02.231 - L02.236, L02.239, L02.31 - L02.33, L02.411 - L02.416, L02.419, L02.421 - L02.426, L02.429, L02.431 - L02.436, L02.439, L02.511, L02.512, L02.519, L02.521, L02.522, L02.529, L02.531, L02.532, L02.539, L02.611, L02.612, L02.619, L02.621, L02.622, L02.629, L02.631, L02.632, L02.639, L02.811, L02.818, L02.821, L02.828, L02.831, L02.838, L02.91 - L02.93, L03.011, L03.012, L03.019, L03.021, L03.022, L03.029, L03.031, L03.032, L03.039, L03.041, L03.042, L03.049, L03.111 - L03.116, L03.119, L03.121 - L03.126, L03.129, L03.211, L03.212, L03.221, L03.222, L03.311 - L03.316, L03.317, L03.319, L03.321 - L03.326, L03.327, L03.329, L03.811, L03.818, L03.891, L03.898, L03.90, L03.91, L04.0 - L04.3, L04.8, L04.9, L05.01, L05.02, L05.91, L05.92, L08.0, L08.81, L08.82, L08.89, L08.9, L88, L92.8, L98.0 or L98.3. Minimum age of 18 years.
J2410	Injection oxymorphone HCl up to 1 mg	Numorphan	Yes	ML	Analgesic-narcotic	9 per day	X	X	X										
J2425	Injection, palifermin, 50 mcg	Kepivance Keratinocyte	Yes	UN	Growth factor	None	X	X	X										3 days before + 3 days after chemo.
J2426	Injection, paliperidone palmitate extended release, 1 mg.	Invega Sustenna	Yes	ML	Antipsychotic	Maximum service limit 234 u. daily	X	X	X			X					X		Effective 10/1/2015 ICD-10 diagnosis codes F20.0 - F20.3, F20.5, F20.81, F20.89, F20.9 or F25.9 New code effective 1/1/11. Restricted to ICD-9 diagnosis 295.00 - 295.95. Restricted to age 18 and above.
J2430	Injection, pamidronate disodium 30 mg	Aredia	Yes	PWD=UN SOL=ML	Antidote	None	X	X	X										
J2440	Injection papaverine HCL up to 60 mg.	Para-Time SR	N/A		Vasodilator														Not covered
J2460	Injection oxytetracycline HCl up to 50 mg	Terramycin	Yes	UN	Antibiotic	4 per day	X	X	X										

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J2469	Injection palonosetron HCl 25mcg	Aloxi	Yes	ML	Antiemetic	None	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes C00.0 - C00.9, C01, C02.0 - C02.9, C03.0, C03.1, C03.9, C04.0, C04.1, C04.8, C04.9, C05.0 - C05.2, C05.8, C05.9, C06.0 - C06.2, C06.80, C06.89, C06.9, C07, C08.0, C08.1, C08.9, C09.0, C09.1, C09.8, C09.9, C10.0 - C10.9, C11.0 - C11.3, C11.8, C11.9, C12, C13.0 - C13.2, C13.8, C13.9, C14.0, C14.2, C14.8, C15.3 - C15.5, C15.8, C15.9, C16.0 - C16.6, C16.8, C16.9, C17.0 - C17.3, C17.8, C17.9, C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C22.0 - C22.4, C22.7 - C22.9, C23, C24.0, C24.1, C24.8, C24.9, C25.0 - C25.4, C25.7 - C25.9, C26.0, C26.1, C26.9, C30.0, C30.1, C31.0 - C31.3, C31.8, C31.9, C32.0 - C32.3, C32.8, C32.9, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C37, C38.0 - C38.4, C38.8, C39.0, C39.9, C40.00 - C40.02, C40.10 - C40.12, C40.20 - C40.22, C40.30 - C40.32, C40.80 - C40.82, C40.90 - C40.92, C41.0 - C41.4, C43.0, C43.10 - C43.12, C43.20 - C43.22, C43.30, C43.31, C43.39, C43.4, C43.51, C43.52, C43.59 - C43.62, C43.70 - C43.72, C43.8, C43.9, C44.00 - C44.02, C44.09, C44.101, C44.102, C44.109, C44.111, C44.112, C44.119, C44.121, C44.122, C44.129, C44.191, C44.192, C44.199, C44.201, C44.202, C44.209, C44.211, C44.212, C44.219, C44.221, C44.222, C44.229, C44.291, C44.292, C44.299, C44.300, C44.301, C44.309, C44.310, C44.311, C44.319 - C44.321, C44.329, C44.390, C44.391, C44.399, C44.40 - C44.42, C44.49, C44.500, C44.501, C44.509 - C44.511, C44.519 - C44.521, C44.529, C44.590, C44.591, C44.599, C44.601, C44.602, C44.609, C44.611, C44.612, C44.619, C44.621, C44.622, C44.629, C44.691, C44.692, C44.699, C44.701, C44.702, C44.709, C44.711, C44.712, C44.719, C44.721, C44.722, C44.729, C44.791, C44.792, C44.799, C44.80 - C44.82, C44.89 - C44.92, C44.99, C45.0 - C45.2, C45.9, C46.0 - C46.4, C46.50 - C46.52, C46.7, C46.9, C47.0, C47.10 - C47.12, C47.20 - C47.22, C47.3 - C47.6, C47.8, C47.9, C48.0 - C48.2, C48.8, C49.0, C49.10 - C49.12, C49.20 - C49.22, C49.3 - C49.6, C49.8, C49.9, C4A.0, C4A.4, C50.011, C50.012, C50.019 - C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.219, C50.221, C50.222, C50.229, C50.311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421, C50.422, C50.429, C50.511, C50.512, C50.519, C50.521, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621, C50.622, C50.629, C50.811, C50.812, C50.819, C50.821, C50.822, C50.829, C50.911, C50.912, C50.919, C50.921, C50.922, C50.929, C51.0, C51.1, C51.2, C51.8, C51.9, C52, C53.0, C53.1, C53.8, C53.9, C54.0 - C54.3, C54.8, C54.9, C55, C56.1, C56.2, C56.9, C57.00, C57.01, C57.02, C57.10 - C57.12, C57.20 - C57.22, C57.3, C57.4, C57.7 - C57.9, C58, C60.0 - C60.2, C60.8, C60.9, C61, C62.00 - C62.02, C62.10 - C62.12, C62.90 - C62.92, C63.00 - C63.02, C63.10 - C63.12, C63.2, C63.7 - C63.9, C64.1, C64.2, C64.9, C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C67.0 - C67.9, C68.0, C68.1, C68.8, C68.9, C69.00 - C69.02, C69.10 - C69.12, C69.20 - C69.22, C69.30 - C69.32, C69.40 - C69.42, C69.50 - C69.52, C69.60 - C69.62, C69.80 - C69.82, C69.90 - C69.92, C70.0, C70.1, C70.9, C71.0 - C71.9, C72.0, C72.1, C72.20 - C72.22, C72.30 - C72.32, C72.40 - C72.42, C72.50, C72.9, C73, C74.00 - C74.02, C74.10 - C74.12, C74.90 - C74.92, C75.0 - C75.5, C75.8, C75.9, C76.0 - C76.3, C76.40 - C76.42, C76.50 - C76.52, C76.8, C77.0 - C77.5, C77.8, C77.9, C78.00 - C78.02, C78.1, C78.2, C78.30, C78.39, C78.4 - C78.7, C78.80, C78.89, C79.00 - C79.02, C79.10, C79.11, C79.19, C79.2, C79.31, C79.32, C79.40, C79.49, C79.51, C79.52, C79.60 - C79.62, C79.70 - C79.72, C79.81, C79.82, C79.89, C79.9, C80.0 - C80.2, C81.00 - C81.49, C81.70 - C81.79, C81.90 - C81.98, C82.00 - C82.69, C82.80 - C82.99, C83.01 - C83.08, C83.10 - C83.19, C83.30 - C83.39, C83.50 - C83.59, C83.70 - C83.99, C84.00 - C84.19, C84.40 - C84.49, C84.60 - C84.79, C84.90 -
J2470	Injection, pantoprazole sodium, 40 mg	Protonix	Yes	UN	Proton pump inhibitor	None	X	X	X										Effective 7/1/24.
J2472	Injection, pantoprazole sodium in sodium chloride (baxter), 40 mg	NA	Yes	ML	Proton pump inhibitor	None	X	X	X										Effective 1/1/25.
J2501	Injection paricalcitol 1 mcg	Zemplar	Yes	ML	Vitamin D analog	None	X	X	X									X	Effective 10/1/2015 ICD-10 diagnosis codes N25.0, N25.1, N25.81, N25.89 or N25.9 ICD-9 code 588.XX required on claim form.
J2503	Injection, pegaptanib sodium, 0.3 mg	Macugen	Yes	ML	Ophthalmologic Agent	1 every 6 weeks	X	X							X				Closed 6/30/22. Effective 10/1/2015 ICD-10 diagnosis code H35.32 plus CPT 67028-RT or 67028-LT required on claim form. ICD-9 code 362.52 plus CPT 67028-RT or 67028-LT required on claim form.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J2504	Injection, pegademase bovine, 25 mcg	Adagen	Yes	ML	Enzyme	None	X	X	X										Effective 2/29/24, code is closed. Effective 10/1/2015 ICD-10 diagnosis codes D80.0 - D80.9, D81.0 - D81.2, D81.4, D81.6, D81.7, D81.89, D81.9, D82.0 - D82.4, D82.8, D82.9, D83.0 - D83.2, D83.8, D83.9, D84.0, D84.1, D84.8, D84.9, D89.3, D89.810 - D89.813, D89.82, D89.89 or D89.9 ICD-9 code 279.XX required on claim form. ICD-9 restriction of 279.41 and 279.49 added, effective 10/1/09.
J2505	Injection pegfilgrastim 6mg	Neulasta	Yes	ML	Colony stimulating factor	1 per day	X	X	X										Closed 12/31/21. See J2506 after this date.
J2506	Injection, pegfilgrastim, excludes biosimilar, 0.5 mg	Neulasta	Yes	ML	Colony stimulating factor	12 per day	X	X	X										Effective 1/1/22.
J2507	Injection, pegloticase, 1 mg.	Krystexxa	Yes	ML	Hyperuricemic	16 units per month	X	X	X	X				X		X			Effective 10/1/2015 ICD-10 diagnosis codes M10.00, M10.011, M10.012, M10.019, M10.021, M10.022, M10.029, M10.031, M10.032, M10.039, M10.041, M10.042, M10.049, M10.051, M10.052, M10.059, M10.061, M10.062, M10.069, M10.071, M10.072, M10.079, M10.08 - M10.10, M10.111, M10.112, M10.119, M10.121, M10.122, M10.129, M10.131, M10.132, M10.139, M10.141, M10.142, M10.149, M10.151, M10.152, M10.159, M10.161, M10.162, M10.169, M10.171, M10.172, M10.179, M10.18, M10.19, M10.20, M10.211, M10.212, M10.219, M10.221, M10.222, M10.229, M10.231, M10.232, M10.239, M10.241, M10.242, M10.249, M10.251, M10.252, M10.259, M10.261, M10.262, M10.269, M10.271, M10.272, M10.279, M10.28, M10.29, M10.30, M10.311, M10.312, M10.319, M10.321, M10.322, M10.329, M10.331, M10.332, M10.339, M10.341, M10.342, M10.349, M10.351, M10.352, M10.359, M10.361, M10.362, M10.369, M10.371, M10.372, M10.379, M10.38, M10.39, M10.40, M10.411, M10.412, M10.419, M10.421, M10.422, M10.429, M10.431, M10.432, M10.439, M10.441, M10.442, M10.449, M10.451, M10.452, M10.459, M10.461, M10.462, M10.469, M10.471, M10.472, M10.479, M10.48, M10.49, M10.9, M1A.00x0, M1A.00x1, M1A.0110, M1A.0111, M1A.0120, M1A.0121, M1A.0190, M1A.0191, M1A.0210, M1A.0211, M1A.0220, M1A.0221, M1A.0290, M1A.0291, M1A.0310, M1A.0311, M1A.0320, M1A.0321, M1A.0390, M1A.0391, M1A.0410, M1A.0411, M1A.0420, M1A.0421, M1A.0490, M1A.0491, M1A.0510, M1A.0511, M1A.0520, M1A.0521, M1A.0590, M1A.0591, M1A.0610, M1A.0611, M1A.0620, M1A.0621, M1A.0690, M1A.0691, M1A.0710, M1A.0711, M1A.0720, M1A.0721, M1A.0790, M1A.0791, M1A.08x0, M1A.08x1, M1A.09x0, M1A.09x1, M1A.20x0, M1A.20x1, M1A.2110, M1A.2111, M1A.2120, M1A.2121, M1A.2190, M1A.2191, M1A.2210, M1A.2211, M1A.2220, M1A.2221, M1A.2290, M1A.2291, M1A.2310, M1A.2311, M1A.2320, M1A.2321, M1A.2390, M1A.2391, M1A.2410, M1A.2411, M1A.2420, M1A.2421, M1A.2490, M1A.2491, M1A.2510, M1A.2511, M1A.2520, M1A.2521, M1A.2590, M1A.2591, M1A.2610, M1A.2611, M1A.2620, M1A.2621, M1A.2690, M1A.2691, M1A.2710, M1A.2711, M1A.2720, M1A.2721, M1A.2790, M1A.2791, M1A.28x0, M1A.28x1, M1A.29x0, M1A.29x1, M1A.30x0, M1A.30x1, M1A.3110, M1A.3111, M1A.3120, M1A.3121, M1A.3190, M1A.3191, M1A.3210, M1A.3211, M1A.3220, M1A.3221, M1A.3290, M1A.3291, M1A.3310, M1A.3311, M1A.3320, M1A.3321, M1A.3390, M1A.3391, M1A.3410, M1A.3411, M1A.3420, M1A.3421, M1A.3490, M1A.3491, M1A.3510, M1A.3511, M1A.3520, M1A.3521, M1A.3590, M1A.3591, M1A.3610, M1A.3611, M1A.3620, M1A.3621, M1A.3690, M1A.3691, M1A.3710, M1A.3711, M1A.3720, M1A.3721, M1A.3790, M1A.3791, M1A.38x0, M1A.38x1, M1A.39x0, M1A.39x1, M1A.40x0, M1A.40x1, M1A.4110, M1A.4111, M1A.4120, M1A.4121, M1A.4190, M1A.4191, M1A.4210, M1A.4211, M1A.4220, M1A.4221, M1A.4290, M1A.4291, M1A.4310, M1A.4311, M1A.4320, M1A.4321, M1A.4390, M1A.4391, M1A.4410, M1A.4411, M1A.4420, M1A.4421, M1A.4490, M1A.4491, M1A.4510, M1A.4511, M1A.4520, M1A.4521, M1A.4590, M1A.4591, M1A.4610, M1A.4611, M1A.4620, M1A.4621, M1A.4690, M1A.4691, M1A.4710, M1A.4711, M1A.4720, M1A.4721, M1A.4790, M1A.4791, M1A.48x0, M1A.48x1, M1A.49x0, M1A.49x1, M1A.9xx0, M1A.9xx1 or N20.0 Effective 1/1/12. Restricted to ICD-9 diagnosis 274.0 - 274.89. Minimum age restriction of 18 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J2510	Injection penicillinG procaine aqueous up to 600K U	Wycillin Pfizerpen AS	Yes	ML	Antibiotic	None	X	X	X										
J2513	Injection, pentastarch, 10% solution, 100 ml	Pentaspas	N/A		Plasma volume expander														Closed 12/31/25.
J2515	Injection pentobarbital sodium per 50 mg.	Nembutal	Yes	PWD=UN SOL=ML	Anti-convulsant	10 per day	X	X	X										Not covered effective 12/31/07
J2516	Injection, pentamidine isethionate, 1 mg	NA	Yes	UN	Anti-protozoal	300 units daily	X	X											Effective 1/1/26.
J2540	Injection penicillinG potassium up to 600K U	Pfizerpen	Yes	PWD=UN SOL=ML	Antibiotic	None	X	X	X										
J2543	Injection piperacillin sodium/tazobactam sodium 1g/0.125g (1.125 g)	Zosyn	Yes	PWD=UN SOL=ML	Antibiotic	24 per day	X	X	X										
J2545	Pentamidine isethionate inhalation solution 300mg	Nebupent Pentam 300	Yes		Antibiotic	None	X	X	X	X									Effective 5/1/21.
J2547	Injection, peramivir, 1 mg	Rapivab	Yes	ML	Anti-influenza	600 units daily	X	X	X	X									Effective 1/1/16. Restricted to diagnosis ICD-10 J09.X1 - J09.X3, J09.X9, J10.00, J10.01, J10.08, J10.1, J10.2, J10.81, J10.89, J11.00, J11.08, J11.1, J11.2, J11.81 or J11.89. Minimum of 18 years.
J2550	Injection promethazine HCl up to 50mg	Phenergan Prorex-25	Yes	PWD=UN SOL=ML	Antiemetic	6 per day	X	X	X	X								X	
J2560	Injection phenobarbital sodium up to 120mg	Luminal Sodium	Yes	PWD=UN SOL=ML	Anti-convulsant	3 per day	X	X	X										20mg/kg for status epilepticus.
J2561	Injection, phenobarbital sodium (sezaby), 1 mg	NA	Yes	UN	Anti-convulsant	None	X	X	X										Effective 7/1/23.
J2562	Injection, plerixafor, 1 mg.	Mozobil	Yes	ML	Hematopoietic	None	X	X	X								X		Effective 1/1/25, term restriction with filgrastim or pegfilgrastim removed. Effective 1/1/15 diagnosis of ICD-9 201.00 - 201.78 added to original diagnosis restriction. Effective 10/1/15 diagnosis of ICD-10 C81.00, C81.01, C81.02, C81.03, C81.04, C81.05, C81.06, C81.07, C81.08, C81.09, C81.10, C81.11, C81.12, C81.13, C81.14, C81.15, C81.16, C81.17, C81.18, C81.19, C81.20, C81.21, C81.22, C81.23, C81.24, C81.25, C81.26, C81.27, C81.28, C81.29, C81.30, C81.31, C81.32, C81.33, C81.34, C81.35, C81.36, C81.37, C81.38, C81.39, C81.40, C81.41, C81.42, C81.43, C81.44, C81.45, C81.46, C81.47, C81.48, C81.49, C81.70, C81.71, C81.72, C81.73, C81.74, C81.75, C81.76, C81.77, C81.78, C81.79 added to original diagnosis restriction. Effective 10/1/2015 ICD-10 diagnosis codes C82.07, C82.17, C82.00 - C82.69, C82.80 - C82.99, C83.01- C83.08, C83.10 - C83.19, C83.30 - C83.39, C83.50 - C83.59, C83.70 - C83.99, C84.00 - C84.19, C84.40 - C84.49, C84.60 - C84.79, C84.90 - C84.99, C84.A0 - C84.A9, C84.Z0 - C84.Z9, C85.10 - C85.29, C85.80 - C85.99, C86.0 - C86.4, C86.6, C88.2 - C88.4, C88.8, C88.9, C90.00 - C90.02, C90.10 - C90.12, C90.20 - C90.22, C90.30 - C90.32, C91.40 - C91.42, C96.0, C96.2, C96.A, C96.9 Effective 1/1/10. Restricted to ICD-9 diagnosis 200.00 - 200.88, 201.00 - 201.98, 202.00 - 202.98, 203.00 - 203.82. Must be billed with J1440 (closed, see J1442), J1441 (closed, see J1442), J1442 (added effective 1/1/14), or J2505 (granulocyte colony stimulating factor). Restrict to 18 years and above.
J2590	Injection oxytocin up to 10U.	Pitocin	Yes	ML	Oxytocic agent	4 per day	X	X	X										May increase to maximum 4 units for post partum hemorrhage.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J2596	Injection, vasopressin (long grove), not therapeutically equivalent to J2598, 1 unit	NA	Yes	ML	Anti-diuretic	None	X	X	X										Effective 1/1/26.
J2597	Injection desmopressin acetate 1mcg	DDAVP Stimite	Yes	ML	Anti-diuretic	None	X	X											Effective 7/1/19.
J2599	Injection, vasopressin (american regent) not therapeutically equivalent to J2598, 1 unit	NA	Yes	ML	Anti-diuretic/vasopressor combo	None	X	X	X										Effective 7/1/23.
J2601	Injection, vasopressin (baxter), 1 unit	NA	Yes	ML	Anti-diuretic/vasopressor combo	None	X	X	X										Effective 10/1/24.
J2650	Injection prednisolone acetate up to 1ml	AK-Pred Inflammase Forte Pediapred Prelone Key-Pred Predcor Predoject Predalone	Yes	PWD=UN SOL=ML	Anti-inflammatory	None	X	X	X										
J2670	Injection tolazoline HCl up to 25mg	Priscoline	Yes	PWD=UN SOL=ML	Alpha-adrenergic blocking agent	8 per day	X	X	X										Effective 2/29/24, code is closed.
J2675	Injection progesterone 50 mg	Crinone Progestasert	Yes	OIL=ML PWD=UN	Progestin	8 per day	X	X	X	X	X								Not for fertility treatment and diagnosis. For menorrhagia, amenorrhea.
J2680	Injection fluphenazine decanoate up to 25mg	Prolixin Decanoate	Yes	OIL=ML PWD=UN	Anti-psychotic	2 per day	X	X	X	X		X						X	Nurse practitioner added 1/1/09.
J2690	Injection procainamide HCl up to 1g	Pronestyl Procanbid	Yes	PWD=UN SOL=ML	Anti-arrhythmic	None	X	X	X										Weight based 50mg/kg/day.
J2700	Injection oxacillin sodium up to 250mg	Bactocill Prostaphlin PCN Methyl-phenyl Isoxazoyl	Yes	PWD=UN SOL=ML	Antibiotic	None	X	X	X										
J2704	Injection, propofol, 10 mg	Diprivan	Yes	ML	Sedative Hypnotic	none	X	X	X										Effective 1/1/15.
J2710	Injection neostigmine methylsulfate up to 0.5 mg	Prostigmin	Yes	PWD=UN SOL=ML	Acetylcholinesterase inhibitor	4 per day	X	X	X										
J2711	Injection, neostigmine methylsulfate 0.1 mg and glycopyrrolate 0.02 mg	Prevduo	Yes	ML	Cholinesterase inhibitor	None	X	X	X										Effective 1/1/26.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J2720	Injection protamine sulfate 10mg		Yes	PWD=UN SOL=ML	Antidote for heparin	None	X	X	X										
J2724	Injection, Protein C Concentrate, IV, Human, 10 IU	Ceprotin	Yes	UN	Thrombolytic agent	None	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes D68.51, D68.59 or D68.62 New code effective 1/1/08. Home Infusion added as provider, effective 1/1/10. Restricted to ICD-9 diagnosis code 289.81.
J2725	Injection protirelin 250 mcg	Relefact TRH Thypi-nome	Yes	PWD=UN SOL=ML	Diagnostic agent	2 per day	X	X	X										
J2730	Injection pralidoxime chloride up to 1g	Protopam Chloride	Yes	UN	Antidote	None	X	X	X										
J2760	Injection phentolamine mesylate up to 5mg	Regitine	N/A		Diagnostic agent	1 per day													Not covered
J2765	Injection metoclopramide HCl up to 10mg	Reglan	Yes	PWD=UN SOL=ML	Antiemetic	8 per day	X	X	X	X									
J2770	Injection quinupristin/dalfopristin 500mg (150/350)	Synercid	N/A		Antibiotic														Not Covered
J2777	Injection, faricimab-svoa, 0.1 mg	Vabysmo	Yes	ML	VEGF inhibitor	None	X	X	X										Effective 10/26/23, ICD-10 H34.8110, H34.8120, H34.8130, H34.8310, H34.8320, H34.8330 added. Effective 10/1/22. Restricted to ICD-10 H35.3210 - H35.3213, H35.3220 - H35.3223, H35.3230 - H35.3233, H35.3290 - H3293 or E08.311, E08.3211 - E08.3213, , E08.3311 - E08.3313, , E08.3411 - E08.3413, , E08.3511 - E08.3513, E09.311, E09.3211 - E09.3213, E09.3311 - , E09.3411 - E09.3413, E09.3511 - E09.3513, E10.311, E10.3211 - E10.3213, E10.3311 - E10.3313, E10.3411 - E10.3413, E10.3511 - E10.3513, E11.311, E11.3211 - E3213, E11.3311 - E11.3313, E11.3411- E11.3413, E11.3511 - E11.3513, E13.311, E13.3211 - E13.3213, E13.3311 - E3313, E13.3411 - E13.3413, E13.3511 -E13.3513. Minimum age of 16 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J2778	Injection, ranibizumab 0.1 mg.	Lucentis	Yes	ML	Neovascular-Age related Macular Degeneration	None	X	X							X				Effective 7/1/22, ICD-10 diagnosis H44.2A1, H44.2A2, and H44.2A3 added. Effective 10/1/16, ICD-10 diagnosis restrictions of E08.3211, E08.3212, E08.3213, E08.3291, E08.3292, E08.3293, E08.3311, E08.3312, E08.3313, E08.3391, E08.3392, E08.3393, E08.3411, E08.3412, E08.3413, E08.3491, E08.3492, E08.3493, E08.37X1, E08.37X2, E08.37X3, E09.3211, E09.3212, E09.3213, E09.3291, E09.3292, E09.3293, E09.3311, E09.3312, E09.3313, E09.3391, E09.3392, E09.3393, E09.3411, E09.3412, E09.3413, E09.3491, E09.3492, E09.3493, E09.37X1, E09.37X2, E09.37X3, E10.3211, E10.3212, E10.3213, E10.3291, E10.3292, E10.3293, E10.3311, E10.3312, E10.3313, E10.3391, E10.3392, E10.3393, E10.3411, E10.3412, E10.3413, E10.3491, E10.3492, E10.3493, E10.3511, E10.3512, E10.3513, E10.3521, E10.3522, E10.3523, E10.3531, E10.3532, E10.3533, E10.3541, E10.3542, E10.3543, E10.3551, E10.3552, E10.3553, E10.3591, E10.3592, E10.3593, E10.37X1, E10.37X2, E10.37X3, E11.3211, E11.3212, E11.3213, E11.3291, E11.3292, E11.3293, E11.3311, E11.3312, E11.3313, E11.3391, E11.3392, E11.3393, E11.3411, E11.3412, E11.3413, E11.3511, E11.3512, E11.3513, E11.3521, E11.3522, E11.3523, E11.3531, E11.3532, E11.3533, E11.3541, E11.3542, E11.3543, E11.3551, E11.3552, E11.3553, E11.3591, E11.3592, E11.3593, E11.37X1, E11.37X2, E11.37X3, E13.3211, E13.3212, E13.3213, E13.3291, E13.3292, E13.3293, E13.3311, E13.3312, E13.3313, E13.3391, E13.3392, E13.3393, E13.3411, E13.3412, E13.3413, E13.3491, E13.3492, E13.3493, E13.3511, E13.3512, E13.3513, E13.3521, E13.3522, E13.3523, E13.3531, E13.3532, E13.3533, E13.3541, E13.3542, E13.3543, E13.3551, E13.3552, E13.3553, E13.3591, E13.3592, E13.3593, E13.37X1, E13.7X2, E13.37X3, H34.8110, H34.8111, H34.8112, H34.8113, H34.8120, H34.8121, H34.8122, H34.8130, H34.8131, H34.8132, H34.8310, H34.8311, H34.8312, H34.8320, H34.8321, H34.8322, H34.8330, H34.8331, H34.8332, H35.3110, H35.3111, H35.3112, H35.3113, H35.3114, H35.3120, H35.3121, H35.3122, H35.3123, H35.3124, H35.3130, H35.3131, H35.3132, H35.3133, H35.3134, H35.3210, H35.3211, H35.3212, H35.3213, H35.3220, H35.3221, H35.3222, H35.3223, H35.3230, H35.3231, H35.3232, H35.3233. Effective 10/1/2015 ICD-10 diagnosis codes restriction of E08.311, E08.319, E08.321, E08.329, E08.331, E08.339, E08.341, E08.349, E09.311, E09.319, E09.321, E09.329, E09.331, E09.339, E09.341, E09.349, E10.311, E10.319, E11.311, E11.319, E11.329, E11.339, E11.349, E11.359, E13.311, E13.319, H34.811 - H34.813, H34.819, H34.831 - H34.833, H34.839, H35.30 - H35.32 or H35.81 Diagnosis restriction of H35.32/macular degeneration, wet only for Ophthalmology specialty. New ICD-9 diagnosis restriction of 362.01 - 362.07 added, effective 8/10/12. New code effective 1/1/08. Not billable with J3490 after 12/30/07. Restricted to IDC-9 codes 362.5--362.52. New diagnosis restriction of 362.52/macular degeneration, wet only after 5/1/09 for Ophthalmology specialty. New indication approved for 362.83 and 362.35, or 362.83 and 362.36, effective 6/22/10.
J2779	Injection, ranibizumab, via intravitreal implant, 0.1 mg	Susvimo	Yes	ML	VEGF inhibitor	None	X	X	X										Effective 7/1/22. Restricted to ICD-10 H35.3210 - H35.3212, H35.3220 - H35.3222, H35.3230 - H35.3232, H35.3290 - H35.3292.
J2780	Injection ranitidine HCl 25mg	Zantac	Yes	PWD=UN SOL=ML	Anti-histamine	6 per day	X	X	X										Closed 6/30/24.
J2781	Injection, pegcetacoplan, intravitreal, 1 mg	Syfovre	Yes	ML	complement inhibitor	30 units daily	X	X	X										Effective 10/1/23. Restricted to ICD-10 H35.3113, H35.3123, H35.3133 or H35.3114, H35.3124, H35.3134.
J2782	Injection, avacincaptad pegol, 0.1 mg	Izervay	Yes	UN	complement inhibitor	40 units daily	X	X	X										Effective 4/1/24. Covered to ASC. Restricted to ICD-10 H35.3113, H35.3123, H35.3133, H35.3114, H35.3124, or H35.3134.
J2783	Injection rasburicase 0.5 mg	Elitek	Yes	UN	Enzyme	None	X	X	X										
J2785	Injection, regadenoson, 0.1 mg.	Lexiscan	Yes	ML	Vasodilator	limited to 18 years or older	X	X	X								X		New code effective 1/1/09. Approved for physicians and to IDTF. effective 1/1/09.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J2786	Injection, reslizumab, 1 mg	Cinqair	Yes	ML	Anti-asthmatic	None	X	X	X	X									Effective 1/1/17. Restricted to ICD-10 45.50. Minimum age of 18 years.
J2787	Riboflavin 5'-phosphate, ophthalmic solution, up to 3 m	Photrexa	Yes	ML	Ophthalmologic Agent	None	X	X	X										Effective 4/1/24. Restricted to ICD-10 diagnosis H18.601, H18.602, H18.603, H18.609, H18.611, H18.612, H18.613, H18.619, H18.621, H18.622, H18.623, H18.629, H18.711, H18.712, H18.713, H18.719.
J2788	Injection Rhod immune globulin human minidose 50 mcg	MicrhoGam HyperRho S/D	Yes	EA=UN SOL=ML	Immune globulin	none	X	X	X	X	X								Effective 4/1/13. Replacing 90385.
J2790	Injection Rhod immune globulin human full dose 300 mcg	Gamulin RH HyperRho S/D Rhogam	Yes	EA=UN SOL=ML	Immune globulin	none	X	X	X	X	X								Effective 4/1/13. Replacing 90384.
J2791	Rhophylac Injection - Injection, Rho(d) immune globulin (human), 100 IU	Rhophylac	Yes	ML	Immune globulin	None	X	X	X	X	X								New code effective 1/1/08. Replaces Q4089. Open to physician, nurse practitioner, and midwife, effective 3/1/08.
J2792	Injection RhoD immune globulin IV human solvent detergent 100 IU	Winrho SDF	Yes	ML	Immune globulin	1 unit daily		X											Effective 1/1/13.
J2793	Injection, rilonacept, 1 mg.	Arcalyst	Yes	UN	Anti-inflammatory	none	X	X	X	X							X		Closed 6/30/20. No drug manufacturer participation in federal drug rebate program. Effective 1/1/10.
J2794	Injection Risperidone long acting 0.5mg	Risperdal Consta IM	Yes	UN	Anti-psychotic	100 units every 2 weeks	X	X	X	X		X							Effective 10/1/2015 ICD-10 diagnosis codes F20.0 - F20.3, F20.5, F20.81, F20.89, F20.9 or F25.9 ICD-9 code 295XX.required on claim form. Age limit 18>years. Nurse practitioner added 1/1/09.
J2795	Injection ropivacaine HCl 1mg	Naropin	Yes	ML	Local Anesthetic		X	X	X										Effective 1/1/25.
J2796	Injection, romiplostim, 10 mcg.	Nplate	Yes	UN	Hematopoietic	none	X	X	X	X									Closed 12/31/24. See J2802 after this date. Effective 12/1/19, IDC-10 D69.59 added. Effective 10/1/2015 ICD-10 diagnosis codes D47.3, D69.3, D69.41, D69.42, D69.49 or D69.6 Effective 1/1/12, age restriction of 18 years removed. Effective 1/1/10. Restricted to ICD-9 diagnosis 287.30 - 287.33. Restrict to age 18 and above.
J2800	Injection methocarbamol up to 10ml	Robaxin	Yes	PWD=UN SOL=ML	Skeletal muscle relaxant	3 per day	X	X	X										
J2802	Injection, romiplostim, 1 microgram	Nplate	Yes	UN	Thrombolytic agent	None	X	X	X										Effective 1/1/25. Restricted to ICD-10 D47.3, D69.3, D69.41, D69.42, D69.49, D69.59, or D69.6.
J2805	Injection, sincalide, 5 mcg	Kinevac	Yes	UN	Diagnostic agent	None	X	X									X		Closed 8/31/19. No drug manufacturers participating in federal drug rebate program.
J2810	Injection theophylline 40 mg	Theo-Dur	N/A		Broncho-dilator														Not Covered
J2820	Injection sargramostim (GM-CSF) 50mcg	Leukine Prokine	Yes	PWD=UN SOL=ML	Colony stimulating factor	20 per day	X	X	X										
J2840	Injection, sebelipase alfa, 1 mg	Kanuma	Yes	ML	Enzyme replacement	None	X	X	X										Effective 1/1/17.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J2850	Injection, secretin, synthetic, human, 1 mcg		Yes	UN	Hormonal Replacement	None	X	X									X		Use with CPT 43271, 89105, or 82938
J2860	Injection, siltuximab, 10 mg	Sylvant	Yes	UN	Monoclonal antibody	None	X	X	X										Effective 1/1/16. Restricted to diagnosis ICD-10 R59.0, R59.1, or R59.9. Minimum age of 18 years.
J2910	Injection aurothioglucose up to 50mg	Solganal	Yes	ML	Anti-inflammatory	1 per day	X	X	X										Effective 2/29/24, code is closed.
J2912	Injection sodium chloride 0.9% per 2ml		N/A			None													CMS closed code effective 12/31/06
J2916	Injection, sodium ferric gluconate complex in sucrose injection, 12.5mg	Ferrlecit	Yes	ML	Iron supplement	20 per day	X	X	X									X	
J2919	Injection, methylprednisolone sodium succinate, 5 mg	NA	Yes	UN	Anti-inflammatory	None	X	X	X										Nurse practitioner added, effective 4/1/24. Effective 4/1/24.
J2920	Injection methylprednisolone sodium succinate up to 40mg	SoluMedrol Ametha-Pred	Yes	UN	Anti-inflammatory	None	X	X	X	X									Closed 3/31/24.
J2930	Injection methylprednisolone sodium succinate up to 125mg	SoluMedrol Ametha-Pred	Yes	UN	Anti-inflammatory	None	X	X	X	X									Closed 3/31/24.
J2940	Injection somatrem 1mg	Protropin	N/A		Growth hormone														Closed 12/31/25.
J2941	Injection somatropin 1mg	Humatrope Genotropin Nutropin	N/A		Growth hormone														Not Covered
J2950	Injection promazine HCl up to 25mg	Sparine Prozine-50	Yes	PWD=UN SOL=ML	Anti-psychotic Analgesic	40 per day	X	X	X			X							Effective 2/29/24, code is closed.
J2993	Injection reteplase 18.1 mg	Retavase	Yes	UN	Fibrinolytic	none	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes I21.01, I21.02, I21.09, I21.11, I21.19, I21.21, I21.29, I21.3, I21.4, I22.0 - I22.2, I22.8 or I22.9 Restricted to ICD-9 diagnoses 410.00 - 410.92; with minimum age 18 years and above, effective 1/1/10.
J2995	Injection streptokinase per 250KIU	Streptase	Yes	UN	Fibrinolytic	4 per day	X	X	X										Effective 2/29/24, code is closed.
J2997	Injection alteplase recombinant 1mg	Activase	Yes		Fibrinolytic		X	X											Effective 10/1/13.
J3000	Injection streptomycin up to 1g	Streptomycin Sulfate	Yes	UN	Antibiotic	2 per day	X	X	X										
J3010	Injection fentanyl citrate 0.1mg	Sublimaze Duragesic	Yes	PWD=UN SOL=ML	Analgesic narcotic	1 per day	X	X											
J3030	Injection sumatriptan succinate 6mg	Imitrex	N/A		Antimigraine	1 per day													Not covered

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J3032	Injection, eptinezumab-jjmr, 1 mg	Vyepti	Yes	ML	Antimigraine	300 units daily	X	X	X										Effective 10/1/20. Restricted to ICD-10 G43.001 - G43.919, G43.B0, G43.B1. Minimum age of 16 years.
J3055	Injection, talquetamab-tgvs, 0.25 mg	Talvey	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 4/1/24. Covered to ASC. Restricted to ICD-10 C90.00 or C90.02.
J3060	Injection, taliglucerase alfa, 10 units	Elelyso	Yes	UN	Enzyme replacement	41 units bi-weekly	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes E75.21, E75.22, E75.240 - E75.243, E75.248, E75.249, E75.3, E77.0, E77.1, E77.8, or E77.9 Effective 8/27/14, minimum age restriction reduced to 4 years from 16 years of age. Effective 1/1/14. Restricted to ICD-9 diagnosis of 272.7. Minimum age restriction of 16 years.
J3070	Injection pentazocine 30 mg	Talwin	Yes	ML	Analgesic narcotic	12 per day	X	X	X									X	
J3095	Injection, televancin, 10 mg.	Vibativ	Yes	UN	Antibiotic	None	X	X	X	X							X		Effective 10/1/2015 ICD-10 diagnosis codes B78.1, K12.2, L01.00 - L01.03, L01.09, L01.1, L02.01 - L02.03, L02.11 - L02.13, L02.211 - L02.216, L02.219, L02.221 - L02.226, L02.229, L02.231 - L02.236, L02.239, L02.31 - L02.33, L02.411 - L02.416, L02.419, L02.421 - L02.426, L02.429, L02.431 - L02.436, L02.439, L02.511, L02.512, L02.519, L02.521, L02.522, L02.529, L02.531, L02.532, L02.539, L02.611, L02.612, L02.619, L02.621, L02.622, L02.629, L02.631, L02.632, L02.639, L02.811, L02.818, L02.821, L02.828, L02.831, L02.838, L02.91 - L02.93, L03.011, L03.012, L03.019 - L03.022, L03.029, L03.031, L03.032, L03.039, L03.041, L03.042, L03.049, L03.111 - L03.116, L03.119, L03.121 - L03.126, L03.129, L03.211, L03.212, L03.221, L03.222, L03.311 - L03.317, L03.319, L03.321 - L03.327, L03.329, L03.811, L03.818, L03.891, L03.898, L03.90, L03.91, L04.0 - L04.3, L04.8, L04.9, L05.01, L05.02, L05.91, L05.92, L08.0, L08.81, L08.82, L08.89, L08.9, L88, L92.8, L98.0 or L98.3 New code effective 1/1/11. Restricted to ICD-9 diagnosis 680.0 - 686.9. Restricted to age 18 and above.
J3100	Injection tenecteplase 50 mg	TNKase	Yes	UN	Fibrinolytic	1 per day													See J3101.
J3101	Injection, tenecteplase, 1 mg.	TNKase	Yes	UN	Fibrinolytic		X	X											New code effective 1/1/09.
J3105	Injection terbutaline sulfate up to 1mg	Brethine	Yes	ML	Broncho-dilator	2 per day	X	X	X										
J3110	Injection teriparatide 10 mcg	Forteo	N/A		Parathyroid hormone														Not Covered
J3111	Injection, romosozumab-aqqg, 1 mg	Evenity	Yes	ML	Bone Resorption Inhibitor	None	X	X	X	X									Effective 10/1/19.
J3120	Injection testosterone enanthate up to 100mg	Delatestryl	Yes	ML	Androgen	1 per day	X	X	X	X									Closed 12/31/14. See J3121 after this date. Nurse practitioner added 1/1/09.
J3121	Injection, testosterone enanthate, 1mg	Delatestryl	Yes	ML	Androgen	400 u. per week	X	X	X	X								X	Effective 1/1/24, restricted to male only. Effective 1/1/15.
J3130	Injection testosterone enanthate up to 200mg	Delatestryl	Yes	OIL=ML PWD=UN	Androgen	2 per week	X	X	X	X								X	Closed 12/31/14. See J3121 after this date. Nurse practitioner added 1/1/09.
J3140	Injection testosterone suspension up to 50mg	Andronaq 50	Yes	PWD=UN SOL=ML	Androgen	3 per week	X	X	X	X									Effective 1/1/24, restricted to male only.
J3145	Injection, testosterone undecanoate, 1 mg.	Aveed	Yes	ML	Androgen		X	X	X										Effective 1/1/24, restricted to male only. Effective 5/1/17. Restricted to ICD-10 diagnosis of E29.1, E19.8.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J3150	Injection testosterone propionate up to 100mg	Testex	Yes	OIL=ML PWD=UN	Androgen	3 per week	X	X	X	X									Effective 1/1/24, restricted to male only.
J3230	Injection chlorpromazine HCl up to 50mg	Thorazine	Yes	PWD=UN SOL=ML	Anti-psychotic	10 per day	X	X	X	X		X							Nurse practitioner added 1/1/09.
J3240	Injection thyrotropin alpha 0.9 mg provided in 1.1 mg vial	Thyrogen	Yes	UN	Diagnostic agent	3 per day	X	X	X										
J3241	Injection, teprotumumab-trbw, 10 mg	Tepezza	Yes	EA	Thyroid eye disease	None	X	X	X										Effective 10/1/20. Restricted to ICD-10 E05.00. Minimum age of 16 years.
J3243	Injection, tigecycline, 1 mg	Tygacil	Yes	UN	Antibiotic	150 units per day	X	X	X	X									New code effective 1/1/07. Nurse practitioner added 1/1/09.
J3244	Injection, tigecycline (accord) not therapeutically equivalent to j3243, 1 mg	NA	Yes	EA	Antibiotic	None	X	X	X										Effective 1/1/23.
J3246	Injection tirofiban HCL 0.25mg IV	Aggrastat	Yes	ML	Antiplatelet	None	X	X	X										Must be billed daily.
J3250	Injection trimethoprim HCl up to 200mg	Tigan	N/A		Antiemetic														Not Covered
J3260	Injection tobramycin sulfate up to 80mg	Nebcin	Yes	ML	Antibiotic	None	X	X	X									X	
J3262	Injection, tocilizumab, 1 mg.	Actemra	Yes	ML	Immunologic	Maximum service limit 1100 u. monthly	X	X	X										Effective 2/28/22, ICD-10 M31.5, M31.6 added. Effective 1/1/17, service limit increased to 1100 units. Effective 1/1/14, age restriction removed AND diagnosis ICD-9 714.30, 714.31, 714.32, 714.33 and ICD-10 M08.00, M08.3, M08.471, M08.472, M08.479, M08.40, M08.411, M08.412, M08.419, M08.421, M08.422, M08.429, M08.431, M08.432, M08.439, M08.441, M08.442, M08.449, M08.451, M08.452, M08.459, M08.461, M08.462, M08.469, M08.471, M08.472, M08.479, M08.40, M08.48 added. Effective 10/1/2015 ICD-10 diagnosis codes M05.00, M05.011, M05.012, M05.019, M05.021, M05.022, M05.029, M05.031, M05.032, M05.039, M05.041, M05.042, M05.049, M05.051, M05.052, M05.059, M05.061, M05.062, M05.069, M05.071, M05.072, M05.079, M05.09, M05.30, M05.60, M05.611, M05.612, M05.619, M05.621, M05.622, M05.629, M05.631, M05.632, M05.639, M05.641, M05.642, M05.649, M05.651, M05.652, M05.659, M05.661, M05.662, M05.669, M05.671, M05.672, M05.679, M05.69, M05.711, M05.712, M05.719, M05.721, M05.722, M05.729, M05.731, M05.732, M05.739, M05.741, M05.742, M05.749, M05.751, M05.752, M05.759, M05.761, M05.762, M05.769, M05.811, M05.812, M05.819, M05.821, M05.822, M05.829, M05.831, M05.832, M05.839, M05.841, M05.842, M05.849, M05.851, M05.852, M05.859, M05.861, M05.862, M05.869, M06.071, M06.072, M06.079, M06.1, M06.211, M06.212, M06.219, M06.221, M06.222, M06.229, M06.231, M06.232, M06.239, M06.241, M06.242, M06.249, M06.251, M06.252, M06.259, M06.261, M06.262, M06.269, M06.811, M06.812, M06.819, M06.821, M06.822, M06.829, M06.831, M06.832, M06.839, M06.841, M06.842, M06.849, M06.851, M06.852, M06.859, M06.861, M06.862, M06.869, M06.871, M06.872, M06.879 or M06.9 New code effective 1/1/11. Restricted to ICD-9 diagnosis 714.0 - 714.2. Restricted to age 16 and above.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J3263	Injection, toripalimab-tpzi, 1 mg	Loqtorzi	Yes	ML	Antineoplastic	None	X	X	X										Effective 7/1/24. Restricted to ICD-10 ICD-10 of C11, C11.0, C11.1, C11.2, C11.3, C11.8, C11.9. Minimum age of 16 years.
J3265	Injection torsemide 10mg/ml	Demadox	Yes	ML	Anti-hypertensive		X	X											Effective 2/29/24, code is closed.
J3280	Injection thiethylperazine maleate up to 10mg	Torecan Norzine	Yes	ML	Antiemetic	1 per day	X	X	X										Effective 2/29/24, code is closed.
J3285	Injection, trestipinil, 1 mg	Remodulin	Yes	ML	Vasodilator	None	X	X	X	X									Effective 10/1/2015 ICD-10 diagnosis codes I10, I27.0 - I27.2, I27.81, I27.82, I27.89 or I27.9 or P29.3 ICD-9 code 416.XX or 747.83 required on claim form. Nurse practitioner added 1/1/09.
J3290	Injection, tranexamic acid, 5 mg	Cyklokapron	Yes	ML	Antifibrinolytic	None	X	X											Effective 10/1/25.
J3291	Injection, tranexamic acid in sodium chloride, 5 mg	NA	Yes	ML	Antifibrinolytic	None	X	X	X										Effective 1/1/26.
J3299	Injection, triamcinolone acetonide, 1 mg	Xipere	Yes	ML	Ophthalmic Anti-inflammatory	None	X	X	X										Effective 7/1/22. Restricted to ICD-10 H20.011 - H20.043, H20.11 - H20.23, H20.821, H20.822, H20.823, H30.001 - H30.043, H30.101 - H30.133, H30.21, H30.22, H30.23, H30.811, H30.812, H30.813, H30.891, H30.892, H30.893, H30.91, H30.92, H30.93, H35.021, H35.022, H35.023, H35.061, H35.062, H35.063, H43.89, H44.001 - H44.023, H44.111, H44.112, H44.113.
J3300	Injection, triamcinolone acetonide, PF, 1 mg.	Triesence	Yes	UN	Ophthalmic Anti-inflammatory		X	X							X				New code effective 1/1/09. Covered to Ophthalmology physician specialty only, effective 10/1/10.
J3301	Injection triamcinolone acetonide 10mg	Kenalog-10 Kenalog-40 Triam-A	Yes	PWD=UN SOL=ML	Anti-inflammatory	4 per day	X	X	X	X				X					
J3302	Injection triamcinolone diacetate 5mg	Aristocort Intralesional Aristocort Forte Cinolone Trilone Clinacort	Yes	PWD=UN SOL=ML	Anti-inflammatory	8 per day	X	X	X	X				X					
J3303	Injection triamcinolone hexacetonide 5mg	Aristospan Intralesional Aristospan Intra-articular	Yes	ML	Anti-inflammatory	4 per day	X	X	X	X				X					
J3304	Injection, triamcinolone acetonide, preservative-free, extended-release, microsphere formulation, 1 mg	Zilretta	Yes	UN	Anti-inflammatory	Max. 32 mg. once yearly	X	X	X	X									Effective 1/1/19. Restricted to ICD-10 M17.1 - M17.9.
J3305	Injection trimetrexate glucuronate 25mg	Neutraxin	Yes	UN	Anti-inflammatory	None	X	X	X										Effective 2/29/24, code is closed. Weight based.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J3310	Injection perphenazine up to 5mg	Trilafon	Yes	PWD=UN SOL=ML	Anti-psychotic	3 per day	X	X	X	X		X							Effective 2/29/24, code is closed.
J3315	Injection triptorelin pamoate 3.75mg	Trelstar LA	Yes	UN	Luteinizing hormone-releasing hormone	3 per month	X	X	X										Effective 1/1/24, minimum age restriction of 18 years.
J3316	Injection, triptorelin, extended-release, 3.75 mg	Triptodur	Yes	UN	Luteinizing hormone-releasing hormone	6 units per 23 weeks	X	X	X										Effective 1/1/24, minimum age restriction of 18 years. Effective 1/1/19. Restricted to ICD-10 E30.1. Minimum age of 2 years.
J3320	Injection spectinomycin dihydrochloride up to 2g	Trobicin	Yes	UN	Antibiotic	None	X	X	X										Effective 2/29/24, code is closed.
J3350	Injection urea up to 40g	Ureaphil	N/A		Diuretic														Not Covered
J3355	Injection, urofollitropin, 75 IU	Metrodin Bravelle	N/A		Hormonal Replacement														Closed 12/31/25.
J3357	Injection, ustekinumab, 1 mg.	Stelara	Yes	ML	Antipsoriatic	None	X	X	X										Closed 6/30/17. See Q9989. Effective 10/1/2015 ICD-10 diagnosis codes L30.5, L40.0 - L40.4, L40.50 - L40.54, L40.59, L40.8, L40.9, L41.0, L41.1, L41.3 - L41.5, L41.8, L41.9, L42, L44.0, L44.8, L45 or L94.5 Effective 7/1/15, remove physician as covered provider. Refer to pharmacy POS coverage. New code effective 1/1/11. Restricted to ICD-9 diagnosis 696.0 - 696.8. Restricted to age 18 and above.
J3358	Ustekinumab, for intravenous injection, 1 mg.	Stelara	Yes	ML	Monoclonal antibody	None	X	X	X										As of 1/1/23, this IV drug form of Stelara requires prior authorization. Contact Kepro at 800-346-8272. Effective 5/1/18, ICD-10 K50.00, K50.01, K50.011 - K50.019, K50.10, K50.111 - K50.119, K50.80, K50.811 - K50.819, K50.90, K50.911 - K50.919 added. Effective 1/1/18. Restricted to ICD-10 L30.5, L40.0 - L40.4, L40.50 - L40.54, L40.59, L40.8, L40.9, L41.0, L41.1, L41.3 - L41.5, L41.8, L41.9, L42, L44.0, L44.8, L45 or L94.5.
J3360	Injection diazepam up to 5mg	Valium	N/A		Benzodiazepine														Not Covered
J3364	Injection urokinase 5000 IU vial	Abbokinase open cath	Yes	UN	Fibrinolytic	2 per day	X	X	X									X	Effective 2/29/24, code is closed.
J3365	Injection IV urokinase 250000 IU vial	Abbokinase	N/A		Fibrinolytic														Closed 12/31/25.
J3370	Injection vancomycin HCl 500mg	Varocin Vancocin	Yes	PWD=UN SOL=ML	Antibiotic	None	X	X	X									X	Closed 6/30/25.
J3371	Injection, vancomycin hcl (mylan) not therapeutically equivalent to j3370, 500 mg	NA	Yes	EA	Antibiotic	None	X	X	X										Closed 6/30/25. Effective 1/1/23.
J3372	Injection, vancomycin hcl (xellia) not therapeutically equivalent to j3370, 500 mg	NA	Yes	EA	Antibiotic	None	X	X	X										Closed 6/30/25. Effective 1/1/23.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J3373	Injection, valcomycin hcl, 10 mg.	NA	Yes	EA	Antibiotic	None	X	X	X										Effective 1/1/25.
J3374	Injection, vancomycin hydrochloride (mylan) not therapeutically equivalent to j3373, 10 mg	NA	Yes	EA	Antibiotic	None	X	X	X										Effective 7/1/25.
J3375	Injection, vancomycin hydrochloride (xellia), not therapeutically equivalent to j3373, 10 mg	NA	Yes	EA	Antibiotic	None	X	X	X										Effective 7/1/25.
J3376	Injection, vancomycin hcl (hikma), not therapeutically equivalent to j3373, 10 mg	NA	Yes	UN	Antibiotic	None	X	X	X										Effective 1/1/26.
J3379	Injection, valproate sodium, 5 mg	NA	Yes	ML	Anticonvulsant	None	X	X	X										Effective 1/1/26.
J3380	Injection, vedolizumab, 1 mg	Entyvio	Yes	UN	Anti-Infective	None	X	X	X										Effective 10/1/24, age restriction is removed. Effective 1/1/16. Restricted to diagnosis ICD-10 K50.00, K50.011 - K50.014, K50.018, K50.019, K50.10, K50.111 - K50.114, K50.118, K50.119, K50.80, K50.811 - K50.814, K50.818, K50.819, K50.90, K50.911 - K50.914, K50.918, K50.919, K51.00, K51.011 - K51.014, K51.018, K51.019, K51.20, K51.211 - K51.214, K51.218, K51.219, K51.30, K51.311 - K51.314, K51.318, K51.319, K51.40, K51.411 - K51.414, K51.418, K51.419, K51.50, K51.511 - K51.514, K51.518, K51.519., K51.80, K51.811 - K51.814, K51.818, K51.819, K51.90, K51.911 - K51.914, K51.918 or K51.919. Minimum age of 16 years.
J3385	Injection, velaglucerase alfa, 100 units.	Vpriv	Yes	UN	Enzyme	Maximum service limit 165 u. monthly	X	X	X								X		Effective 10/1/2015 ICD-10 diagnosis codes E75.21, E75.22, E75.240 - E75.243, E75.248, E75.249, E75.3, E77.0, E77.1, E77.8, or E77.9 New code effective 1/1/11. Restricted to ICD-9 diagnosis 272.7. Restricted to ages 4 and above.
J3387	Injection, elivaldogene autotemcel, per treatment	Skysona	Yes	EA	Gene therapy	None	X	X											Effective 1/1/26. Contact Acentra at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. Restricted to ICD-10 E71.520, E71.521, E71.522, E71.528, E71.539. Minimum age of 4 years.
J3389	Topical administration, prademagene zamikeracel, per treatment	Zevaskyn	Yes	UN	Antineoplastic	None	X	X											Effective 1/1/26. Contact Acentra at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. Restricted to ICD-10 Q81.2. Minimum age of 6 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J3391	Injection, atidarsagene autotemcel, per treatment	Lenmeldy	Yes	UN	Gene therapy	None	X	X											Effective 5/1/26, contact Acentra at 800-346-8272 for prior authorization. Effective 7/1/25. Restricted to ICD-10 E75.25.
J3392	Injection, exagamglogene autotemcel, per treatment	Casgevy	Yes	UN	Genetic therapy	None	X	X											Effective 5/1/26, contact Acentra at 800-346-8272 for prior authorization. Effective 1/1/25. Restricted to ICD-10 D56.1, D56.5, D57.00 - D57.09, D57.1, D57.20, D57.211 - D57.219, D57.40, D57.411 - D57.419, D57.42, D57.431 - D57.439, D57.44, D57.451 - D57.459, D57.80, D57.811 - D57.819, . Minimum age of 12 years.
J3393	Injection, betibeglogene autotemcel, per treatment	Zynteglo	Yes	UN	Genetic therapy	None	X	X											Effective 7/1/24. Contact Acentra at 800-346-8272 for prior authorization requests.
J3396	Injection, verteporfin 0.1mg	Visudyne	Yes	UN	Macular degeneration	None	X	X							X				Effective 1/1/15 diagnosis of ICD-9 362.41 added, and effective 10/1/15 diagnosis of ICD-10 H35.711, H35.712, and H35.713 added. Effective 10/1/2015 ICD-10 diagnosis codes B39.4, B39.5, B39.9, H32, H35.051 - H35.053, H35.059, H35.32 or H44.20 - H44.23 ICD-9 code 115.02, 115.12, 115.92, 360.21, 362.16, OR 362.52 required on claim form. Only bill CPT codes 67221 or 67225 with J3396. Must be billed daily.
J3398	Injection, voretigene neparvovec-rzyl, 1 billion vector genomes	Luxturna	Yes	UN	Retinal enzyme replacement	N/A	X												Effective 1/1/19. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria.
J3399	Injection, onasemnogene abeparvovec-xioi, per treatment, up to 5x10 ¹⁵ vector genomes	Zolgensma	Yes	UN	Genetic therapy	N/A	X	X											Effective 7/1/20. Contact Acentra at 800-346-8272 for prior authorization requests.
J3400	Injection triflupromazine HCl up to 20mg	Vesprin	Yes	ML	Anti-psychotic	150 mg per day	X	X	X			X							Effective 2/29/24, code is closed.
J3401	Beremagene geperpavec-svdt for topical administration, containing nominal 5 x 10 ⁹ pfu/ml vector genomes, per 0.1 ml	Vyjuvek	Yes	ML	Genetic therapy	25 units per 6 days	X	X	X										Effective 1/1/24. Restricted to ICD-10 Q81.2.
J3402	Injection, remestemcel-l-rknd, per therapeutic dose	Ryoncil	Yes	EA	Mesenchymal stromal cell therapy	None	X	X											Effective 5/1/26, contact Acentra at 800-346-8272 for prior authorization. Effective 10/1/25. Restricted to ICD-10 D89.810, D89.812, D89.813, T86.09, T86.899. Minimum 2 months of age.
J3403	Revakinagene taroretcel-lwey, per implant	Encelto	Yes	EA	Gene therapy	2 units daily													Effective 10/1/25. Reimburses to ASC provider type. Restricted to H35.071, H35.072, H35.073.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J3404	Injection, zopapogene imadenovec-drba suspension, per therapeutic dose	Papzimeos	Yes	ML	Genetic therapy	None	X	X											Effective 4/1/26.
J3405	Injection, onasemnogene abeparvovec-brve, per treatment	Itivisma	Yes	EA	Gene therapy	None	X	X											Effective 7/1/26. Restricted to ICD-10 G12.9, Minimum age of 2 years.
J3410	Injection hydroxyzine up to 25mg	Vistaril Hyazine-50 Atarax	Yes	PWD=UN SOL=ML	Antianxiety	None	X	X	X	X		X							
J3411	Injection thiamine HCL 100mg	Thiamilate	Yes	PWD=UN SOL=ML	Vitamin supplement	2 per day	X	X	X					X					Added to Podiatry contract, effective 4/1/21.
J3415	Injection pyridoxine HCl 100mg	Nestrex	Yes	PWD=UN SOL=ML	Vitamin supplement	2 per day	X	X	X					X					Added to Podiatry contract, effective 4/1/21.
J3420	Injection vitamin B-12 cyanocobalamin up to 1000mcg	Sytobex Residol Rubramin PC	Yes	PWD=UN SOL=ML	Vitamin supplement	1 per day	X	X	X	X				X					Added to Podiatry contract, effective 4/1/21.
J3430	Injection phytonadione (viatamin K) per 1mg	Aqua Mephyton Konaktion	Yes	PWD=UN SOL=ML	Vitamin supplement	25 per day	X	X	X									X	
J3465	Injection voriconazole 10mg	VFEND	Yes	UN	Anti-fungal	None	X	X	X										
J3470	Injection hyaluronidase up to 150units	Wydase	Yes	PWD=UN SOL=ML	Enzyme	1 per day	X	X	X										
J3471	Injection, hyaluronidase, ovine, preservative free, per 1 USP unit (up to 999 USP units)		Yes	ML	Enzyme	None	X	X							X				
J3472	Injection, hyaluronidase, ovine, preservative free, per 1000 USP units		Yes	UN	Enzyme	None	X	X							X				
J3473	Injection, hyaluronidase, recombinant, 1 USP unit	Vitrase	Yes	ML	Enzyme	300 units per day	X	X	X								X		New code effective 1/1/07.
J3475	Injection magnesium sulfate 500mg	Sulfamag	Yes		Mineral supplement		X	X	X										Effective 4/1/25, diagnosis restrictions are removed. Effective 2/1/17, Oncology physician specialty restriction removed. Effective 10/1/2015 ICD-10 diagnosis codes E83.40 - E83.42, E83.49 or E83.89 Effective 1/1/10, coverage restricted to Oncology physician specialty only. Restrict to ICD-9 diagnosis code 275.2. Must be billed with CPT 96365 - 96368(infusion) or CPT 96401 - 96411, or 96413 - 96417, or 96420 - 96425, or 96440 - 96450, or 96542 - 96549(chemotherapy).
J3480	Injection potassium chloride 2mEq	Kdur Kaon-Cl	Yes	PWD=UN SOL=ML	Electrolyte Supplement	None	X	X	X	X									
J3485	Injection zidovudine 10mg	Retrovir	N/A		Anti-retroviral														Not Covered

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J3486	Injection ziprasidone mesylate 10mg	Geodon	Yes	UN	Anti-psychotic	10 per day	X	X	X	X		X							Nurse practitioner added 1/1/09.
J3487	Injection zoledronic acid 1mg	Zometa	Yes	PWD=UN SOL=ML	Antidote	4 per day	X	X	X										Closed 12/31/13. See J3489.
J3488	Zoledronic Acid/Mannitol/Water Reclast, 1 mg. (5 mg/100 ml package)	Reclast	Yes	ML	Bone Resorption Inhibitor	Max. 5 mg. yearly	X	X	X	X									Closed 12/31/13. See J3489. New code effective 1/1/08. Replaces Q4095. Nurse practitioner added 1/1/09.
J3489	Injection, zoledronic acid, 1 mg	Zometa Reclast	Yes	ML	Bone Resorption Inhibitor	None	X	X	X	X									Effective 1/1/14.
J3490	Unclassified drugs. Used only if a more specific code is not available.		Yes	KIT=UN SOL=ML PWD=UN															Refer to the list of Approved Drugs from preceding page billed with HCPCS Code J3490. Cost invoice may be required with claim form.
J3520	Edetate disodium 10mg	Endrate Disotate	Yes	PWD=UN SOL=ML	Antidote	None	X	X	X										Covered only for treatment for lead or heavy metal poisoning; duration <2 weeks.
J3530	Nasal vaccine inhalation		N/A																Not Covered
J3535	Drug administered thru a metered dose inhaler.		N/A																Not Covered
J3570	Laetrile amygdalin vitamin B-17.		N/A		Vitamin														Not Covered
J3590	Unclassified biologics. Used only if a more specific code is not available.		Yes	KIT=UN SOL=ML PWD=UN															Refer to the list of Approved Drugs from preceding page billed with HCPCS Code J3490. Cost invoice may be required with claim form.
J7030	Infusion normal saline solution 1000cc		Yes	ML		None	X	X	X	X									
J7040	Infusion normal saline solution sterile (500ml = 1 unit)		Yes	ML		None	X	X	X	X									
J7042	5% dextrose/normal saline (500ml - 1 unit)		Yes	ML		None	X	X	X	X									
J7050	Infusion normal saline solution 250cc		Yes	ML		None	X	X	X	X									
J7060	5% dextrose/water (500 ml = 1 unit)		Yes	ML		None	X	X	X	X									
J7070	Infusion D-5-W 1000cc		Yes	PWD=UN SOL=ML		None	X	X	X	X									
J7100	Infusion dextran 40 500ml	Rheomacrodex Gentran 75	Yes	ML		None	X	X	X										
J7110	Infusion dextran 75 500ml	Gentran 75	Yes	ML		None	X	X	X										
J7120	Ringer's lactate infusion up to 1000cc		Yes	ML		None	X	X	X										

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J7130	Hypertonic saline solution 50 or 100 mEq 20cc vial		Yes	ML		None	X	X	X										Closed 12/31/11. See J7131.
J7131	Hypertonic saline solution, 1 mL	N/A	Yes	ML		None	X	X	X							X			Effective 1/1/12.
J7168	Injection, Prothrombin complex concentrate (human), per IU	Kcentra	Yes	UN	Anti-hemophilic	None	X	X											Effective 2/1/24. Cost invoice with NDC required.
J7169	Injection, coagulation Factor Xa (recombinant), inactivated, 10 mg	Andexxa	Yes	UN	Anticoagulant reversal agent	None	X	X	X										Effective 7/1/20.
J7171	Injection, adams13, recombinant-krhn, 10 iu	Adzyna	Yes	UN	Thrombolytic agent	None	X	X	X										Effective 7/1/24. Restricted to ICD-10 M31.19. Minimum age of 2 years.
J7175	Injection, Coagulation Factor X, human	Coagadex	Yes	IU			X	X	X				X						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Restricted to D68.2. Minimum age of 12 years. Effective 1/1/17.
J7177	Injection, human fibrinogen concentrate (fibryga), 1 mg	Fibryga	Yes	UN	Antifibrinolytic	None	X	X	X										Effective 3/1/24.
J7178	Injection, human fibrinogen concentrate, NOS, 1 mg	RiaSTAP	Yes	EA	Antifibrinolytic	None	X	X	X				X						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). 10/1/2015 ICD-10 diagnosis codes D68.2 or D65 Effective 1/1/13. Restricted to ICD-9 diagnosis 286.3 or 286.6. Effective
J7179	Injection, von willebrand factor (recombinant), 1 IU	Vonvendi																	Effective 1/1/17. Not covered.
J7180	Injection, Factor XIII (antihemophilic factor, human), 1 IU	Corifact	Yes	UN	Anti-hemophilic	None	X	X	X							X			Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). 10/1/2015 ICD-10 diagnosis code D68.2 Effective 1/1/12. Restricted to ICD-9 diagnosis 286.3. Effective
J7181	Injection, factor xiii a-subunit, (recombinant), per IU	Tretten	Yes	UN	Anti-hemophilic	None	X	X	X										Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). 10/1/2015 ICD-10 diagnosis codes D68.2 Effective 1/1/15. Restricted to ICD-9 diagnosis of 286.3. Effective
J7182	Injection, factor viii, antihemophilic factor, recombinant, per iu	Novoeight	Yes	UN	Anti-hemophilic	none	X	X	X										Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). 10/1/2015 ICD-10 diagnosis codes D66 Effective 4/1/15. Restricted to ICD-9 diagnosis restriction of 286.0. Minimum age restriction of 6 years. Effective
J7183	Injection, von Willebrand factor complex (human), 1 IU, VWF:RCO	Wilate	Yes	UN	Anti-hemophilic	None	X	X											Effective 12/1/24. Cost invoice with NDC required. Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D68.0 Effective 1/1/12. Restricted to ICD-9 diagnosis 286.4. Restrict to age 5 and above.
J7184	Injection, von Willebrand factor complex (human), per 100 IU, VFW:RCO	Wilate	Yes	UN	Coagulation factor	None	X	X	X				X			X			Closed 12/31/11. See J7183. Effective 1/1/11. Restricted to ICD-9 diagnosis 286.4. Restrict to age 5 and above.
J7185	Injection, Factor VII(antihemophilic factor, recombinant), per IU	Xyntha	Yes	UN	Anti-hemophilic	none	X	X	X				X			X			Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D66 or D68.311, D68.312, or D68.318 Effective 1/1/10. Restricted to ICD-9 diagnosis 286.0 or 286.5.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J7186	Injection, antihemophilic factor VIII/von Willebrand factor complex(human), per factor VIII I.U.	Alphanate	Yes	UN	Anti-hemophilic		X	X	X				X						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D66 or D68.0 New code effective 1/1/09. Claim form requires ICD-9 codes 286.0 or 286.4, DOS, POS, J code, description of code, brand name of factor, total units dispensed, NDC# and total charges. Physician's order/provider's Rx with units dispensed must be attached.
J7187	Injection, Von Willebrand factor complex, human, ristocetin cofactor, per IU	Biopool Humate-P	Yes	IU	Anti-hemophilic	None	X	X	X				X						Closed 8/31/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D66, D67, D68.1, D68.2, D68.0, D68.311, D68.312, D68.318, D65, D68.32, or D68.4 New code effective 1/1/07. Claim form requires ICD-9 codes 286.0 -286.7, DOS, POS, J code, description of code, brand name of factor, total units dispensed, NDC# and total charges. Physician's order/provider's Rx with units dispensed must be attached.
J7188	Injection, Von Willebrand factor complex, human, IU	Obizur	N/A		Anti-hemophilic	None	X	X	X				X						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 1/1/16. Restricted to diagnosis ICD-10 D68.32 or D68.4. Minimum age of 16 years.
J7189	Factor VIIa (antihemophilic factor, recombinant), per 1 mcg	NovoSeven	Yes	F2=IU	Anti-hemophilic	None	X	X	X				X						Closed 8/31/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D66, D67, D68.1, D68.2, D68.0, D68.32, or D68.4 New code 1/1/06. Replaces Q0187. Requires completed claim form to include documentation of ICD-9 code 286.0 - 286.4; and ICD-9 code 286.7 added, effective 10/13/06; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim.
J7190	Factor VIII human per IU	Kogenate Monarc-M Koate HP Hemofil-M Alphanate Humate P Koate DVI MonoclateP	Yes	F2=IU	Anti-hemophilic	None	X	X	X				X						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D66, D67, D68.1, D68.2 or D68.0 Requires completed claim form to include documentation of ICD-9 code 286.0 - 286.4; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim.
J7191	Factor VIII porcine per IU	Hyate-C	Yes	UN	Anti-hemophilic	None	X	X	X				X						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D66, D67, D68.1, D68.2 or D68.0 Requires completed claim form to include documentation of ICD-9 code 286.0 - 286.4; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim.
J7192	Factor VIII recombinant per IU	Bioclate Genarc Human Method M Recombinate Kogenate Helixate FS Refacto Advate Kovaltry	Yes	F2=IU	Anti-hemophilic	None	X	X	X				X						Closed 8/31/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.66 Requires completed CMS 1500 claim form to include documentation of ICD-9 code 286.0; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim for payment consideration.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J7193	Factor IX purified, non-combinant per IU	AlphaNine SD Mononine	Yes	F2=IU	Anti-hemophilic	None	X	X	X				X						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.66 Requires completed claim form to include documentation of ICD-9 code 286.0 dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim for payment consideration.
J7194	Factor IX complex per IU	Alphanine SD Bebulin VH Profilnine HT & SD Konyne-80 Proplex T, SX-T	Yes	F2-IU	Anti-hemophilic	None	X	X	X				X						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D.66 or D.67 Requires completed claim form to include documentation of ICD-9 code 286.0 - 286.1; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim.
J7195	Factor IX (antihemophilic factor, recombinant) per IU	Proplex T Konyne 80 Benefix	Yes	W/DIL=IU PWD=UN	Anti-hemophilic	None	X	X											Opened 9/1/25. Cost invoice with NDC required. Closed 8/31/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.67 Requires completed claim form to include documentation of ICD-9 code 286.1; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim.
J7197	Antithrombin III human per IU	Throbate III Atrativ	Yes	F2-IU	Anti-hemophilic	None	X	X	X				X						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.66 Requires completed claim form to include documentation of ICD-9 code 286.0; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim.
J7198	Anti-inhibitor per IU	Autoplex T FEIBA	Yes	F2=IU	Anti-inhibitor coagulant complex	None	X	X	X				X						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D.66 or D.67 Requires completed claim form to include documentation of ICD-9 code 286.0 - 286.1; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim.
J7199	Hemophilia clotting factor NEC. Used only if a more specific code is not available.		N/A		Anti-hemophilic														Not covered
J7200	Injection, factor ix, (antihemophilic factor, recombinant), per IU	Rixubis	Yes	UN	Anti-hemophilic	none	X	X	X										Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.67 Effective 1/1/15. Restricted to ICD-9 diagnosis of 286.1.
J7201	Injection, factor ix, fc fusion protein (recombinant), per IU	Alprolix	yes		Anti-hemophilic	none	X	X	X										Closed 8/31/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.67 Effective 1/1/15. Restricted to ICD-9 diagnosis of 286.1. Effective
J7202	Injection, factor ix, albumin fusion protein, (recombinant), 1 IU	Idelvion	Yes	IU	Anti-hemophilic	None	X	X	X				X						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). 1/1/17. Restricted to D67. Effective
J7205	Injection, factor VIII fc fusion (recombinant), per IU	Eloctate	yes	UN	Anti-hemophilic	none	X	X	X				X						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 1/1/16. Restricted to diagnosis ICD-10 D66. Minimum age of 2 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J7207	Injection, factor viii, (antihemophilic factor, recombinant), pegylated, 1 i.u.	Adynovate	Yes	IU	Anti-hemophilic	None	X	X	X				X						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Restricted to D66. Minimum age of 12 years. Effective 1/1/17.
J7209	Injection, factor viii, (antihemophilic factor, recombinant), 1 IU	Nuwiq	Yes	IU	Anti-hemophilic	None	X	X	X				X						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). 1/1/17. Restricted to D66. Minimum age of 2 years. Effective
J7296	Levonorgestrel-releasing intrauterine contraceptive system, 19.5 mg.	Kyleena	Yes	UN	Contraceptive	1 unit in 5 years	X	X	X	X	X								Effective 1/1/24, restricted to female only. Effective 1/1/18.
J7297	Levonorgestrel-releasing intrauterine contraceptive system, 52mg, 3 year duration	Liletta	Yes	UN	Contraceptive	1 unit in 3 years	X	X	X	X	X								Effective 1/1/24, restricted to female only. 1/1/16. Effective
J7298	Levonorgestrel-releasing intrauterine contraceptive system, 52 mg, 5 year duration	Mirena	Yes	UN	Contraceptive	1 unit in 5 years	X	X	X	X	X								Effective 1/1/24, restricted to female only. Effective 1/1/16.
J7300	Intrauterine copper contraceptive (paragard)	Paragard T380A	Yes	UN	Contraceptive	None	X	X	X	X	X								Effective 1/1/24, restricted to female only.
J7301	Levonorgestrel-releasing intrauterine contraceptive system (Skyla), 13.5 mg	Skyla	Yes	EA	Contraceptive	1 per 3 years	X	X	X	X	X								Effective 1/1/24, restricted to female only. 1/1/14. Minimum age restriction of 16 years. Effective
J7302	Levonorgestrel releasing intrauterine contraceptive system	Mirena Liletta	Yes	UN	Contraceptive	None	X	X	X	X	X								Closed 12/31/15. See J7297 and J7298.
J7303	Contraceptive supply hormone containing vaginal ring each		N/A		Contraceptive														Not Covered
J7304	Contraceptive supply, hormone containing I patch each		N/A		Contraceptive														Not Covered
J7306	Levonorgestrel (contraceptive) implant system, including implants and supplies	Norplant	Yes	UN	Contraceptive	1 every 3 years	X	X	X	X	X								Code closed 6/30/11. Females only. Cost invoice required with claim form.
J7307	Etonogestrel implant system	Nexplanon	Yes	UN	Contraceptive	1 every 3 years	X	X	X	X	X								New code effective 1/1/08. Replaces S0180. Females only.
J7308	Aminolevulinic acid HCl for topical administration 20%, single unit dosage form (354mg)	Levulan Kerastick	Yes	UN	Photo-sensitivity agent	None			X										Effective 10/1/2015 ICD-10 diagnosis code L57.0 Restricted to ICD-9 code 702.0, Actinic keratosis, effective 2/1/09. Covered to physician's only, effective 2/1/09.
J7309	methyl aminolevulinic acid (ma) for topical administration, 16.8%, 1 gram	Metvixia	Yes	GR	Photo-sensitivity agent	None			X										Effective 2/29/24, code is closed. Effective 10/1/2015 ICD-10 diagnosis code L57.0 New code effective 1/1/11. Restricted to ICD-9 diagnosis 702.0. Restricted to age 18 and above.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J7310	Ganciclovir 4.5 mg long-acting implant	Vitraser Cytovene	Yes	UN	Anti-viral	None	X	X							X				Effective 2/29/24, code is closed. One per each eye per 5 months.
J7311	Injection, fluocinolone acetonide, intravitreal implant (retisert), 0.01 mg	Retisert	Yes	UN	Corticosteroid	1 per eye per 30 months	X	X							X				Effective 10/1/2015 ICD-10 diagnosis codes H30.001 - H30.003, H30.009, H30.011 - H30.013, H30.019, H30.021 - H30.023, H30.029, H30.031 - H30.033, H30.039, H30.041 - H30.043, H30.049, H30.101 - H30.103, H30.109, H30.111 - H30.113, H30.119, H30.121 - H30.123, H30.129, H30.131 - H30.133, H30.139, H30.141 - H30.143, H30.149, H30.891 - H30.893, H30.899 or H30.90 - H30.93 New code effective 1/1/07. Claim form requires ICD-9 363.00-363.08, 363.10-363.15, or 363.20. Must bill with CPT 67027.
J7312	Injection, dexamethasone, intravitreal implant, 0.1 mg.	Ozurdex	Yes	UN	Anti-inflammatory	None	X	X							X				Effective 1/1/19, approved ICD-10 diagnoses: E10.311, E10.3211 - E10.3513, E11.311, E11.3211 - E11.3513, H30.001 - H30.101, H30.891, H30.892, H30.893, H30.91, H30.92, H30.93, H34.8110, H34.8120, H34.8130, H34.9, H34.821, H34.822, H34.823, H35.81, H34.8310, H34.8320, H34.8330. Effective 10/1/2015 ICD-10 diagnosis codes E11.311, H30.001 - H30.003, H30.009, H30.011 - H30.013, H30.019, H30.021 - H30.023, H30.029, H30.031 - H30.033, H30.039, H30.041 - H30.043, H30.049, H34.811 - H34.813, H34.819, H34.831 - H34.833, H34.839 or H35.81 Effective 6/30/14, ICD-9 diagnosis of 362.07 added. New code effective 1/1/11. Restricted to ICD-9 diagnosis 362.83 and 362.35 or 362.83 and 362.36, or 363.00 - 363.08. Restricted to ages 16 and above.
J7313	Injection, fluocinolone acetonide, intravitreal implant (Iluvien), 0.01 mg	Iluvien	Yes	UN	Anti-inflammatory	None	X	X							X				Effective 10/1/16, E10.3211, E10.3212, E10.3213, E10.3311, E10.3312, E10.3313, E10.3411, E10.3412, E10.3413, E10.3511, E10.3512, E10.3513, E10.3521, E10.3522, E10.3523, E11.3211, E11.3212, E11.3213, E11.3311, E11.3312, E11.3313, E11.3411, E11.3412, E11.3413, E11.3511, E11.3512, E11.3513 added. Effective 1/1/16. Restricted to diagnosis of ICD-10 E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.36, E10.39, E10.65, E11.311, E11.319, E11.321, E11.329, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.36, E11.39, E11.65, E13.311, E13.319, E13.321, E13.329, E13.331, E13.339, E13.341, E13.349, E13.351, E13.359, E13.36 or E13.39.
J7314	Injection, fluocinolone acetonide, intravitreal implant, 0.01 mg	Yutiq	Yes	UN	Anti-inflammatory	Eighteen units per eye	X	X	X										Effective 10/1/19. Minimum age of 16 years.
J7316	Injection, ocriplasmin, 0.125 mg	Jetrea	Yes	ML	Ophthalmic	None	X	X							X				Effective 10/1/2015 ICD-10 diagnosis codes H43.821 - H43.823 or H43.829 Effective 1/1/14. Restricted to ICD-9 diagnosis of 379.27. Minimum age restriction of 16 years.
J7317	Sodium hyaluronate per 20 to 25 mg dose for intra-articular injection	Hyalgan 20 Supartz 25	No		Osteoarthritic	10 injections (5 per knee) X 6 months	X	X	X	X									CMS closed code effective 12/31/06. See J7319
J7318	Sodium hyaluronate for intra-articular injection, 30 mg	Durolane	No		Osteoarthritic	8 injections (4 per knee) X 6 months	X	X	X	X									CMS closed code effective 12/31/06. See J7319. ICD-9 code 715.16, 715.25, 715.36, or 715.96 billed with CPT 20610 required on claim form. Cost invoice required with claim form.
J7319	Hyaluronan (sodium hyaluronate) or derivative, intra-articular injection, per dose	Hyalgan 20 Supartz 25 Synvisc Orthovisc Euflexxa	No		Osteoarthritic	10 injections (5 per knee) X 6 months	X	X	X	X									New code effective 1/1/07. ICD-9 code 715.XX or 716.XX required on claim form. Must be billed with 20610 on claim. Code closed effective 10/1/08. See J7321-J7324.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J7320	Hylan G-F20 16mg/2ml for intra-articular injection	GenVisc 850	No		Osteoarthritic	6 injections (3 per knee) X 6 months	X	X	X	X									CMS closed code effective 12/31/06. See J7319. ICD-9 code 715.XX or 716.XX required on claim form.
J7321	Hyalgan/Supartz	Visco-3 Hyalgan Supartz	No	ML	Sodium Hyaluronate Solution	10 per six months	X	X	X	X				X					Effective 10/1/15.
J7322	Hyaluronan or derivate, Synvisc, for intra-articular injections, per dose	Hymovis	No	ML	Osteoarthritic	6 injections (3 per knee) per 170 rolling days	X	X	X										New code effective 1/1/08. Replaces Q4084. Requires ICD-9 code 715.XX or 716.XX on claim form for payment consideration. Closed 12/3/109. See J7325.
J7323	Hyaluronan or derivate, Euflexxa, for intra-articular injections, per dose	Euflexxa	No	ML	Osteoarthritic	10 injections (5 per knee) per 170 rolling days	X	X	X	X									Effective 10/1/2015 ICD-10 diagnosis codes M12.10, M12.111, M12.112, M12.119, M12.121, M12.122, M12.129, M12.131, M12.132, M12.139, M12.141, M12.142, M12.149, M12.151, M12.152, M12.159, M12.161, M12.162, M12.169, M12.171, M12.172, M12.179, M12.18, M12.19, M12.50, M12.511, M12.512, M12.519, M12.521, M12.522, M12.529, M12.531, M12.532, M12.539, M12.541, M12.542, M12.549, M12.551, M12.552, M12.559, M12.561, M12.562, M12.569, M12.571, M12.572, M12.579, M12.58, M12.59, M12.80, M12.811, M12.812, M12.819, M12.821, M12.822, M12.829, M12.831, M12.832, M12.839, M12.841, M12.842, M12.849, M12.851, M12.852, M12.859, M12.861, M12.862, M12.869, M12.871, M12.872, M12.879, M12.88, M12.89, M12.9, M13.0, M13.10, M13.111, M13.112, M13.119, M13.121, M13.122, M13.129, M13.131, M13.132, M13.139, M13.141, M13.142, M13.149, M13.151, M13.152, M13.159, M13.161, M13.162, M13.169, M13.171, M13.172, M13.179, M13.80, M13.811, M13.812, M13.819, M13.821, M13.822, M13.829, M13.831, M13.832, M13.839, M13.841, M13.842, M13.849, M13.851, M13.852, M13.859, M13.861, M13.862, M13.869, M13.871, M13.872, M13.879, M13.88, M13.89, M15.0 - M15.4, M15.8, M15.9, M16.0, M16.10 - M16.12, M16.2, M16.30 - M16.32, M16.4, M16.50 - M16.52, M16.6, M16.7, M16.9, M17.0, M17.10 - M17.12, M17.2, M17.30 - M17.32, M17.4, M17.5, M17.9, M18.0, M18.10 - M18.12, M18.2, M18.30 - M18.32, M18.4, M18.50 - M18.52, M18.9, M19.011, M19.012, M19.019, M19.021, M19.022, M19.029, M19.031, M19.032, M19.039, M19.041, M19.042, M19.049, M19.071, M19.072, M19.079, M19.111, M19.112, M19.119, M19.121, M19.122, M19.129, M19.131, M19.132, M19.139, M19.141, M19.142, M19.149, M19.171, M19.172, M19.179, M19.211, M19.212, M19.219, M19.221, M19.222, M19.229, M19.231, M19.232, M19.239, M19.241, M19.242, M19.249, M19.271, M19.272, M19.279 or M19.90 - M19.93 Nurse practitioner added, effective 1/1/12. New code effective 1/1/08. Replaces Q4085. Requires ICD-9 code 715..XX or 716.XX on claim form for payment consideration.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J7324	Hyaluronan or derivative, Orthovisc, for intra-articular injections, per dose	Orthovisc	No	ML	Osteoarthritis	8 injections (4 per knee) per 170 rolling days	X	X	X	X									Effective 10/1/2015 ICD-10 diagnosis codes M12.10, M12.111, M12.112, M12.119, M12.121, M12.122, M12.129, M12.131, M12.132, M12.139, M12.141, M12.142, M12.149, M12.151, M12.152, M12.159, M12.161, M12.162, M12.169, M12.171, M12.172, M12.179, M12.18, M12.19, M12.50, M12.511, M12.512, M12.519, M12.521, M12.522, M12.529, M12.531, M12.532, M12.539, M12.541, M12.542, M12.549, M12.551, M12.552, M12.559, M12.561, M12.562, M12.569, M12.571, M12.572, M12.579, M12.58, M12.59, M12.80, M12.811, M12.812, M12.819, M12.821, M12.822, M12.829, M12.831, M12.832, M12.839, M12.841, M12.842, M12.849, M12.851, M12.852, M12.859, M12.861, M12.862, M12.869, M12.871, M12.872, M12.879, M12.88, M12.89, M12.9, M13.0, M13.10, M13.111, M13.112, M13.119, M13.121, M13.122, M13.129, M13.131, M13.132, M13.139, M13.141, M13.142, M13.149, M13.151, M13.152, M13.159, M13.161, M13.162, M13.169, M13.171, M13.172, M13.179, M13.80, M13.811, M13.812, M13.819, M13.821, M13.822, M13.829, M13.831, M13.832, M13.839, M13.841, M13.842, M13.849, M13.851, M13.852, M13.859, M13.861, M13.862, M13.869, M13.871, M13.872, M13.879, M13.88, M13.89, M15.0 - M15.4, M15.8, M15.9, M16.0, M16.10 - M16.12, M16.2, M16.30 - M16.32, M16.4, M16.50 - M16.52, M16.6, M16.7, M16.9, M17.0, M17.10 - M17.12, M17.2, M17.30 - M17.32, M17.4, M17.5, M17.9, M18.0, M18.10 - M18.12, M18.2, M18.30 - M18.32, M18.4, M18.50 - M18.52, M18.9, M19.011, M19.012, M19.019, M19.021, M19.022, M19.029, M19.031, M19.032, M19.039, M19.041, M19.042, M19.049, M19.071, M19.072, M19.079, M19.111, M19.112, M19.119, M19.121, M19.122, M19.129, M19.131, M19.132, M19.139, M19.141, M19.142, M19.149, M19.171, M19.172, M19.179, M19.211, M19.212, M19.219, M19.221, M19.222, M19.229, M19.231, M19.232, M19.239, M19.241, M19.242, M19.249, M19.271, M19.272, M19.279 or M19.90 - M19.93 Nurse practitioner added, effective 1/1/12. New code effective 1/1/08. Replaces Q4086. Requires ICD-9 code 715.XX or 716.XX on claim form for payment consideration.
J7325	Hyaluronan or derivative, Synvisc or Synvisc-1, for intra-articular use	Synvisc Synvisc-1	No	ML	Osteoarthritis	2 injections maximum every 180 days	X	X	X	X									Effective 10/1/2015 ICD-10 diagnosis codes M12.10, M12.111, M12.112, M12.119, M12.121, M12.122, M12.129, M12.131, M12.132, M12.139, M12.141, M12.142, M12.149, M12.151, M12.152, M12.159, M12.161, M12.162, M12.169, M12.171, M12.172, M12.179, M12.18, M12.19, M12.50, M12.511, M12.512, M12.519, M12.521, M12.522, M12.529, M12.531, M12.532, M12.539, M12.541, M12.542, M12.549, M12.551, M12.552, M12.559, M12.561, M12.562, M12.569, M12.571, M12.572, M12.579, M12.58, M12.59, M12.80, M12.811, M12.812, M12.819, M12.821, M12.822, M12.829, M12.831, M12.832, M12.839, M12.841, M12.842, M12.849, M12.851, M12.852, M12.859, M12.861, M12.862, M12.869, M12.871, M12.872, M12.879, M12.88, M12.89, M12.9, M13.0, M13.10, M13.111, M13.112, M13.119, M13.121, M13.122, M13.129, M13.131, M13.132, M13.139, M13.141, M13.142, M13.149, M13.151, M13.152, M13.159, M13.161, M13.162, M13.169, M13.171, M13.172, M13.179, M13.80, M13.811, M13.812, M13.819, M13.821, M13.822, M13.829, M13.831, M13.832, M13.839, M13.841, M13.842, M13.849, M13.851, M13.852, M13.859, M13.861, M13.862, M13.869, M13.871, M13.872, M13.879, M13.88, M13.89, M15.0 - M15.4, M15.8, M15.9, M16.0, M16.10 - M16.12, M16.2, M16.30 - M16.32, M16.4, M16.50 - M16.52, M16.6, M16.7, M16.9, M17.0, M17.10 - M17.12, M17.2, M17.30 - M17.32, M17.4, M17.5, M17.9, M18.0, M18.10 - M18.12, M18.2, M18.30 - M18.32, M18.4, M18.50 - M18.52, M18.9, M19.011, M19.012, M19.019, M19.021, M19.022, M19.029, M19.031, M19.032, M19.039, M19.041, M19.042, M19.049, M19.071, M19.072, M19.079, M19.111, M19.112, M19.119, M19.121, M19.122, M19.129, M19.131, M19.132, M19.139, M19.141, M19.142, M19.149, M19.171, M19.172, M19.179, M19.211, M19.212, M19.219, M19.221, M19.222, M19.229, M19.231, M19.232, M19.239, M19.241, M19.242, M19.249, M19.271, M19.272, M19.279 or M19.90 - M19.93 Effective 1/1/10. Restricted to ICD-9 diagnosis 715.00 - 715.98 or 716.00 - 716.99.
J7326	Hyaluronan or derivative, for intra-articular injection, per dose	Gel-One	No																Not covered. See J7325.
J7327	Hyaluronan or derivative, for intra-articular injection, per dose	Monovisc	No																Not covered. See J7325.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J7331	Hyaluronan, or derivative, SYNOJOINT, for intra-articular injection, 0.1 mg	Synojoint	No	NA	Osteoarthritic	None	X	X	X										Effective 1/1/20 Prior authorization required.
J7332	Hyaluronan, or derivative, Triluron, for intra-articular injection, 1 mg	Triluron	No	NA	Osteoarthritic	None	X	X	X										Effective 1/1/20 Prior authorization required.
J7335	Capsaicin 8% patch, per 10 square centimeters	Qutenza	Yes	UN	Analgesic	1 patch per 90 days	X	X	X										Closed 12/31/14. See J7336 after this date. New code effective 1/1/11. Restricted to ICD-9 diagnosis 053.19. Restricted to 18 years and above.
J7336	Capsaicin 8% patch, per square centimeter	Qutenza	Yes	UN	Analgesic	1 patch per 90 days	X	X	X										Effective 10/1/2015. Effective 1/1/15. Restricted to ICD-9 diagnosis 053.19. Restricted to 18 years and above.
J7340	Dermal & empidermal(substitute) bioengineered or processed elements with metabolically active elements per square cm.	Apligraf	No			See special intructions	X	X	X					X					For diabetes: ICD-9 code 250.xx and 707.xx for surgeons; or, ICD-9 code 250.xx and 707.13, 707.14, or 707.15 for podiatrists. For venous stasis ulcer: ICD-9 code 454.0, 454.1, or 454.2 and 707.xx for surgeons; or ICD-9 code 454.0, 454.1, or 454.2 and 707.13, 707.14, or 707.15 for podiatrists required on claim form. Service limits for diabetic ulcer are: 3 applications in 9 weeks per year per ulcer. Service limits for venous stasis ulcer are: 3 applications in 12 weeks per year per ulcer. Closed 12/31/08. See Q4101
J7341	Dermal (substitute) tissue of nonhuman origin, with or without other bioengineered or processed elements, with metabolically active elements, per square cm.		No			None	X	X	X					X					New code 1/1/06. Closed 12/31/08. See Q4102 and Q4103.
J7342	Installation, ciprofloxacin otic suspension, 6 mg	Otiprio	Yes	ML	Anti-Infective	1 unit daily	X	X	X	X									Effective 1/1/17. Covered to ASC.
J7343	Dermal & epidermal (substitute) tissue nonhuman origin with or without other bioengineered or processed elements without metabolically elements per square cm.		No			None	X	X	X					X					For surgeons; ICD-9 code 941.30 - 941.39; 941.40 - 941.49; 942.30 - 942.39; 942.40 - 942.49; 943.30 - 943.39; 943.40 - 943.49; 944.30 - 944.38; 944.40 - 944.48; 945.30 - 945.39; 945.40 - 945.49; 946.3; 946.4; 949.3 or 949.4 required on claim form. For podiatrists; ICD-9 code 945.x2 or 945.x3 required on claim form. Closed 12/31/08. See Q4104 and Q4105.
J7344	Dermal (substitute) human origin with or without bioengineered or processed elements without metabolically active elements per square cm.		No			None	X	X	X					X					Closed 12/31/08. See Q4107.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J7345	Dermal (substitute) tissue of nonhuman origin, with or without other bioengineered or processed elements, without metabolically active elements, per square cm.		No			None	X	X	X					X					New code effective 1/1/07. Closed 12/31/07.
J7345	Aminolevulinic acid HCl for topical administration, 10% gel, 10 mg	Ameluz	Yes	GR	Photo-dynamic therapy	None	X	X	X										Effective 7/1/20. Minimum age 18 years.
J7346	Dermal (substitute) tissue of human origin, injectable, with or without other bioengineered or processed elements, but without metabolically active elements, 1 cc		No			None	X	X	X					X					New code effective 1/1/07. Closed 12/31/08.
J7347	Dermal (substitute) tissue of nonhuman origin, with or without other bioengineered or processed elements; without metabolically active elements(Integra Matrix); per sq. cm.	N/A	No																Not covered. See Q4108.
J7348	Dermal (substitute) tissue of nonhuman origin, with or without other bioengineered or processed elements; without metabolically active elements(TissueMend); per sq. cm.	N/A	No																Not covered. See Q4109.
J7349	Dermal (substitute) tissue of nonhuman origin; with or without other bioengineered or processed elements; without metabolically active elements (PriMatrix), per sq. cm.	N/A	No																Not covered. See Q4110.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J7350	Dermal (substitute) tissue, human origin, injectable, with or without other bioengineered or processed elements but without metabolized active elements per 10 mg.		No			None	X	X	X					X					CMS closed code effective 12/31/06. See J7346.
J7351	Injection, bimatoprost, intracameral implant, 1 microgram	Durysta	Yes	EA	Anti-miotic (glaucoma)	20 units daily	X	X	X										Effective 10/1/20.
J7352	Afamelanotide implant, 1 mg.	Scenesse	N/A																Not covered.
J7354	Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg)	Ycanth	Yes	UN	Irritant	None	X	X	X										Effective 4/1/24. Covered to ASC. Restricted to ICD-10 B08.1. Minimum of 2 years.
J7355	Injection, travoprost, intracameral implant, 1 microgram	Idose	Yes	UN	Miotic	Maximum 150 units daily	X	X	X										Effective 7/1/24. Restricted to ICD-10 H40.10x0, H40.10x1, H40.10x2, H40.10x3, H40.10x4, H40.1110, H40.1111, H40.1112, H40.1113, H40.114, H40.1130, H40.1131, H40.1132, H40.1133, H40.1134, H40.1190, H40.1191, H40.1192, H40.1193, H40.1194, H40.1310, H40.1311, H40.1312, H40.1313, H40.1314, H40.1320, H40.1321, H40.1322, H40.1323, H40.1324, H40.1330, H40.1331, H40.1332, H40.1333, H40.1334, H40.1390, H40.1391, H40.1392, H40.1393, H40.1394, H40.1410, H40.1411, H40.1412, H40.1413, H40.1414, H40.1420, H40.1421, H40.1422, H40.1423, H40.1424, H40.1430, H40.1431, H40.1432, H40.1433, H40.1434, H40.1490, H40.1491, H40.1492, H40.1493, H40.1494. Minimum age of 16 years.
J7356	Injection, foscarnidopa 0.25 mg/foslevodopa 5 mg	Vyalev	yes	ML	Antiparkinsonism	none	X	X	X										Effective 7/1/25. Restricted to ICD-10 G20.A2, G20.B1, G20.B2, Parkinsonism
J7402	Mometasone furoate sinus implant, 10 micrograms	Sinuva	Yes	EA	Anti-inflammatory	1 per lifetime	X	X	X										Effective 4/1/21. Restricted to ICD-10 J33.0 - J33.9. Minimum age of 18 years.
J7500	Azathioprine oral 50mg	Imuran	Yes		Immuno-suppressant														Medicare X-over
J7501	Azathioprine parenteral 100mg	Imuran	Yes	UN	Immuno-suppressant	None	X	X	X										
J7502	Cyclosporine oral 100mg	Neoral Sandimmune	Yes		Immuno-suppressant														Medicare X-over
J7504	Lymphocyte immune globulin antihymocyte globulin equine parenteral 250mg	Atgam	Yes	ML	Immune globulin	None	X	X	X										
J7505	Muromonab-CD3 parenteral 5mg	Orthoclone OKT3	Yes	ML	Immuno-suppressant	1 per day	X	X	X										Effective 2/29/24, code is closed.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J7506	Prednisone oral per 5mg	Deltasone Meticorten Orasone	Yes		Immuno-suppressant														Medicare X-over
J7507	Tacrolimus, immediate release, oral, 1 mg	Prograf	Yes		Immuno-suppressant														Medicare X-over
J7508	Tacrolimus, extended release, oral, 0.1 mg	Astagraf	N/A																New code effective 1/1/14. Not covered. See pharmacy POS.
J7509	Methylprednisol-one oral per 4mg	Medrol	Yes		Immuno-suppressant														Medicare X-over
J7510	Prednisolone oral per 5mg	Deltacortef	Yes		Immuno-suppressant														Medicare X-over
J7511	Lymphocyte immune globulin antithymocyte globulin rabbit parenteral 25mg	Thymoglobulin	Yes	UN	Immune globulin	None	X	X	X										Weight based.
J7513	Daclizumab parenteral 25 mg	Zenapax	Yes	ML	Immuno-suppressant	None	X	X	X										Effective 2/29/24, code is closed.
J7515	Cyclosporine oral 25mg	Neoral Sandimmune	Yes		Immuno-suppressant														Medicare X-over
J7516	Cyclosporine parenteral 250mg	Neoral Sandimmune	Yes	PWD=UN SOL=ML	Immuno-suppressant	6 per day	X	X	X										
J7517	Mycophenolate mofetil oral 250mg	CellCept	Yes		Immuno-suppressant														Medicare X-over
J7518	Mycophenolic acid oral 180mg	Myfortic	Yes		Immuno-suppressant														Medicare X-over
J7520	Sirolimus oral 1mg	Rapamune	Yes		Immuno-suppressant														Medicare X-over
J7525	Tacrolimus parenteral 5 mg	Prograf	Yes	ML	Immuno-suppressant	None	X	X	X										
J7599	Immunosuppressive drug NOS. Used only if a more specific code is not available		Yes																Medicare X-over
J7602	Albuterol, all formulations including separated isomers, inhalation solution, FDA approved final product, non-compounded, administered through DME, concentrated form, per 1 mg (albuterol) or per 0.5 mg (levalbuterol).	Proventil, Ventolin, Xopenex	N/A	ML	Broncho-dilator	None	X	X	X	X									New code effective 1/1/08. Replaces Q4093. Code closed 3/31/08.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J7603	Albuterol, all formulations including separated isomers, inhalation solution, FDA approved final product, non-compounded, administered through DME, unit dose, per 1 mg. (albuterol), or 0.5 mg. (levalbuterol).	Proventil, Ventolin, Xopenex	N/A	ML	Broncho-dilator	None	X	X	X	X									New code effective 1/1/08. Replaces Q4094. Code closed 3/31/08.
J7604	Acetylcysteine inhalation solution compounded product, administered through				Mucolytic	None													Not covered
J7605	Arformoterol, inhalation solution, FDA approved, final product, non-compounded	Brovana	Yes	ML	Broncho-dilator	None	X	X											New code effective 1/1/08
J7606	Formoterol fumarate, inhalation solution, FDA approved final product, noncompounded, administered through DME, unit dose form, 20 mcg.	Perforomist	N/A		Broncho-dilator														Not covered.
J7607	Levalbuterol, inhalation solution, compounded product, administered through DME	Xopenex	N/A		Adrenergic bronchodilator														Not covered.
J7608	Acetylcysteine inhalation solution unit dose form per mg.	Mucomyst Mucosil	Yes	ML	Mucolytic		X	X	X	X									New code effective 1/1/08. Nurse practitioner added 1/1/09.
J7609	Albuterol, inhalation solution, compounded product, administered through DME	Proventil, Proventil Repetabs, Ventolin, Volmax	N/A		Broncho-dilator														Not covered.
J7610	Albuterol, inhalation solution, compounded product, administered through DME	Proventil, Proventil Repetabs, Ventolin, Volmax	N/A		Broncho-dilator														Not covered.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J7611	Albuterol inhalation concentrated form 1mg	Proventil, Proventil Repetabs, Ventolin, Volmax	Yes		Broncho-dilator	None	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes A22.1, A37.91, A48.1, B25.0, B44.0, B44.1, J05.0, J09.X1, J09.X2, J09.X3, J09.X9, J10.00, J10.01, J10.08, J10.1, J10.2, J10.81, J10.89, J11.00, J11.08, J11.1, J11.2, J11.81, J11.89, J12.0, J12.1, J12.2, J12.3, J12.81, J12.89, J12.9, J13, J14, J15.0, J15.1, J15.20, J15.211, J15.212, J15.29, J15.3, J15.4, J15.5, J15.6, J15.7, J15.8, J15.9, J16.0, J16.8, J17, J18.0, J18.1, J18.8, J18.9, J20.8, J20.9, J21.0, J21.8, J21.9, J40, J41.0, J41.1, J41.8, J42, J43.0, J43.1, J43.2, J43.8, J43.9, J44.0, J44.1, J44.9, J45.20, J45.21, J45.22, J45.30, J45.31, J45.32, J45.40, J45.41, J45.42, J45.50, J45.51, J45.52, J45.901, J45.902, J45.909, J45.990, J45.991, or J45.998 Opened effective 1/1/07. ICD-9 codes 464.4, 466-466.19, 480-487.8, 490-491.9, 492-492.8 and 493-493.9 required on claim form. Code closed effective 12/31/07. Code opened 4/1/08 with above ICD-9 restrictions.
J7612	Levalbuterol inhalation solution concentrated form 0.5mg	Xopenex	Yes		Broncho-dilator	None	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes A22.1, A37.91, A48.1, B25.0, B44.0, B44.1, J05.0, J09.X1, J09.X2, J09.X3, J09.X9, J10.00, J10.01, J10.08, J10.1, J10.2, J10.81, J10.89, J11.00, J11.08, J11.1, J11.2, J11.81, J11.89, J12.0, J12.1, J12.2, J12.3, J12.81, J12.89, J12.9, J13, J14, J15.0, J15.1, J15.20, J15.211, J15.212, J15.29, J15.3, J15.4, J15.5, J15.6, J15.7, J15.8, J15.9, J16.0, J16.8, J17, J18.0, J18.1, J18.8, J18.9, J20.8, J20.9, J21.0, J21.8, J21.9, J40, J41.0, J41.1, J41.8, J42, J43.0, J43.1, J43.2, J43.8, J43.9, J44.0, J44.1, J44.9, J45.20, J45.21, J45.22, J45.30, J45.31, J45.32, J45.40, J45.41, J45.42, J45.50, J45.51, J45.52, J45.901, J45.902, J45.909, J45.990, J45.991, or J45.998 Opened effective 1/1/07. ICD-9 codes 464.4, 466-466.19, 480-487.8, 490-491.9, 492-492.8 and 493-493.9 required on claim form. Code closed effective 12/31/07. Code opened 4/1/08 with above ICD-9 restrictions.
J7613	Albuterol inhalation solution unit dose 1mg	Accuneb Proventil Respirol Ventolin	Yes	SOL=ML	Broncho-dilator		X	X	X	X									Code change; re-opened 1/1/09. Code closed effective 12/31/07.
J7614	Levalbuterol inhalation solution unit dose 0.5mg	Xopenex	Yes	SOL=ML	Broncho-dilator		X	X	X	X									Code change; re-opened 1/1/09. Code closed effective 12/31/07.
J7615	Levalbuterol, inhalation solution, compounded product, administered through DME	Xopenex	N/A		Adrenergic bronchodilator														Not covered.
J7620	Albuterol, up to 2.5 mg and ipratropium bromide, up to 0.5 mg, non-compounded	Duoneb	N/A		Broncho-dilator														Not covered.
J7622	Betamethasone inhalation solution unit dose form per mg		N/A		Corticosteroid														Not Covered
J7624	Betamethasone inhalation solution unit dose form per mg		N/A		Corticosteroid														Not Covered
J7626	Budesonide inhalation solution, non-compounded, administered thru DME, unit dose, up to 0.5mg.	Pulmicort Respules	N/A		Corticosteroid														Not Covered

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J7627	Budesonide, powder, compounded for inhalation solution, administered through DME, unit dose form up to 0.5mg.	Pulmicort	N/A		Corticosteroid														Not covered.
J7628	Bitolterol mesylate inhalation solution concentrated form per mg	Tornalate	N/A		Sympathomimetic														Not Covered
J7629	Bitolterol mesylate inhalation solution unit dose form per mg	Tornalate	N/A		Sympathomimetic														Not Covered
J7631	Cromolyn sodium inhalation solution unit dose form per 10mg	Gastrocrom Intal Nasalcrom	Yes	PWD=UN SOL=ML	Anti-allergic	None	X	X	X	X									New code effective 1/1/08. Nurse practitioner added 1/1/09.
J7632	Cromolyn Sodium inhalation solution, compounded product, administered through				Mast cell stabilizer														Not covered.
J7633	Budesonide inhalation solution concentrated form per 0.25mg	Pulmicort	N/A		Cortico steroid														Not Covered
J7634	Budesonide, inhalation solution, compounded product, administered through DME	Rhinocort	N/A		Anti-inflammatory, corticosteroid														Not covered.
J7635	Atropine inhalation solution concentrated form per mg.	Sal-Tropine	N/A		anticholinergics/ antispasmodics														Not Covered
J7636	Atropine inhalation solution administered through DME unit dose form per mg	Sal-Tropine	N/A		anticholinergics/ antispasmodics														Not Covered
J7637	Dexamethasone inhalation solution concentrated form per mg	Decadron	N/A		Corticosteroid														Not Covered
J7638	Dexamethasone inhalation administered through DME unit dose form per mg	Decadron	N/A		Corticosteroid														Not Covered
J7639	Domase alpha inhalation solution unit dose form per mg	Pulmozyme	N/A		Enzyme														Not Covered
J7640	Formoterol, inhalation solution, administered through DME, unit dose form, 12 micrograms	Foradil	N/A		Corticosteroid														Not covered.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J7641	Flunisolide inhalation solution unit dose per mg	Nasalide	N/A		Corticosteroid														Not Covered
J7642	Glycopyrrolate inhalation solution concentrated form per mg	Robinul	N/A		Anti-cholinergic														Not Covered
J7643	Glycopyrrolate inhalation solution unit dose form per mg	Robinul	N/A		Anti-cholinergic														Not Covered
J7644	Ipratropium bromide inhalation solution unit dose form per mg	Atrovent	N/A		Broncho-dilator														Not Covered
J7645	Ipratropium bromide, inhalation solution, compounded product, administered thru DME	Atrovent	N/A		Broncho-dilator														Not covered.
J7647	Isoetharine HCl, inhalation solution, compounded product, administered through DME	Bronkometer, Bronkosol	N/A		Broncho-dilator														Not covered.
J7648	Isoetharine HCl inhalation solution concentrated form per mg	Bronkometer, Bronkosol	N/A		Broncho-dilator														Not Covered
J7649	Isoetharine HCl inhalation solution unit dose form per mg	Bronkometer, Bronkosol	N/A		Broncho-dilator														Not Covered
J7650	Isoetharine HCl, inhalation solution, compounded product, administered through DME	Bronkometer, Bronkosol	N/A		Broncho-dilator														Not covered.
J7657	Isoproterenol HCl, inhalation solution, compounded product, administered through DME	Isuprel HCl Medihaler-150	N/A		Vasopressor														Not covered.
J7658	Isoproterenol HCl inhalation solution concentrated form per mg	Isuprel HCl Medihaler-150	N/A		Vasopressor														Not Covered
J7659	Isoproterenol HCl inhalation solution unit dose form per mg	Isuprel HCl Medihaler-150	N/A		Vasopressor														Not Covered
J7660	Isoproterenol HCl, inhalation solution, compounded product, administered through DME	Isuprel HCl Medihaler-150	N/A		Vasopressor														Not covered.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J7665	Mannitol, administered via inhaler, 5 mg.	Aridol	N/A																Not covered.
J7667	Metaproterenol sulfate, inhalation solution, compounded product, concentrated	Alupent	N/A		Broncho-dilator														Not covered.
J7668	Metaproterenol sulfate inhalation solution concentrated form per 10mg	Alupent	Yes	ML	Broncho-dilator	None			X	X									Code closed 6/30/11. Opened effective 1/1/07. ICD-9 codes 464.4, 466-466.19, 480-487.8, 490-491.9, 492-492.8 and 493-493.9 required on claim form.
J7669	Metaproterenol sulfate inhalation solution unit dose form per 10 mg	Alupent	Yes	PWD=UN SOL=ML	Broncho-dilator	None			X	X									Effective 10/1/2015 ICD-10 diagnosis codes A22.1, A37.91, A48.1, B25.0, B44.0, B44.1, J05.0, J09.X1, J09.X2, J09.X3, J09.X9, J10.00, J10.01, J10.08, J10.1, J10.2, J10.81, J10.89, J11.00, J11.08, J11.1, J11.2, J11.81, J11.89, J12.0, J12.1, J12.2, J12.3, J12.81, J12.89, J12.9, J13, J14, J15.0, J15.1, J15.20, J15.211, J15.212, J15.29, J15.3, J15.4, J15.5, J15.6, J15.7, J15.8, J15.9, J16.0, J16.8, J17, J18.0, J18.1, J18.8, J18.9, J20.8, J20.9, J21.0, J21.8, J21.9, J40, J41.0, J41.1, J41.8, J42, J43.0, J43.1, J43.2, J43.8, J43.9, J44.0, J44.1, J44.9, J45.20, J45.21, J45.22, J45.30, J45.31, J45.32, J45.40, J45.41, J45.42, J45.50, J45.51, J45.52, J45.901, J45.902, J45.909, J45.990, J45.991, or J45.998 Opened effective 1/1/07. ICD-9 codes 464.4, 466-466.19, 480-487.8, 490-491.9, 492-492.8 and 493-493.9 required on claim form. Nurse practitioner added 10/1/09.
J7670	Metaproterenol sulfate, inhalation solution, compounded product, administered	Alupent	N/A		Broncho-dilator														Not covered.
J7674	Methacholine chloride as inhalation solution through a nebulizer per 1mg	Provocholine	N/A		Cholinergic broncho-constrictor														Not Covered
J7676	Pentamidine Isethionate inhalation solution, compounded product, administered through				Anti-protozoal														Not covered
J7680	Terbutaline sulfate inhalation solution concentrated form per mg	Brethine Bricanyl	N/A		Broncho-dilator														Not Covered
J7681	Terbutaline sulfate inhalation solution unit dose form per mg	Brethine Bricanyl	N/A		Broncho-dilator														Not Covered
J7682	Tobramycin unit dose form 300mg inhalation solution	Tobi	N/A		Antibiotic														Not Covered
J7683	Triamcinolone inhalation solution concentrated form per mg	Azmacort	N/A		Corticosteroid														Not Covered
J7684	Triamcinolone inhalation solution unit dose form per mg	Azmacort	N/A		Corticosteroid														Not Covered

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J7685	Tobramycin, inhalation solution, compounded product, administered through DME	Tobrex	N/A		Anti-bacterial, ophthalmic														Not covered.
J7686	Treprostinil, inhalation solution, FDA-approved final product, non-compounded, administered through DME, unit dose form, 1.74 mg.	Tyvaso	N/A		Pulmonary Anti-hypertensive														Not covered.
J7699	NOC drugs in-halation drugs. Used only if a more specific code is not available.		N/A																Not Covered
J7799	NOC drugs other than inhalation drugs. Used only if a more specific code is not available		N/A																Not Covered
J8498	Antiemetic drug, rectal/suppository, not otherwise specified		N/A																Not covered.
J8499	Prescription drug oral non-chemotherapeutic NOS		N/A																Not Covered
J8501	Aprepitant oral 5mg	Emend Emend Tri-Fold	N/A		Antiemetic														Not Covered
J8502	Injection, aprepitant (Aponvie), 1 mg	Aponvie	Yes	ML	Antiemetic	None	X	X	X	X									Effective 4/1/26.
J8510	Bulsulfan oral 2 mg	Myleran	N/A		Anti-neoplastic														Not Covered
J8515	Cabergoline, 0.25 mg	Dostinex	N/A																Not Covered.
J8520	Capecitabine oral 150mg	Xeloda	N/A		Anti-neoplastic														Not Covered.
J8521	Capecitabine oral 500mg	Xeloda	N/A		Anti-neoplastic														Not Covered.
J8530	Cyclophosphamide oral 25mg	Cytosan Procytox	N/A		Anti-neoplastic														Not Covered.
J8540	Dexamethasone, oral, 0.25 mg	Decadron	N/A		Anti-inflammatory														Not Covered.
J8560	Etoposide oral 50mg	VePesid	N/A		Anti-neoplastic														Not Covered.
J8561	Everolimus, oral, 0.25 mg.	Afinitor	N/A																Not Covered.
J8562	Fludarabine phosphate, oral, 10 mg.	Oforta	N/A		Anti-neoplastic														Closed 12/31/25.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J8565	Gefitinib oral 250mg	Iressa	N/A		Anti-neoplastic														Not Covered.
J8597	Antiemetic drug, oral, not otherwise specified		N/A																Not Covered.
J8600	Melphalan oral 2mg	Alkeran	N/A		Anti-neoplastic														Not Covered.
J8610	Methotrexate oral 2.5mg	Rheumatrex Dose Pack	N/A		Anti-rheumatic														Not Covered.
J8650	Nabilone, oral, 1 mg	Cesamet	N/A		Antiemetic														Closed 12/31/25.
J8670	Rolapitant, oral, 1 mg	Varubi																	Effective 1/1/17. Not covered. See pharmacy POS.
J8700	Temozolomide oral 5mg	Temodar	N/A		Anti-neoplastic														Not Covered.
J8705	Topotecan, oral, 0.25 mg.	Hycamtin	N/A		Anti-neoplastic														Not covered.
J8999	Prescription drug oral chemotherapeutic NOS. Used only if a more specific code is not available.		N/A																Not Covered.
J9000	Doxorubicin HCl 10mg	Adriamycin	Yes	PWD=UN SOL=ML	Anti-neoplastic	20 per day	X	X	X										
J9001	Doxorubicin HCl, all lipid formulations, 10mg	Doxil	Yes	ML	Anti-neoplastic	10 per day	X	X	X										Closed 12/31/12.
J9002	Injection, doxorubicin hydrochloride, liposomal, 10 mg	Doxil	Yes	ML	Anti-neoplastic	10 per day	X	X	X										Effective 1/1/13.
J9010	Injection, alemtuzumab, 10mg	Campath	Yes	ML	Anti-neoplastic	3 per day	X	X	X										Drug not available on market, effective 9/4/12.
J9011	Injection, datopotamab deruxtecán-dlnk, 1 mg	Datroway	Yes	EA	Antineoplastic	None	X	X	X										Effective 10/1/25. Contact Acentra at 800-346-8272 for prior authorization requests.
J9015	Aldesleukin per single use vial.	Proleukin	Yes	UN	Biological Response Modulator	3 per day	X	X	X										
J9017	Arsenic trioxide 1mg	Trisenox	Yes	PWD=UN SOL=ML	Anti-neoplastic	15 per day	X	X	X										
J9019	Injection, asparaginase, 1,000 iu	Erwinaze	Yes	UN	Anti-neoplastic	None	X	X	X										Closed 12/31/25. Effective 10/1/2015 ICD-10 diagnosis codes C91.00 - C91.02 Effective 1/1/13. Restricted to ICD diagnosis of 204.00 - 204.02.
J9020	Asparaginase 10000U	Elspar	Yes	UN	Anti-neoplastic	3 per day	X	X	X										Effective 2/29/24, code is closed.
J9021	Injection, asparaginase, recombinant, 0.1 mg	Rylaze	Yes	SOL	Anti-neoplastic	None	X	X	X										Effective 1/1/22. Restricted to ICD-10 C91.00 - C91.02, C83.50 - C83.59. Minimum age of 1 month.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9022	Injection, atezolizumab, 10 mg.	Tecentriq	Yes	ML	Anti-neoplastic	120 units daily	X	X	X										Effective 3/1/22, ICD -10 C22.0 - C22.9 added. Effective 2/1/19, added ICD-10: C50.911 - C50.929, C61, C7A.1, C78.00, C78.01, C78.02, C79.31, C79.51, C79.52, D05.00 - C05.92, D09.0, Z17.0, Z17.1, Z51.11, Z51.12, Z80.0 - Z80.3, Z80.41 - Z80.49, Z80.51 - Z51.59, Z85.118, Z85.3, Z85.51, Z85.59. Code made effective 1/1/18. Comprehensive list of indications: As of April 17, 2017, ICD-10 of C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C67.0, C67.1, C67.2, C67.3, C67.4, C67.5, C67.6, C67.7, C67.8, C67.9, C68.0. As of December 6, 2018, ICD-10 of C33, C34.00 - C34.92. As of March 8, 2019, ICD-10 of C50.011 - C50.819, and C50.021 - C50.829. Minimum age of 16 years.
J9023	Injection, avelumab, 10 mg.	Bavencio	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 5/14/19, ICD-10 added: C4A.111, C4A.112, C4A.121, C4A.122, C61, C64.1, C64.2, C64.9, C66.9, D09.0, Z85.51, Z85.528. Effective 1/1/18. Restricted to ICD-10 C4A.0, C4A.10 - C4A.12, C4A.20 - C4A.22, C4A.30 - C4A.39, C4A.4, C4A.51 - C4A.59, C4A.60 - C4A.62, C4A.70 - C4A.72, C4A.8, C4A.9; C65.1, C65.2, C66.1, C66.2, C67.0 - C67.9, C68.0, C68.8. Minimum age of 12 years.
J9024	Injection, atezolizumab, 5 mg and hyaluronidase-tqjs	Tecentriq Hybreza	Yes	ML	Antineoplastic	None	X	X	X										Effective 4/1/25. Restricted to ICD-10 C22.0, C22.8, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C43.0 - C43.9 or C49. Minimum of 16 years.
J9025	Injection, azacitidine, 1 mg	Vidaza	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 6/1/19, ICD-10 added: C92.00, C92.01, C92.02, C92.50, C92.51, C92.52, C92.60, C92.61, C92.62, C92A0, C92.A1, C92.A2, E83.42. Effective 10/1/2015 ICD-10 diagnosis codes C88.8, C92.10, C92.20, C94.40, C94.41, C94.42, C94.6, D46.0, D46.1, D46.20, D46.21, D46.22, D46.4, D46.9, D46.A, D46.B, D46.C, D46.Z, D47.1, D47.3, D47.9, or D47.Z9 ICD-9 code 238.7, 238.71, 238.72, 238.73, 238.74, 238.75, 238.76, 238.79 or 205.10 required on claim form.
J9026	Injection, tarlatamab-dlle, 1 mg	Imdeltra	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 1/1/25. Restricted to ICD-10 C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92. Minimum age of 16 years.
J9027	Injection, clofarabine, 1 mg	Clolar	Yes	ML	Anti-neoplastic	None	X	X	X										New code effective 1/1/06.
J9028	Injection, nogapendekin alfa inbakicept-pmln, for intravesical use, 1 microgram	Ankiva	Yes	ML	Anti-neoplastic		X	X	X										Effective 1/1/25. Restricted to ICD-10 C67.0 - C67.9, D09.0, R82.7, R82.8, R82.90, R82.91, R82.99, Z85.51, Z85.520 and Z85.528, bladder cancer. Minimum age of 18 years.
J9029	Injection, nadofaragene firadenovec-vncg, per therapeutic dose	Adstiladrin	Yes	EA	Anti-neoplastic	None	X	X											Effective 7/1/23. Restricted to ICD-10 C67.0 - C67.9, D09.0.
J9030	BCG live intravesical instillation, 1 mg	BCG Tice	Yes	UN	Biological Response Modulator	None	X	X	X										Effective 7/1/19.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9031	BCG live (intravesical) per instillation	TheraCys Tice BCG	Yes	UN	Biological Response Modulator	3 per day	X	X	X										Code can be used for therapeutic reasons, and claim must include the NDC being billed.
J9032	Injection, belinostat, 10 mg	Beleodaq	Yes	UN	Anti-neoplastic		X	X	X										Effective 1/1/16. Restricted to diagnosis ICD-10 C84.40 - C84.49. Minimum age of 16 years.
J9033	Injection, bendamustine HCl, 1 mg.	Treanda	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes C82.00 - C82.69, C82.80 - C82.99, C83.01 - C83.08, C83.10 - C83.19, C83.30 - C83.39, C83.50 - C83.59, C83.70 - C83.99, C84.00 - C84.19, C84.40 - C84.49, C84.60 - C84.79, C84.90 - C84.99, C84.A0 - C84.A9, C84.Z0 - C84.Z9, C85.10 - C85.29, C85.80 - C85.99, C86.0 - C86.4, C86.6, C88.2 - C88.4, C88.8, C88.9, C90.00, C90.10, C90.20, C90.30, C91.10 - C91.12, C91.40 - C91.42, C96.0, C96.2, C96.A, or D47.Z9 New code effective 1/1/09. Replaces C9239. Restricted to ICD-9 diagnosis 200.00-200.88, 202.00-202.88, 203.00, 203.10, 203.80, 238.6, 204.10 - 204.12, effective 1/1/09.
J9034	Injection, bendamustine HCl, 1 mg.	Bendeka	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 1/1/17. Restricted to ICD-10 diagnosis C82.00 - C82.69, C82.80 - C82.99, C83.01 - C83.08, C83.10 - C83.19, C83.30 - C83.39, C83.50 - C83.59, C83.70 - C83.99, C84.00 - C84.19, C84.40 - C84.49, C84.60 - C84.79, C84.90 - C84.99, C84.A0 - C84.A9, C84.Z0 - C84.Z9, C85.10 - C85.29, C85.80 - C85.99, C86.0 - C86.4, C86.6, C88.2 - C88.4, C88.8, C88.9, C90.00, C90.10, C90.20, C90.30, C91.10 - C91.12, C91.40 - C91.42, C96.0, C96.2, C96.A, or D47.Z9.
J9035	Injection bevacizumab 10 mg	Avastin	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 8/1/22, ICD-10 C56.3 added. Effective 3/1/22, ICD-10 C22.0 - C22.9 added. Effective 1/1/21, ICD-10 E10.311 - E10.359 and E11.311 - E11.359 added. Effective 2/1/17, add ICD-10 diagnoses C54.1, C54.2, C54.3, and C54.9. Effective 10/1/2015 ICD-10 diagnosis codes C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C38.4, C44.500, C44.501, C44.509, C44.90, C45.1, C48.0, C48.1, C48.8, C53.0, C53.1, C53.8, C56.1, C56.2, C56.9, C57.00 - C57.02, C57.10 - C57.12, C57.20 - C57.22, C57.3, C57.4, C64.1, C64.2, C64.9, C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C68.0, C68.1, C68.8, C68.9, C70.0, C70.1, C70.9, C71.0 - C71.9, C72.0, C72.1, C72.20 - C72.22, C72.30 - C72.32, C72.40 - C72.42, C72.50, C72.9, D43.0 - D43.2, or D43.4 Effective 11/14/14, ICD-9 diagnosis restriction of 158.0 - 158.8 and 183.0 - 183.8 added. Effective 8/14/14, ICD-9 diagnosis restriction of 180.0, 180.1, and 180.8 added. Effective 10/1/13, ICD-9 diagnosis restriction of 237.5 added. Effective 4/1/13, approved ICD-9 diagnoses 174.0 - 175.9 removed, per FDA recommendation. ICD-9 codes 153.0-154.8, 173.5, 174.0-174.9 or 175.0-175.9 required on claim form. New ICD-9 diagnosis code of 162.0 - 163.0, effective 9/20/07. New ICD-9 diagnosis code of 191.0-192.9, effective 5/5/09. New approved ICD-9 diagnosis of 189.0 - 189.9, effective 8/1/09. Bill J3490 for provider specialty Ophthalmology.
J9037	Injection, belantamab mafodotin-blmf, 0.5 mg	Blenrep	Yes	UN	Anti-neoplastic	None	X	X	X										Closed 3/31/25. Effective 4/1/21. Restricted to ICD-10 C90.00 - C90.02. Minimum age of 16 years.
J9038	Injection, axatimab-csfr, 0.1 mg	Niktimvo	Yes	ML	Immunosuppressive	None	X	X	X										Effective 4/1/25. Minimum age of 6 years.
J9039	Injection, blinatumomab, 1 microgram	Blinicyto	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 6/1/18, minimum age restriction was removed. Effective 1/1/16. Restricted to diagnosis ICD-10 C91.00 - C91.02. Minimum age of 13 years.
J9040	Bleomycin sulfate 15U	Blenoxane	Yes	UN	Anti-neoplastic	4 per day	X	X	X										

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9041	Injection bortezomib (Velcade), 0.1 mg	Velcade	Yes	UN	Proteasome Inhibitor	None	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes C83.10 - C83.19, C90.00, C90.02, T86.00 - T86.03, T86.09 - T86.13, T86.19 - T86.23, T86.290, T86.298, T86.30 - T86.33, T86.39 - T86.43, T86.810 - T86.812, T86.818, T86.819, T86.850 - T86.852, T86.858, T86.859, T86.890 - T86.892, T86.898 or T86.899 ICD-9 diagnosis restriction of 996.81 - 996.87 added, effective 3/1/15. ICD-9 code 203.00 or 203.02, initial or relapsed multiple myeloma, required on claim form. New indication of mantle cell lymphoma added effective 7/1/08. Claim must include ICD-9 range of 200.40 to 200.48.
J9042	Injection, brentuximab vedotin, 1 mg	Adcetris	Yes	UN	Anti-neoplastic	180 units daily	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes C81.00 - C81.49, C81.70 - C81.79, C81.90 - C81.98, or C84.60 - C84.79 Effective 1/1/13. Restricted to ICD-9 diagnosis of 200.60 - 200.68 or 201.00 - 201.98.
J9043	Injection, cabazitaxel, 1 mg.	Jevtana	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 10/1/2015 ICD-10 diagnosis code C61 Effective 1/1/12. Restricted to ICD-9 diagnosis 185.0.
J9044	Injection, bortezomib, not otherwise specified, 0.1 mg	NA	Yes	UN	Proteasome Inhibitor	None	X	X	X										Closed 12/31/22. See J9046, J9048, or J9049 after this date. Effective 1/1/19. Restricted to ICD-10 C83.10 - C83.19, C90.00, C90.02, and T86.00 - T86.03, T86.09 - T86.13, T86.19 - T86.23, T86.290, T86.298, T86.30 - T86.33, T86.39 - T86.43, T86.810 - T86.812, T86.818, T86.819, T86.850 - T86.852, T86.858, T86.859, T86.890 - T86.892, T86.898 or T86.899.
J9045	Carboplatin 50mg	Paraplatin	Yes	PWD=UN SOL=ML	Anti-neoplastic	18 per day	X	X	X										
J9046	Injection, bortezomib, (dr. reddy's), not therapeutically equivalent to J9041, 0.1 mg	NA	Yes	EA	Anti-neoplastic	None	X	X	X										Effective 1/1/23.
J9047	Injection, carfilzomib, 1 mg	Kyprolis	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes C90.00, C90.01 or C90.02 Effective 1/1/14. Restricted to ICD-9 diagnosis of 203.00 - 203.02. Minimum age restriction of 16 years.
J9048	Injection, bortezomib (fresenius kabi), not therapeutically equivalent to J9041, 0.1 mg	NA	Yes	EA	Anti-neoplastic	None	X	X	X										Effective 1/1/23.
J9049	Injection, bortezomib (hospira), not therapeutically equivalent to J9041, 0.1 mg	NA	Yes	EA	Anti-neoplastic	None	X	X	X										Effective 1/1/23.
J9050	Carmustine 100mg	BICNU	Yes	PWD=UN SOL=ML	Anti-neoplastic	5 per day	X	X	X										
J9052	Injection, carmustine (accord), not therapeutically equivalent to J9050, 100 mg	NA	Yes	UN	Antineoplastic	None	X	X	X										Effective 1/1/24.
J9053	Injection, belantamab mafodotin-blmf, 0.1 mg	Blenrep	Yes	EA	Antineoplastic	None	X	X	X										Effective 7/1/26. Restricted to ICD-10 C90.00 - C90.02. Minimum of 16 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9054	Injection, bortezomib, 0.1 mg	Boruzu	Yes	ML	Antineoplastic	None	X	X	X										Effective 4/1/25.
J9055	Injection Cetuximab 10 mg	Erbixut	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes C00.0 - C00.6, C00.8, C00.9, C01, C02.0 - C02.4, C02.8, C02.9, C03.0, C03.1, C03.9, C04.0, C04.1, C04.8, C04.9, C05.0 - C05.2, C05.8, C05.9, C06.0 - C06.2, C06.80, C06.89, C06.9, C07, C08.0, C08.1, C08.9, C09.0, C09.1, C09.8, C09.9, C10.0 - C10.4, C10.8 - C10.9, C11.0 - C11.3, C11.8, C11.9, C12, C13.0 - C13.2, C13.8, C13.9, C14.0, C14.2, C14.8, C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C30.0, C30.1, C31.0 - C31.3, C31.8, C31.9, C32.0 - C32.3, C32.8, C32.9, C4A.0 or C76.0 ICD-9 code 140.0-149.9, 153.0-154.8, 160.0-161.9, or 195.0 is required on claim form.
J9056	Injection, bendamustine hydrochloride, 1 mg	Vivimusta	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 7/1/23.
J9057	Injection, copanlisib, 1 mg	Aliqopa	Yes	UN	Anti-neoplastic	60 units daily	X	X	X										Effective 1/1/19. ICD-10 C82.00 - C82.99. Restricted to Minimum age of 16 years.
J9058	Injection, bendamustine hydrochloride (apotec), 1 mg	NA	Yes	ML	Anti-neoplastic	None	X	X	X										Closed 12/31/24. Effective 7/1/23.
J9059	Injection, bendamustine hydrochloride (baxter), 1 mg	NA	Yes	ML	Anti-neoplastic	None	X	X	X										Closed 12/31/24. Effective 7/1/23.
J9060	Cisplatin powder or solution per 10mg	Platinol AQ	Yes	PWD=UN SOL=ML	Anti-neoplastic	18 per day	X	X	X										
J9061	Injection, amivantamab-vmjw, 2 mg	Rybrevant	Yes	SOL	Anti-neoplastic	700 units daily	X	X	X										Effective 1/1/22. Restricted to ICD-10 C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92. Minimum age of 16 years.
J9062	Cisplatin 50mg	Platinol AQ	Yes	ML	Anti-neoplastic	6 per day	X	X	X										Closed 12/31/10. See J9060.
J9062	Injection, amivantamab and hyaluronidase-lpuj	Rybrevant Faspro	Yes	ML	Antineoplastic	None	X	X	X										Effective 7/1/26. Restricted to ICD-10 C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92. Minimum of 16 years.
J9063	Injection, mirvetuximab soravtansine-gynx, 1 mg	Elahere	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 7/1/23. Restricted to ICD-10 C48.1, C48.8, C56.1, C56.2, C56.3, C57.01, C57.02, C57.11, C57.12, C57.21, C57.22, C57.3, C57.4, C57.8, C79.61, C79.62, C79.63. Minimum of 16 years.
J9065	Injection cladribine per 1 mg	Leustatin	Yes	ML	Anti-neoplastic	40 per day	X	X	X										
J9070	Cyclophosphamide 100mg	Cytoxan Neosar	Yes	UN	Anti-neoplastic	68 per day	X	X	X										Closed 3/31/24. See below.
J9071	Injection, cyclophosphamide, (auromedics), 5 mg	NA	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 4/1/22.
J9073	Injection, cyclophosphamide (Dr. Reddy's), 5 mg	NA	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 4/1/24. Covered to ASC.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9074	Injection, cyclophosphamide (sandoz), 5 mg	NA	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 4/1/24. Covered to ASC.
J9075	Injection, cyclophosphamide, 5 mg, NOS	NA	Yes		Anti-neoplastic	None	X	X	X										Effective 4/1/24
J9076	Injection, cyclophosphamide (baxter), 5 mg	NA	Yes	EA	Anti-neoplastic	None	X	X	X										Effective 1/1/25.
J9080	Cyclophosphamide 200 mg	Cytosan Neosar	Yes	UN	Anti-neoplastic	34 per day	X	X	X										Closed 12/31/10. See J9070 after this date.
J9090	Cyclophosphamide 500 mg	Cytosan Neosar	Yes	UN	Anti-neoplastic	14 per day	X	X	X										Closed 12/31/10. See J9070 after this date.
J9091	Cyclophosphamide 1g	Cytosan Neosar	Yes	UN	Anti-neoplastic	7 per day	X	X	X										Closed 12/31/10. See J9070 after this date.
J9092	Cyclophosphamide 2g	Cytosan Neosar	Yes	UN	Anti-neoplastic	4 per day	X	X	X										Closed 12/31/10. See J9070 after this date.
J9093	Cyclophosphamide lyophilized 100mg	Cytosan Lyophilized	Yes	UN	Anti-neoplastic	68 per day	X	X	X										Closed 12/31/10. See J9070 after this date.
J9094	Cyclophosphamide lyophilized 200 mg	Cytosan Lyophilized	Yes	UN	Anti-neoplastic	34 per day	X	X	X										Closed 12/31/10. See J9070 after this date.
J9095	Cyclophosphamide lyophilized 500 gm	Cytosan Lyophilized	Yes	UN	Anti-neoplastic	14 per day	X	X	X										Closed 12/31/10. See J9070 after this date.
J9096	Cyclophosphamide lyophilized 1g	Cytosan Lyophilized	Yes	UN	Anti-neoplastic	7 per day	X	X	X										Closed 12/31/10. See J9070 after this date.
J9097	Cyclophosphamide lyophilized 2g	Cytosan Lyophilized	Yes	UN	Anti-neoplastic	4 per day	X	X	X										Closed 12/31/10. See J9070 after this date.
J9098	Cytarabine liposome 10 mg	DepoCyt	Yes	ML	Anti-neoplastic	5 per day	X	X	X										Closed 12/31/25
J9100	Cytarabine 100mg	Cytosar-U	Yes	PWD=UN SOL=ML	Anti-neoplastic	75 per day	X	X	X										
J9110	Cytarabine 500mg	Cytosar-U	Yes	PWD=UN SOL=ML	Anti-neoplastic	15 per day	X	X	X										Closed 12/31/10. See J9100.
J9118	Injection, calaspargase pegol-mknl, 10 units	Asparlas	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 10/1/19. Restricted to ICD-10 of C91.00, C91.01, C91.02.
J9119	Injection, cemiplimab-rwlc, 1 mg.	Libtayo	Yes	SOL	Anti-neoplastic	350 units daily	X	X	X										Effective 10/1/19. Minimum age of 16 years.
J9120	Dactinomycin 0.5mg	Cosmegen	Yes	UN	Anti-neoplastic	2 per day	X	X	X										
J9130	Dacarbazine 100mg	DTIC-Dome	Yes	UN	Anti-neoplastic	9 per day	X	X	X										
J9140	Dacarbazine 200mg	DTIC-Dome	Yes	UN	Anti-neoplastic	5 per day	X	X	X										Closed 12/31/10. See J9130.
J9144	Injection, daratumumab, 10 mg and hyaluronidase-fihj	Darzalex Faspro	Yes	SOL	Anti-neoplastic	180 units every 7 days	X	X	X										Effective 12/1/25, ICD-10 diagnosis and age restrictions removed. Effective 3/1/23, ICD-10 N03.0, N03.1, N03.2, N03.3, N03.4, N03.5, N03.6, N03.7, N03.8, N03.9, N03.A, N05.0, N05.1, N05.2, N05.3, N05.4, N05.5, N05.6, N05.7, N05.8, N05.9, N05.A added. Effective 1/1/21. Restricted to ICD-10 C90.00 - C90.02. Minimum age of 16 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9145	Injection, daratumumab, 10 mg	Darzalex	Yes	ML	Anti-neoplastic	210 units daily	X	X	X										Effective 12/1/25, ICD-10 diagnosis and age restrictions removed. Effective 3/1/23, ICD-10 N03.0, N03.1, N03.2, N03.3, N03.4, N03.5, N03.6, N03.7, N03.8, N03.9, N03.A, N05.0, N05.1, N05.2, N05.3, N05.4, N05.5, N05.6, N05.7, N05.8, N05.9, N05.A added.Effective 1/1/19, ICD-10 diagnosis C90.00 added. Effective 1/1/17. Restricted to ICD-10 diagnosis C90.02. Minimum age of 16 years.
J9150	Daunorubicin HCl 10mg	Cerubidine	Yes	PWD=UN SOL=ML	Anti-neoplastic	11 per day	X	X	X										
J9151	Daunorubicin citrate liposomal formulation 10 mg	Daunoxome	Yes	ML	Anti-neoplastic	11 per day	X	X	X										Effective 2/29/24, code is closed.
J9153	Injection, liposomal, 1 mg daunorubicin and 2.27 mg cytarabine	Vyxeos	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 1/1/19. Restricted to ICD-10 C92.00 - C92.02. Minimum age of 16 years.
J9155	Injection, degarelix, 1 mg.	Firmagon	Yes	UN	Anti-neoplastic	240 units per day	X	X	X										Effective 10/1/2015 ICD-10 diagnosis code C61 Effective 1/1/10. Restricted to ICD-9 diagnosis 185. Exclude female. Restrict to age 18 and above.
J9160	Denileukin diftitox 300mcg	Ontak	N/A		Anti-neoplastic														Closed 12/31/23.
J9165	Diethylstilbestrol diphosphate 250 mg	Stilphostrol	Yes	UN	Palliative therapy prostate cancer	4 per day	X	X	X										Effective 2/29/24, code is closed. Only for cancer diagnosis.
J9170	Docetaxel 20mg	Taxotere	Yes	ML	Anti-neoplastic	10 per day	X	X	X										Closed 12/31/09. See J9171.
J9171	Injection, docetaxel, 1 mg.	Taxotere	Yes	ML	Anti-neoplastic	200 u. per day	X	X	X								X		Effective 10/1/2015 ICD-10 diagnosis codes C00.0 - C00.6, C00.8, C00.9, C15.3 - C15.5, C15.8, C15.9, C16.0 - C16.6, C16.8, C16.9, C25.0 - C25.4, C25.7 - C25.9, C30.0, C30.1, C31.0 - C31.3, C31.8, C31.9, C32.0 - C32.3, C32.8, C32.9, C33, C34.00, C34.01, C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C44.00 - C44.02, C44.09, C44.201, C44.202, C44.209, C44.211, C44.212, C44.219, C44.221, C44.222, C44.229, C44.291, C44.292, C44.299 - C44.301, C44.309 - C44.311, C44.319 - C44.321, C44.329, C44.390, C44.391, C44.399, C44.40 - C44.42, C44.49, C45.1, C45.9, C47.0, C47.10 - C47.12, C47.20 - C47.22, C47.4, C47.8, C47.9, C48.0 - C48.2, C48.8, C49.0, C49.10 - C49.12, C49.20 - C49.22, C49.4, C49.8, C49.9, C4A.0, C4A.4, C50.011, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.219, C50.221, C50.222, C50.229, C50.311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421, C50.422, C50.429, C50.511, C50.512, C50.519, C50.521, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621, C50.622, C50.629, C50.811, C50.812, C50.819, C50.821, C50.822, C50.829, C50.911, C50.912, C50.919, C50.921, C50.922, C50.929, C51.0 - C51.2, C51.8, C51.9, C52, C53.0, C53.1, C53.8, C53.9, C54.0 - C54.3, C54.8, C54.9, C55, C56.1, C56.2, C56.9, C57.00 - C57.02, C57.10 - C57.12, C57.20 - C57.22, C57.3, C57.4, C57.7 - C57.9, C61, C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C67.0 - C67.9, C68.0, C68.8, C68.9, C76.0, C7B.00 - C7B.04, C7B.1, C7B.8, C80.0, C80.1, D09.0, D37.01, D37.02, D37.04, D37.05, D37.09, D48.1, D48.2, D49.0 - D49.2, D49.6, D49.81, D49.89 or D49.9 New code effective 1/1/10. The following are ICD-9 diagnoses approved for this code, including newly approved ICD-9 diagnoses. effective 7/1/10: 140.0 - 149.9, 150.0 - 150.9, 151.0 - 151.9, 157.0 - 157.9, 158.0, 158.8, 158.9, 160.0 - 160.9, 161.0 - 161.9, 162.0, 162.2, 162.3, 162.4, 162.5, 162.8, 162.9, 171.0, 171.2, 171.3, 171.5, 171.8, 171.9, 173.0, 173.2, 173.3, 173.4, 174.0 - 174.9, 175.0 - 175.9, 179, 180.0 - 180.9, 182.0, 182.1, 182.8, 183.0, 183.2, 183.3 - 183.5, 183.8, 183.9, 185, 188.0 - 188.9, 189.1, 189.2, 189.3, 189.8, 189.9, 195.0, 199.0, 199.1, 209.70 - 209.79, 233.7, 235.1, 238.1, 239.0 - 239.2, 239.6, 239.81, 239.89, 239.9.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9172	Injection, docetaxel (DOCIVYX), 1 mg.		Yes	ML	Antineoplastic	None	X	X	X										Effective 1/1/24.
J9173	Injection, durvalumab, 10 mg	Imfinzi	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 11/17/22, ICD-10 C22.0, C22.1, C23, C24.0, C24.8, and C24.9 added. Effective 1/1/19. Restricted to ICD-10 C33, C34.01, C34.02, C34.11, C34.12, C34.2, C34.31, C34.32, C34.81, C34.82, C34.91, C34.92, C65.1, C65.2, C66.1, C66.2, C67 - C67.9, C68.0, C68.8. Minimum age of 16 years.
J9174	Injection, docetaxel, 1 mg	Beizray	Yes	SOL	Antineoplastic	None	X	X	X										Effective 7/1/25.
J9175	Injection, Eliotts' B solution, 1 ml	dextrose/ electsol, IV	Yes	ML		None	X	X											Effective 2/29/24, code is closed.
J9176	Injection, elotuzumab, 1 mg	Empliciti	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 1/1/17. Restricted to ICD-10 diagnosis C90.00, C90.01, C90.92. Minimum age of 16 years.
J9177	Injection, enfortumab vedotin-ejlv, 0.25 mg	Padcev	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 7/1/20. Restricted to ICD-10 C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C67.0 - C67.9, C68.0. Minimum age 16 years.
J9178	Injection epirubicin HCl 2 mg	Ellence	Yes	PWD=UN SOL=ML	Anti-neoplastic	None	X	X	X										
J9179	Injection, eribulin mesylate, 0.1 mg.	Halaven	Yes	ML	Anti-neoplastic	80 units per 21 days	X	X	X										Effective 11/1/25, ICD-10 diagnosis restrictions removed. Effective 10/1/2015 ICD-10 diagnosis codes C50.011, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.219, C50.221, C50.222, C50.229, C50.311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421, C50.422, C50.429, C50.511, C50.512, C50.519, C50.521, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621, C50.622, C50.629, C50.811, C50.812, C50.819, C50.821, C50.822, C50.829, C50.911, C50.912, C50.919, C50.921, C50.922, C50.929, C79.10, C79.11, C79.19 or C79.81 Effective 1/1/12. Restricted to ICD-9 diagnosis 198.81 or 174.0 - 175.9. Minimum age restriction of 18 years.
J9181	Etoposide 10mg	VesPesid Toposar	Yes	PWD=UN SOL=ML	Anti-neoplastic	25 per day	X	X	X										
J9182	Etoposide 100mg	VesPesid Toposar	Yes	UN	Anti-neoplastic	3 per day	X	X	X										
J9183	Injection, gemcitabine intravesical system, 225 mg.	Inlexzo	Yes	UN	Antineoplastic	1 unit daily	X	X	X										Effective 4/1/26. Restricted to ICD-10 C67.0 - C67.9, D09.0, Z85.51. Minimum of 16 years.
J9184	Injection, gemcitabine hydrochloride (avyxa), 200 mg	Avgemsi	Yes	ML	Antineoplastic	None	X	X	X										Effective 1/1/26.
J9185	Fludarabine phosphate 50mg	Fludara	Yes	PWD=UN SOL=ML	Anti-neoplastic	5 per day	X	X	X										
J9190	Fluorouracil 500 mg	Adrucil	Yes	PWD=UN SOL=ML	Anti-neoplastic	5 per 27 days	X	X	X										

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9196	Injection, gemcitabine hydrochloride (accord), not therapeutically equivalent to J9201, 200 mg	NA	Yes	ML	Antineoplastic	None	X	X	X										Effective 4/1/23.
J9198	Injection, gemcitabine HCl, 100 mg	Infugem	N/A																Not covered.
J9199	Injection, gemcitabine HCl, 200 mg	Infugem	N/A																Not covered.
J9200	Floxuridine 500 mg	FUDR	Yes	UN	Anti-neoplastic	2 per day	X	X	X										
J9201	Gemcitabine HCl 200mg	Gemzar	Yes	UN	Anti-neoplastic	None	X	X	X										
J9202	Goserelin acetate implant per 3.6mg	Zoladex	Yes	UN	Anti-neoplastic	1 per month	X	X	X										Closed 8/31/22. Manufacturer is no longer producing drug NDCs participating with Medicaid, as of 10/1/21.
J9203	Injection, gemtuzumab ozogamicin, 0.1 mg.	Mylotarg	Yes	UN	Anti-neoplastic	800 units per day	X	X	X										Effective 1/1/18.
J9204	Injection, mogamulizumab-kpkc, 1 mg.	Poteligeo	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 10/1/19. Restricted to ICD-10 of C84.01 - C84.09, C84.11 - C84.19.
J9205	Injection, irinotecan liposome, 1 mg	Onivyde	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 1/1/17. Restricted to ICD-10 diagnosis C25.0, C25.1, C25.2, C25.3, C25.4, C25.7, C25.8, C25.9. Minimum age of 16 years.
J9206	Irinotecan 20mg	Camptosar	Yes	ML	Anti-neoplastic	35 per day	X	X	X										Effective 12/1/25, ICD-10 diagnosis restrictions removed. Effective 10/1/2015 ICD-10 diagnosis codes C15.3 - C15.5, C15.8, C15.9, C16.0 - C16.6, C16.8, C16.9, C17.0 - C17.3, C17.8, C17.9, C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C25.0 - C25.4, C25.7 - C25.9, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C45.9, C53.0, C53.1, C53.8, C53.9, C56.1, C56.2, C56.9, C57.00 - C57.02, C57.10 - C57.12, C57.20 - C57.22, C57.3, C57.4, C71.0 - C71.9, C80.0, C80.1, C82.00 - C82.69, C82.80 - C82.99, C83.01 - C83.08, C83.10 - C83.19, C83.30 - C83.39, C83.50 - C83.59, C83.70 - C83.99, C84.00 - C84.19, C84.40 - C84.49, C84.60 - C84.79, C84.90 - C84.99, C84.A0 - C84.A9, C84.Z0 - C84.Z9, C85.10 - C85.29, C85.20 - C85.29, C85.80 - C85.99, C86.0 - C86.4, C86.6, C88.4, C91.40 - C91.42, C96.0, C96.2, C96.4, C96.9, C96.A, C96.Z, C7B.00 - C7B.04, C7B.1, C7B.8, D49.0 - D49.7, D49.81, D49.89, or D49.9 ICD-9 diagnosis code required on claim form: Effective 5/1/10, the following are approved, 150.0 - 150.9, 151.0 - 151.9, 152.0 - 152.9, 153.0 - 154.8, 157.0 - 157.9, 162.0, 162.2, 162.3, 162.4, 162.5, 162.8, 162.9, 180.0, 180.1, 180.8, 180.9, 183.0, 183.2 - 183.5, 183.8, 183.9, 191.0 - 191.9, 199.0 - 199.1, 200.00 - 200.88, 202.00 - 202.88, 202.70 - 202.78, 202.80 - 202.88, 202.90 - 202.98, 209.70 - 209.79, and 239.0 - 239.9.
J9207	Injection, ixabepilone, 1 mg.	Ixempra	Yes	UN	Anti-neoplastic	Limit removed effective, 1/1/16	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes C50.011, C50.012, C50.019, C50.111, C50.112, C50.119, C50.211, C50.212, C50.219, C50.311, C50.312, C50.319, C50.411, C50.412, C50.419, C50.511, C50.512, C50.519, C50.611, C50.612, C50.619, C50.811, C50.812, C50.819, C50.911, C50.912, C50.919 New code effective 1/1/09. Restricted to ICD-9 code 174.0 - 174.9, metastatic or locally advanced breast cancer. Covered to physicians effective 1/1/09. Minimum age of 18 years. Replaces C9240.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9208	Ifosfamide per 1g	Ifex	Yes	UN	Anti-neoplastic	3 per day	X	X	X										
J9209	Mesna 200mg	Mesnex	Yes	ML	Anti-neoplastic	3 per day	X	X	X										
J9210	Injection, emapalumab-lzsg, 1 mg.	Gamifant	Yes	SOL	Immune globulin	None	X	X	X										Effective 10/1/19. Restricted to D76.1.
J9211	Idarubicin HCl 5mg	Idamycin Pfs	Yes	ML	Anti-neoplastic	12 per day	X	X	X										
J9212	Injection interferon alfa-con1 recombinant 1mcg	Infergen	Yes	ML	Anti-viral	1 per day X 7 consecutive days - lifetime	X	X	X										Effective 2/29/24, code is closed. Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
J9213	Interferon alfa-2A recombinant 3 million U	Roferon-A	Yes	KIT=UN SOL=ML	Anti-viral	1 per day X 7 consecutive days - lifetime	X	X	X										Effective 2/29/24, code is closed. Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
J9214	Interferon alfa-2B recombinant 1 million U	Intron-A	Yes	PWD=UN SOL=ML KIT=UN	Anti-viral	none	X	X	X										Effective 4/1/14, service limit removed.
J9215	Interferon alfo-n3 human leukocyte derived 250,000 IU	Alferon-N	Yes	ML	Biological Response Modulator	1 per day X 7 consecutive days - lifetime	X	X	X										Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
J9216	Interferon gamma 1B 3 million U	Actimmune	Yes	ML	Biological Response Modulator	1 per day X 7 consecutive days - lifetime	X	X	X										Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
J9217	Leuprolide acetate for depot suspension 7.5mg	Lupron Depot Eligard Lupron Depot- Ped	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 1/1/24, minimum age restriction of 18 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9218	Leuprolide acetate 1mg	Lupron	Yes	PWD=UN SOL=ML	Anti-neoplastic	1 per day X 7 consecutive days - lifetime	X	X	X										Effective 1/1/24, minimum age restriction of 18 years. Physician reimbursement for administration is limited to 1 unit X 7 consecutive days per lifetime.
J9219	Leuprolide acetate implant 65mg	Lupron	Yes	UN	Anti-neoplastic	1 per 3 months	X	X	X										Effective 1/1/24, minimum age restriction of 18 years. Per manufacturer's notification, Viadur is no longer made as of December 2007.
J9223	Injection, lurbinectedin, 0.1 mg	Zepzelca	Yes	EA	Anti-neoplastic	None	X	X	X										Effective 1/1/21. Restricted to ICD-10 C34.0 - C34.92. Minimum age of 16 years.
J9225	Histrelin implant, 50 mg	Vantas	Yes	UN	Gonadotropin	1 per year	X	X	X										Effective 1/1/24, minimum age restriction of 18 years. 10/1/2015 ICD-10 diagnosis code C61 ICD-9 code 185 required on claim form. Males only. Effective
J9226	Histrelin implant, 50 mg	Supprelin LA	Yes	UN	Gonadotropin	Age: 2 yrs and older	X	X	X	X									Effective 1/1/24, minimum age restriction of 18 years. Effective 10/1/2015 ICD-10 diagnosis codes E30.1, E30.8 or E30.9 New code effective 1/1/08. Diagnosis restriction, central precocious puberty(259.1). Nurse practitioner added 1/1/09.
J9227	Injection, isatuximab-irfc, 10 mg	Sarclisa	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 10/1/20. Restricted to ICD-10 C90.00 - C90.02. Minimum age of 16 years.
J9228	Injection, ipilimumab, 1 mg.	Yervoy	Yes	ML	Antibody(anti-neoplastic)	400 units per 20 days	X	X	X								X		Effective 3/13/23, ICD-10 diagnoses of Z85.038, Z85.118, Z85.528, Z85.53, and Z85.820 added. Effective 1/1/15, the service limit of 21 days was reduced to 20 days. Providers are encouraged to examine previous claims for accuracy from date of service 1/1/15. Effective 10/1/2015 ICD-10 diagnosis codes C21.1, C21.0, C43.0, C43.4, C43.10 - C43.12, C43.20 - C43.22, C43.30, C43.31, C43.39, C43.51, C43.52, C43.59 - C43.62, C43.70 - C43.72, C43.8, C43.9, C51.0 - C51.2, C51.9, C52, C60.0 - C60.2, C60.8, C60.9, C63.00 - C63.02, C63.10 - C63.12, C63.2, C63.7 - C63.9, C77.0 - C77.5, C77.8, C77.9, C78.00 - C78.02, C78.1, C78.2, C78.30, C78.39, C78.4, C78.5, C78.6, C78.7, C78.80, C78.89, C79.00 - C79.02, C79.10, C79.11, C79.19, C79.2, C79.31, C79.32, C79.40, C79.49, C79.51, C79.52, C79.60 - C79.62, C79.70 - C79.72, C79.81, C79.82, C79.89, C79.9, D03.0, D03.4, D03.8, D03.9, D03.10 - D03.12, D03.20 - D03.22, D03.30, D03.39, D03.51, D03.52, D03.59 - D03.62, or D03.70 - D03.72 Effective 1/1/12. Restricted to ICD-9 diagnosis 154.2, 154.3, 172.0 - 172.9, 184.0 - 184.4, 187.1 - 187.9, 196.0 - 196.9, 197.0 - 197.8, 198.0 - 198.8 (Date of change: April 2012). Minimum age restriction of 16 years.
J9229	Injection, inotuzumab ozogamicin, 0.1 mg	Besponsa	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 1/1/19. Restricted to ICD-10 C91.00 - C91.02. Minimum age of 16 years.
J9230	Mechlorethamine HCl nitrogen mustard 10mg	Mustargen	Yes	UN	Anti-neoplastic	5 per day	X	X	X										
J9232	Injection, docetaxel (hospira), not therapeutically equivalent to J9171, 1 mg	NA	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 7/1/26.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9245	Injection melphalan HCl 50mg	Alkeran Lphenylalanine mustard	Yes	UN	Anti-neoplastic	2 per day	X	X	X										
J9246	Injection, melphalan, 1 mg	Evomela	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 6/1/25, ICD-10 diagnoses C83.30 - C83.38, C83.390, and C83.398 added. Effective 12/1/24, ICD-10 diagnoses C81.70 - C81.7A, C81.90 - C81.9A, and Z51.11 added. Effective 7/1/20. Restricted to ICD-10 C90.00 - C90.02.
J9247	Injection, melphalan flufenamide, 1mg	Pepaxto	Yes	UN	Antineoplastic	40 units daily	X	X	X										Closed 3/31/25. Effective 10/1/21. Restricted to ICD-10 C90.00, C90.02. Minimum age of 16 years.
J9250	Methotrexate sodium 5mg	Rheumatrex Trexall Methotrexate sodium Lpf	Yes	PWD=UN SOL=ML	Anti-neoplastic	10 per day	X	X	X										
J9255	Injection, methotrexate (accord) not therapeutically equivalent to j9250 and j9260, 50 mg	NA	Yes	ML	Antineoplastic	None	X	X	X										Effective 1/1/24.
J9256	Injection, nipocalimab-aahu, 3 mg	Imaavy	Yes	ML	FCRN inhibitor	None	X	X	X										Effective 1/1/26. Restricted to ICD-10 G70.00, G70.01. Minimum age of 12 years.
J9258	Injection, paclitaxel protein-bound particles (teva) not therapeutically equivalent to j9264, 1 mg	NA	Yes	ML	Antineoplastic	None	X	X	X										Closed 9/30/24. Effective 1/1/24.
J9259	Injection, paclitaxel protein-bound particles (american regent) not therapeutically equivalent to j9264, 1 mg	NA	Yes	UN	Anti-neoplastic	None	X	X	X										Closed 12/31/24. Effective 7/1/23.
J9260	Methotrexate sodium 50mg	Rheumatrex Trexall Methotrexate sodium Lpf	Yes	UN	Anti-neoplastic	3 per day	X	X	X										
J9261	Injection, nelarabine, 50 mg	Arranon	Yes	ML	Anti-neoplastic	None	X	X	X										New code effective 1/1/07.
J9262	Injection, omacetaxine mepesuccinate, 0.01 mg	Synribo	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes C92.10 - C92.12 or C92.20 Effective 1/1/14. Restricted to IDC-9 diagnosis of 205.10 - 205.12. Minimum age restriction of 16 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9263	Injection oxaliplatin 0.5mg	Eloxatin	Yes	PWD=UN SOL=ML	Anti-neoplastic	None	X	X	X										Effective 1/1/21, ICD-10 diagnosis restrictions are removed. Effective 10/1/2015 ICD-10 diagnosis codes C15.3 - C15.5, C15.8, C15.9, C16.0 - C16.6, C16.8, C16.9, C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C22.1, C23, C24.0, C24.1, C24.8, C24.9, C25.0 - C25.3, C25.7 - C25.9, C26.0, C26.1, C26.9, C45.1, C48.1, C48.2, C48.8, C56.1, C56.2, C56.9, C57.00 - C57.02, C57.10 - C57.12, C57.20 - C57.22, C57.3, C57.4, C62.00 - C62.02, C62.10 - C62.12, C62.90 - C62.92, C81.90, C82.01 - C82.08, C82.11 - C82.18, C82.21 - C82.28, C82.31 - C82.38, C82.41 - C82.48, C82.50 - C82.59, C82.61 - C82.68, C82.81 - C82.88, C82.91 - C82.98, C83.31 - C83.39, C83.80 - C83.89, C84.90 - C84.99, C84.A0 - C84.A9, C84.Z0 - C84.Z9, C85.10 - C85.29, C85.80 - C85.99, C86.0 - C86.4 or C88.4 Effective 3/19/11, new list of approved ICD-9 diagnosis codes: 150.0 - 150.9, 151.0 - 151.9, 153.0 - 154.8, 155.1, 156.0 - 156.9, 157.0 - 157.3, 157.8, 157.9, 158.8, 183.0 - 183.9, 186.0, 186.9, 200.30 - 200.38, 200.70 - 200.78, 201.90, 202.01 - 202.08, 202.80 - 202.88. Added ICD-9 code 201.90 effective 1/1/08. ICD-9 code 153.0 - 154.8 required on claim form.
J9264	Injection, paclitaxel protein-bound particles, 1 mg	Abraxane	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes C25.0 - C25.4, C25.7 - C25.9, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C50.011, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.219, C50.221, C50.222, C50.229, C50.311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421, C50.422, C50.429, C50.511, C50.512, C50.519, C50.521, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621, C50.622, C50.629, C50.811, C50.812, C50.819, C50.821, C50.822, C50.829, C50.911, C50.912, C50.919, C50.921, C50.922 or C50.929 Approved ICD-9 diagnosis codes of 157.0 - 157.9 added, 9/6/13. Nurse practitioner removed as covered provider, effective 7/1/13. Effective 10/11/12, approved ICD-9 diagnosis 162.0 - 162.9 added. ICD-9 code 174.0 - 175.9 with chemo agent required on claim form. Nurse practitioner added 1/1/09.
J9265	Paclitaxel 20mg	Taxol Onxol	Yes	PWD=UN SOL=ML	Anti-neoplastic	20 per day	X	X	X										Closed 12/31/14. See J9267 after this date.
J9266	Pegaspargase per single dose vial	Oncaspar	Yes	ML	Anti-neoplastic	8 per day	X	X	X										
J9267	Injection, paclitaxel, 1 mg	Taxol Onxol	Yes	ml	Anti-neoplastic	400 u. per day	X	X	X										Effective 1/1/15.
J9268	Pentostatin per 10mg	Nipent	Yes	UN	Anti-neoplastic	1 per day	X	X	X										
J9269	Injection, tagraxofusp-erzs, 10 mcg.	Elzonris	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 10/1/19. Restricted to ICD-10 of C86.4.
J9270	Plicamycin 2.5mg	Mithracin Mithramycin	Yes	UN	Anti-neoplastic	2 per day	X	X	X										Effective 2/29/24, code is closed.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9271	Injection, pembrolizumab, 1 mg	Keytruda	Yes	UN ML	Antineoplastic		X	X	X										Effective 6/1/26, ICD-10 diagnosis restrictions are removed. Effective 1/1/25, ICD-10 C37 and C78.6 added. Effective 2/24/23, ICD-10 C34.90, C78.7, and C79.51 added. Effective 3/1/22, ICD-10 C78.00 - C78.02 added. Effective 11/13/20, ICD-10 C50.011 - C50.929 added. Effective 6/29/20, ICD-10 C17, C21, C21.8 added. Effective 1/8/20, ICD-10 C67.0 - C67.9 added. Effective 9/17/19, ICD-10 C54.0, C54.1, C54.3, C54.8, C54.9, C55, C57.8 added. Effective 7/30/19, ICD-10 C15.3, C15.4, C15.5, C15.8, C15.9 added. Effective 4/19/19, ICD-10 C64.1, C64.2, C65.1, C65.2 added. Effective 2/15/19, ICD-10 C43.9 added. Effective 12/19/18, ICD-10 C4A.111, C4A.112, C4A.121, C4A.122, C4A.21, C4A.22, C4A.30 - C4A.39, C4A.4, C4A.51 - C4A.59, C4A.60 - C4A.62, C4A.70 - C4A.72, C4A.8, C4A.9 added. Effective 11/09/18, ICD-10 C22.0, C22.8 added. Effective 6/12/18, ICD-10 C53.0 - C53.9, C85.20 - C85.29 added. Effective 9/22/17, ICD-10 C16.0, C16.1, C16.2, C16.3, C16.4, C16.5, C16.6, C16.8, C16.9 added. Effective 5/23/17, ICD-10 C18.0, C18.1, C18.2, C18.3, C18.4, C18.5, C18.6, C18.7, C18.8, C18.9, C19, C20 added. Effective 5/18/17, ICD-10 C65.1, C65.2, C66.1, C66.2, C67.0, C67.1, C67.2, C67.3, C67.4, C67.5, C67.6, C67.7, C67.8, C67.9, C68.0, C68.8, Z85.50, Z85.51, Z85.53, Z85.54, Z85.59 added. Effective 3/4/17, ICD-10 C81.10, C81.11, C81.12, C81.13, C81.14, C81.15, C81.16, C81.17, C81.18, C81.19, C81.20, C81.21, C81.22, C81.23, C81.24, C81.25, C81.26, C81.27, C81.28, C81.29, C81.30, C81.31, C81.32, C81.33, C81.34, C81.35, C81.36, C81.37, C81.38, C81.39, C81.40, C81.41, C81.42, C81.43, C81.44, C81.45, C81.46, C81.47, C81.48, C81.49, C81.70, C81.71, C81.72, C81.73, C81.74, C81.75, C81.76, C81.77, C81.78, C81.79 added. Effective 8/5/16 ICD-10 C00.0, C00.1, C00.2, C00.3, C00.4, C00.5, C00.6, C00.8, C00.9, C01, C02.0, C02.1, C02.3, C02.4, C02.8, C02.9, C03.0, C03.1, C03.9, C04.0, C04.1, C04.8, C04.9, C05.0, C05.1, C05.2, C05.8, C05.9, C06.0, C06.1, C06.2, C06.80, C06.89, C06.9, C07, C08.0, C08.1, C08.9, C09.0, C09.1, C09.8, C09.9, C10.0, C10.1, C10.2, C10.3, C10.4, C10.8, C10.9, C11.0, C11.1, C11.2, C11.3, C11.8, C11.9, C12, C13.0, C13.1, C13.2, C13.8, C13.9, C14.0, C14.2, C14.8, C30.0, C30.1, C31.0, C31.1, C31.2, C31.3, C31.8, C31.9, C32.0, C32.1, C32.2, C32.3, C32.8, C32.9, C44.02, C44.121, C44.122, C44.129, C44.221, C44.222, C44.229, C44.320, C44.321, C44.329, C44.42, C69.51, C69.52, C69.61, C69.62, C76.0, Z85.21, Z85.22, Z85.810, Z85.818, Z85.819 added. Effective 1/1/16, ICD-10 C43.0, C43.11, C43.12, C43.21, C43.22, C43.31, C43.39, C43.4, C43.51, C43.52, C43.59, C43.61, C43.62, C43.71, C43.72, C43.8, C20, C21.0, C21.1, C51.0, C51.1, C51.2, C51.8, C51.9, C52, C57.7, C57.8, C57.9, C60.0, C60.1, C60.2, C60.8, C60.9, C63.01, C63.02, C63.11, C63.12, C63.2, C63.7, C63.8, C69.01, C69.02, C69.11, C69.12, C69.21, C69.22, C69.31, C69.32, C69.41, C69.42, C69.51, C69.52, C69.61, C69.62, C69.81, C69.82, Z85.820, C33, C34.01, C34.02, C34.11, C34.12, C34.2, C34.31, C34.32, C34.81, C34.82, C34.91, C34.92 added.
J9272	Injection, dostarlimab-gxly, 10 mg	Jemperli	Yes	SOL	Anti-neoplastic	50 units daily	X	X	X										Effective 1/1/22. Restricted to ICD-10 C54.1. Minimum age of 16 years.
J9273	Injection, tisotumab vedotin-tftv, 1 mg	Tivdak	Yes	EA	Anti-neoplastic	200 units daily	X	X	X										Effective 4/1/22. Restricted to ICD-10 C53.0 - C53.9, D06.0 - D06.9, R87.610 - R87.619. Minimum age of 16 years.
J9274	Injection, faricimab-svoa, 0.1 mg	Kimmtrak	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 10/1/22. Restricted to ICD-10 C69.3 - C69.32, C69.40 - C69.42, C69.60 - C69.62, C69.90 - C69.92. Minimum age of 16 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9275	Injection, cosibelimab-ipdl, 2 mg	Unloxcyt	Yes	ML	Antineoplastic	600 units daily	X	X	X										Effective 7/1/25. Restricted to ICD=10 C44.02, C44.121, C44.1221, C44.1222, C44.1291, C44.1292, C44.221, C44.222, C44.229, C44.320, C44.321, C44.329, C44.42, C44.520, C44.521, C44.529, C44.621, C44.622, C44.629, C44.721, C44.722, C44.729, C44.82, C44.92. Minimum age of 18 years.
J9276	Injection, zanidatamab-hrri, 2 mg	Ziihera	Yes	UN	Antineoplastic	None	X	X	X										Effective 7/1/25.
J9277	Injection, pembrolizumab, 1 mg and berahyaluronidase alfa-pmph	Keytruda Qlex	Yes	ML	Antineoplastic	None	X	X	X										Effective 4/1/26.
J9278	Injection, carboplatin (avyxa), 1 mg.	Kyxata	Yes	ML	Antineoplastic	None	X	X	X										Effective 4/1/26.
J9280	Mitomycin 5mg	Mutamycin	Yes	UN	Anti-neoplastic	10 per day	X	X	X										
J9281	Mitomycin pyelocalyceal instillation, 1 mg	Jelmyto	Yes	UN	Anti-neoplastic	60 units weekly	X	X	X										Effective 1/1/21. Restricted to ICD-10 C65.1, C65.2. Minimum age of 16 years.
J9282	Mitomycin, intravesical instillation, 1 mg	Zusduri	Yes	UN	Antineoplastic	None	X	X	X										Effective 1/1/26. Restricted to ICD-10 C67.0 - C67.9. Minimum age of 16 years.
J9285	Injection, olaratumab, 10 mg.	Lartruvo	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 2/29/24, code is closed. Effective 1/1/18.
J9286	Injection, glofitamab-gxhm, 2.5 mg	Columvi	Yes	ML	Antineoplastic	None	X	X	X										Effective 1/1/24. to ICD-10 C83.30 - C83.39. Restricted
J9289	Injection, nivolumab, 2 mg and hyaluronidase-nvhy	Opdivo Qvantig	Yes	ML	Antineoplastic	None	X	X	X										Effective 7/1/25.
J9290	Mitomycin 20mg	Mutamycin	Yes	UN	Anti-neoplastic	3 per day	X	X	X										Closed. See J9280.
J9291	Mitomycin 40mg	Mutamycin	Yes	UN	Anti-neoplastic		X	X	X										Closed. See J9280.
J9293	Injection mitoxan-trone HCl 5mg	Navatrone	Yes	ML	Anti-neoplastic	6 per day	X	X	X										
J9294	Injection, pemetrexed (hospira) not therapeutically equivalent to j9305, 10 mg	NA	Yes	SOL EA	Antineoplastic	None	X	X	X										Effective 4/1/23.
J9295	Injection, necitumumab, 1 mg	Portrazza	Yes	ML	Anti-neoplastic	800 units daily	X	X	X										Effective 1/1/17. Restricted to ICD-10 diagnosis C34.01, C34.02, C34.11, C34.12, C34.2, C34.31, C34.32, C34.81, C34.82, C34.91, C34.92, C38.4, C78.01, C78.02. Minimum age of 16 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9296	Injection, pemetrexed (accord) not therapeutically equivalent to j9305, 10 mg	NA	Yes	SOL EA	Antineoplastic	None	X	X	X										Effective 4/1/23.
J9297	Injection, pemetrexed (sandoz), not therapeutically equivalent to j9305, 10 mg	NA	Yes	SOL	Antineoplastic	None	X	X	X										Effective 4/1/23.
J9298	Injection, nivolumab and relatimab-rmbw, 3 mg/1 mg	Opdualag	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 10/1/22. Restricted to ICD-10 C21.0, C21.1, C43.0, C43.10, C43.111, C43.112, C43.121, C43.122, C43.20, C43.21, C43.22, C43.30, C43.31, C43.39, C43.4, C43.5, C43.51, C43.52, C43.59, C43.60, C43.61, C43.62, C43.70, C43.71, C43.72, C43.8, C43.9, C51.0, C51.1, C51.2, C51.9, C52, C57, C57.7, C57.8, C57.9, C60.0, C60.1, C60.8, C60.9, C63, C63.00, C63.01, C63.02, C63.10, C63.11, C63.12, C63.2, C63.7, C63.8, C63.9, Z51.12. Minimum age of 12 years.
J9299	Injection, nivolumab, 1 mg	Opdivo	Yes	ML	Antineoplastic	None	X	X	X										Code made effective 1/1/16. Comprehensive list of indications: As of 12/22/14, ICD-10 diagnosis of C21.0, C21.1, C43.0, C43.1, C43.10, C43.11, C43.111, C43.112, C43.12, C43.121, C43.122, C43.2, C43.20, C43.21, C43.22, C43.3, C43.30, C43.31, C43.39, C43.4, C43.5, C43.51, C43.52, C43.59, C43.6, C43.60, C43.61, C43.62, C43.7, C43.70, C43.71, C43.72, C43.8, C43.9, C51.0, C51.1, C51.2, C51.9, C52, C57, C57.7, C57.8, C57.9, C60, C60.0, C60.1, C60.8, C60.9, C63.0, C63.00, C63.01, C63.02, C63.1, C63.10, C63.11, C63.12, C63.2, C63.7, C63.8, C63.9, Z51.12 added. As of 5/17/16, ICD-10 diagnosis of ICD-10 C81.10 - C81.19, C81.20 - C81.29, C81.30 - C81.39, C81.40 - C81.49, and C81.70 - C81.79, Z94.84 added. As of 2/2/17, ICD-10 diagnosis of ICD-10 C65, C65.1, C65.2, C65.9, C66, C66.1, C66.2, C66.9, C67, C67.0, C67.1, C67.2, C67.3, C67.4, C67.5, C67.6, C67.8, C67.9, C68, C68.0, C68.8, C68.9 added. As of 9/22/17, ICD-10 diagnosis of C22.0, C22.8 added. As of 4/16/18, ICD-10 diagnosis of C64.1, C64.2, C64.9, C65, C65.1, C65.2, C65.9 added. As of 7/10/18, ICD-10 diagnosis of C18.0 - C18.9, C19, C20 added. As of 8/16/18, ICD-10 diagnosis of C33, C34.0, C34.00, C34.01, C34.02, C34.1, C34.10, C34.11, C34.12, C34.2, C34.3, C34.30, C34.31, C34.32, C34.8, C34.80, C34.81, C34.82, C34.9, C34.90, C34.91, C34.92 added. As of 9/28/18, ICD-10 diagnosis of C00.0 - C00.9, C01, C02.0 - C02.9, C03.0 - C03.9, C04.0 - C04.9, C05.0 - C05.9, C06.0, C06.1, C06.2, C06.80, C06.89, C06.9, C09.0 - C09.9, C10.0 - C10.8, C12, C13.0 - C13.9, C14.0 - C14.8, C32.0 - C32.9, C76.0 added. As of 6/10/20, C15.3, C15.4, C15.5, C15.8, and C15.9 added. As of 10/2/20, C45.0 added. As of 4/16/21, C16.0 - C16.9 added. Minimum age of 16 years.
J9300	Gemtuzumab ozogamicin 5mg	Mylotarg	Yes	UN	Anti-neoplastic	4 per day	X	X	X										Closed 12/31/17. See J9203 after this date.
J9301	Injection, obinutuzumab, 10 mg	Gazyva	Yes	ML	Anti-neoplastic	100 units maximum dose	X	X	X										Effective 10/1/2015 ICD-10 diagnosis code C91.10 Effective 1/1/15. Restricted to 204.10. Minimum age restriction of 16 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9302	Injection, ofatumumab, 10 mg.	Arzerra	Yes	ML	Anti-neoplastic	Maximum service limit 200 u. weekly	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes C91.10 - C91.12 New code effective 1/1/11. Restricted to ICD-9 diagnosis 204.10 - 204.12. Restricted to age 18 and above.
J9303	Injection, panitumumab	Vectibix	Yes	ML	Anti-neoplastic	None	X	X	X										New code effective 1/1/08.
J9304	Injection, pemetrexed, 10 mg	Pemfexy	N/A																Not covered.
J9305	Injection pemetrexed 10mg	Alimta	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 6/1/15, ICD-9 diagnosis of 146.0 - 146.8 and 195.0 added and IDC-10 daignosis of C09.0, C09.1, C09.8, C09.9, C10.1, C10.2, C10.3, 10.4, C10.8 and C76.0 added. Effective 10/1/2015 ICD-10 diagnosis codes C33, C34.00 - C34.02, or C34.10 - C34.12 Restricted to ICD-9 diagnosis 162-163.9.
J9306	Injection, pertuzumab, 1 mg	Perjeta	Yes	ML	Anti-neoplastic	900 units per 20-day period	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes C50.011, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.219, C50.221, C50.222, C50.229, C50.311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421, C50.422, C50.429, C50.511, C50.512, C50.519, C50.521, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621, C50.622, C50.629, C50.811, C50.812, C50.819, C50.821, C50.822, C50.829, C50.911, C50.912, C50.919, C50.921, C50.922 or C50.929 Effective 4/1/14, change to service limit. Effective 1/1/14. Restricted to ICD-9 diagnosis of 174.0 - 174.9 or 175.0 - 175.9. Minimum age restriction of 16 years.
J9307	Injection, pralatrexate, 1 mg.	Folotyn	Yes	ML	Metabolic inhibitor	None	X	X	X								X		Effective 10/1/2015 ICD-10 diagnosis codes C84.40 - C84.49 New code effective 1/1/11. Restricted to ICD-9 diagnosis 202.70 - 202.78. Restricted to age 18 and above. Open to Oncology specialty for Physician provider type.
J9308	Injection, ramucirumab, 5 mg	Cyramza	Yes	ML	Antineoplastic	None	X	X	X										Effective 12/1/18, ICD-10 C15.3, C15.4, C15.5, and C15.8 added. Effective 1/1/16. Restricted to diagnosis ICD-10 C16.0 - C16.9, C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, or C34.80 - C34.82. Minimum age of 16 years.
J9309	Injection, polatuzumab vedotin-piiq, 1 mg.	Polivy	Yes	UN	Antineoplastic	None	X	X	X										Effective 1/1/20. to ICD-10 C83.30 - C83.39. Restricted
J9310	Rituximab 100mg	Rituxan	Yes	ML	Anti-neoplastic	10 per day	X	X	X										Closed 12/31/18. See J9312 after this date.
J9311	Injection, rituximab 10 mg. and hyaluronidase	Rituxan Hycela	Yes	ML	Anti-neoplastic	None	X	X	X										Diagnosis restrictions are removed effective 5/1/22. 1/1/19. C82.00 - C82.99, C83.00 - C83.39, C91.10, C91.12. years. Effective Restricted to ICD-10 Minimum age of 16
J9312	Injection, rituximab, 10 mg	Rituxan	Yes	ML	Anti-neoplastic	10 per day	X	X	X										Effective 1/1/19.
J9313	Injection, moxetumomab pasudotox-tdfk, 0.01 mg.	Lumoxiti	Yes	EA	Antineoplastic	None	X	X	X										Effective 10/1/19. Restricted to ICD-10 of C91.40, C91.41, C91.42 . age of 16 years. Minimum
J9314	Injection, pemetrexed (Teva), not therapeutically equivalent to J9305, 10 mg	NA	Yes	ML	Antineoplastic	None	X	X	X										Effective 1/1/23.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9315	Injection, romidepsin, 1 mg.	Istodax	Yes	UN	Anti-neoplastic	None	X	X	X							X			Closed 9/30/21. See J9318 after this date. Effective 10/1/2015 ICD-10 diagnosis codes C84.00 - C84.19 New code effective 1/1/11. Restricted to ICD-9 diagnosis 202.10 - 202.28. Restricted to age 18 and above. Open to Oncology specialty for Physician provider type.
J9316	Injection, pertuzumab, trastuzumab, and hyaluronidase-zzxf, per 10 mg	Phesgo	Yes	SOL	Anti-neoplastic	180 units daily	X	X	X										Effective 1/1/21, change to service limit. Effective 1/1/21. Restricted to ICD-10 C50.011 - C50.929. Minimum age of 16 years.
J9317	Injection, sacituzumab govitecan-hziy, 2.5 mg	Trodely	Yes	EA	Anti-neoplastic	None	X	X	X										Effective 7/1/23, ICD-10 C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C67.0 - C67.9, C68.0, C68.1, C68.8, C68.9 added. Effective 1/1/21. Restricted to ICD-10 C50.011 - C50.929. Minimum age of 16 years.
J9318	Injection, romidepsin, non-lyophilized, 0.1 mg	N/A	Yes	ML	Anti-neoplastic		X	X	X										Effective 10/1/21. Restricted to ICD-10 C84.00 - C84.19.
J9319	Injection, romidepsin, lyophilized, 0.1 mg	Istodax	Yes	UN	Anti-neoplastic		X	X	X										Effective 10/1/21. Restricted to ICD-10 C84.00 - C84.19.
J9320	Streptozocin 1g	Zanosar	Yes	UN	Anti-neoplastic	3 per day	X	X	X										
J9321	Injection, epcoritamab-bysp, 0.16 mg	Epkinly	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 1/1/24. Restricted ICD=10 C83.30 - C83.39. Minimum of 16 years.
J9322	Injection, pemetrexed (bluepoint) not therapeutically equivalent to J9305, 10 mg	NA	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 7/1/23.
J9323	Injection, pemetrexed (hospira) not therapeutically equivalent to J9305, 10 mg	NA	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 7/1/23.
J9325	Injection, talimogene laherparepvec, per 1 million plaque forming units	Imlygic	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 1/1/17. Minimum age of 16 years.
J9326	Injection, telisotuzumab vedotin-tlrv, 1 mg	Emrelis	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 1/1/26. Restricted to ICD-10 C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.3, C34.30 - C34.32, C34.8, C34.80 - C34.82, C34.9, C34.90 - C34.92, Z17.32. Minimum age of 16 years.
J9328	Injection, temozolomide, 1 mg.	Temodar	Yes	UN	Anti-neoplastic	none	X	X	X							X			Effective 10/1/2015 ICD-10 diagnosis codes C71.0 - C71.9 Effective 1/1/10. Restricted to ICD=9 diagnosis 191.0 - 191.9. restrict to age 18 and above.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9330	Injection, temsirolimus, 1 mg.	Torisel	Yes	UN	Anti-neoplastic	Limit removed effective, 1/1/16	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes C64.1, C64.2, C64.9, C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C68.0, C68.1, C68.8 or C68.9 New code effective 1/1/09. Restricted to ICD-9 code 189.0 - 189.9, advanced renal cell carcinoma, with a maximum dose of 25 mg./mL. Covered to physicians effective 1/1/09. Minimum age of 18 years.
J9331	Injection, sirolimus protein-bound particles, 1 mg	Fyarro	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 7/1/22. Restricted to ICD-10 C49.4, C49.6, C49.8, or C49.9. Minimum age of 16 years.
J9332	Injection, efgartigimod alfa-fcab, 2mg	Vyvgart	Yes	ML	FCRN inhibitor	None	X	X	X	X									Effective 7/1/22. Restricted to ICD-10 G70.00 or G70.01.
J9333	Injection, rozanolixizumab-noli, 1 mg	Rystiggo	Yes	ML	FCRN inhibitor	None	X	X	X										Effective 1/1/24. Restricted to ICD-10 G70.00, G70.01. Minimum age of 16 years.
J9334	Injection, efgartigimod alfa, 2 mg and hyaluronidase-qvfc	Vyvgart Hytrulo	Yes	ML	FCRN inhibitor	None	X	X	X										Effective 6/21/24, ICD-10 G61.81 added. Effective 1/1/24. Restricted to ICD-10 G70.00, G70.01.
J9340	Thiotepa 15mg	Thioplex	Yes	UN	Anti-neoplastic	10 per day	X	X	X										Closed 6/30/25. For Bone Marrow Transplants.
J9342	Injection, thiotepa, NOS, 1 mg	Tepadina	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 7/1/25.
J9341	Injection, thiotepa, 1 mg	Tepylute	Yes	ML	Antineoplastic	None	X	X	X										Effective 7/1/25.
J9345	Injection, retifanlimab-dlwr, 1 mg	Zynyz	Yes	ML	Antineoplastic	500 units daily	X	X	X										Effective 10/1/23. Restricted to ICD-10 C4A.0, C4A.10, C4A.111, C4A.112, C4A.121, C4A.122, C4A.20, C4A.21, C4A.22, C4A.30, C4A.31, C4A.39, C4A.4, C4A.51, C4A.52, C4A.59, C4A.60, C4A.61, C4A.62, C4A.70, C4A.71, C4A.72, C4A.8, C7B.1.
J9347	Injection, tremelimumab-actl, 1 mg	Imjudo	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 7/1/23. Restricted to ICD-10 C22.0, C34.00, C34.01, C34.02, C34.10, C34.11, C34.12, C34.2, C34.30, C34.31, C34.32, C34.80, C34.81, C34.82, C34.90, C34.91, C34.92. Minimum of 16 years.
J9348	Injection, naxitamab-gqgk, 1 mg	Danyelza	Yes	SOL	Anti-neoplastic	150 units daily	X	X	X										Effective 7/1/21. Restricted to ICD-10 C74.00 - C74.92. Minimum age of 1 year.
J9349	Injection, tafasitamab-cxix, 2 mg	Monjuvi	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 4/1/21. Restricted to ICD-10 C83.30 - C83.39. Minimum age of 16 years.
J9350	Injection, mosunetuzumab-axgb, 1 mg	Lunsumio	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 7/1/23. Restricted to ICD-10 C82.00 - C82.09, C82.10 - C82.19, C82.30 - C82.39, C82.80 - C82.89, C82.90 - C82.99. Minimum of 16 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9351	Injection, topotecan, 0.1 mg.	Hycamtin	Yes	UN	Anti-neoplastic	None	X	X	X							X			Effective 10/1/2015 ICD-10 diagnosis codes C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C53.0, C53.1, C53.8, C53.9, C56.1, C56.2, C56.9, C57.00 - C57.02, C57.10 - C57.12, C57.20 - C57.22, C57.3, C57.4, C79.60 - C79.62 or C79.82 New code effective 1/1/11. Restricted to ICD-9 162.0 - 162.9, 180.0 - 180.9, 183.0 - 183.9, 198.6, 198.82. Restricted to ages 18 and above. Open to Oncology specialty for Physician provider type.
J9352	Injection, trabectedin, 0.1 mg	Yondelis	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 1/1/17. Restricted to ICD-10 diagnosis C49.9. Minimum age of 16 years.
J9353	Injection, margetuximab-cmkb, 5 mg	Marginza	Yes	SOL	Anti-neoplastic	None	X	X	X										Effective 7/1/21. Restricted to ICD-10 C50.011 - C50.929. Minimum age of 16 years.
J9354	Injection, ado-trastuzumab emtansine, 1 mg	Kadcyla	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 12/1/17, ICD-10 diagnoses C77.1, C79.51, C79.52, D05.11, and D05.12 added. Effective 10/1/2015 ICD-10 diagnosis codes C50.011, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.219, C50.221, C50.222, C50.229, C50.311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421, C50.422, C50.429, C50.511, C50.512, C50.519, C50.521, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621, C50.622, C50.629, C50.811, C50.812, C50.819, C50.821, C50.822, C50.829, C50.911, C50.912, C50.919, C50.921, C50.922, C50.929, C79.10, C79.11, or C79.19 Effective 1/1/14. Restricted to ICD-9 diagnosis of 174.0 - 174.9 or 175.0 - 175.9. Minimum age restriction of 16 years.
J9355	Trastuzumab 10mg	Herceptin	Yes	UN	Anti-neoplastic	220 units monthly	X	X	X										Service limit added, effective 10/1/15.
J9356	Injection, trastuzumab, 10 mg and hyaluronidase-oysk	Herceptin Hylecta	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 5/1/23, ICD-10 C15.3 - C15.9, C16.0 - C16.9, C50.011 - C50.029, C50.111 - C50.129, C50.211 - C50.229, C50.311 - C50.329, C50.411 - C50.429, C50.511 - C50.529, C50.611 - C50.629, C50.811 - C50.829, C50.911 - C50.929, C77.0 - C77.9, C78.00 - C78.02, C78.1, C78.2, C78.30, C78.39, C78.4, C78.5, C78.6, C78.7, C78.80 - C78.9, C79.00 - C79.02, C79.10 - C79.19, C79.2, C79.32, C79.40, C79.49, C79.51, C79.52, C79.60 - C79.63, C79.70 - C79.72, C79.82, and C79.89 added. Effective 7/1/19. C82.00 - C82.99, C83.00 - C83.39, C91.10, C91.12. Restricted to ICD-10 Minimum age restriction of 16 years.
J9357	Valrubicin intravesical 200mg	Valstar	Yes	ML	Anti-neoplastic	6 per day	X	X	X										
J9358	Injection, fam-trastuzumab deruxtecan-nxki, 1 mg	Enhertu	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 8/11/22, ICD-10 C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80, C34.82, C34.9 - C34.92 added. Effective 7/1/20. Restricted to ICD-10 C50.011 - C50.929, Z85.3, C77.0 - C77.9, C78.00 - C78.39, C78.7, C79.31, C79.32, C79.51, C79.52. Minimum age 16 years.
J9359	Injection, loncastuximab tesirine-lpyl, 0.075 mg	Zynlonta	Yes	EA	Anti-neoplastic	None	X	X	X										Effective 4/1/22. Restricted to ICD-10 C83.30 - C83.39. Minimum age of 16 years.
J9360	Vinblastine sulfate 1mg	Vinblastine Sulfate Velban	Yes	PWD=UN SOL=ML	Anti-neoplastic	46 per day	X	X	X										
J9370	Vincristine sulfate 1mg	Oncovin Vincasar Pfs	Yes	PWD=UN SOL=ML	Anti-neoplastic	7 per day	X	X	X										

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9371	Injection, vincristine sulfate liposome, 1 mg	Marqibo	Yes	UN	Anti-neoplastic	None	X	X	X										Closed 6/30/24. Effective 10/1/2015 ICD-10 diagnosis codes C91.00 - C91.02, C91.10 - C91.12, C91.30 - C91.32, C91.50 - C91.52, C91.60 - C91.62, C91.91, C91.92, C91.A0 - C91.A2 or C91.Z0 - C91.Z2 Effective 1/1/14. Restricted to ICD-9 diagnosis of 204.00 - 204.82. Minimum age restriction of 16 years.
J9375	Vincristine sulfate 2mg	Oncovin Vincasar Pfs	Yes	ML	Anti-neoplastic	4 per day	X	X	X										Closed 12/31/10.
J9380	Injection, teclistamab-cqyv, 0.5 mg	Tecvayli	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 7/1/23. Restricted to ICD-10 C90.00, C90.02. Minimum of 16 years.
J9381	Injection, teplizumab-mzwv, 5 mcg	Tzield	Yes	ML	Anti-diabetic	None	X	X	X										Effective 7/1/23. Restricted to ICD-10 E10.10, E10.21, E10.22, E10.29, E10.3211, E10.3212, E10.3213, E10.3291, E10.3292, E10.3293, E10.3311, E10.3312, E10.3213, E10.3391, E10.3392, E10.3393, E10.3411, E10.3412, E10.3413, E10.3491, E10.3492, E10.3493, E10.3511, E10.3512, E10.3513, E10.3521, E10.3522, E10.3523, E10.3531, E10.3532, E10.3533, E10.3541, E10.3542, E10.3543, E10.3551, E10.3552, E10.3553, E10.3592, E10.3593, E10.36, E10.37X1, E10.37X2, E10.37X3, E10.39, E10.41, E10.42, E10.43, E10.49, E10.51, E10.52, E10.59, E10.610, E10.618, E10.620, E10.621, E10.622, E10.628, E10.630, E10.638, E10.649, E10.65, E10.69, E10.9, O24.011, O24.012, O24.013, O24.02, O24.03. Minimum of 8 years.
J9382	Injection, zenocutuzumab-zbco, 1 mg	Bizengri	Yes	ML	Antineoplastic	None	X	X	X										Effective 7/1/25. Restricted to ICD-10 C25.3 and C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92. Minimum of 18 years.
J9390	Vinorelbine tartrate 10mg	Navelbine	Yes	ML	Anti-neoplastic	10 per day	X	X	X										
J9393	Injection, fulvestrant (teva) not therapeutically equivalent to j9395, 25 mg	NA	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 1/1/23.
J9394	Injection, fulvestrant (fresenius kabi) not therapeutically equivalent to j9395, 25 mg	NA	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 1/1/23.
J9395	Injection fulvestrant 25mg	Faslodex	Yes	ML	Anti-neoplastic	20 units daily	X	X	X										Update to service limit, effective 9/9/10.
J9400	Injection, ziv-aflibercept, 1 mg	Zaltrap	Yes	ML	Anti-neoplastic	550 units bi-weekly	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes C18.0 - C18.9, C19, C20, C21.2 or C21.8 Effective 1/1/14. Restricted to ICD-9 diagnosis of 153.0 - 153.9, 154.0, 154.1, or 154.8. Minimum age restriction of 16 years.
J9600	Porfimer sodium 75mg	Photofrin	Yes	UN	Anti-neoplastic	3 per day	X	X	X										Closed 10/31/19. No drug manufacturers partitipating in federal drug rebate program.
J9601	Injection, linsvoseltamab-gcpt, 1 mg	Lynozyfic	Yes	ML	Antineoplastic	200 units daily	X	X	X										Effective 4/1/26. Restricted to ICD-10 C90.00, C90.02, C90.20, C90.22, C90.30, C90.32, Z92.22, Z92.25. Minimum age of 16 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
J9999	Unclassified Antineoplastics. Use only if a more specific code is not available.		Yes	KIT=UN SOL=ML PWD=UN			X	X	X										Refer to the list of Approved Drugs from preceding page billed with HCPCS Code J3490. Cost invoice may be required with claim form.
Q0090	Levonorgestrel-releasing intrauterine contraceptive system, 13.5 mg.	Skyla	Yes	UN	Contraceptive	1 unit per 3 years	X	X	X	X	X								Closed 12/31/13. See J7301. Effective 7/1/13. Minimum age restriction of 16 years.
Q0112	All potassium hydroxide (KOH) preparations		N/A																Not covered
Q0138	Injection, ferumoxytol, for treatment of iron deficiency anemia, 1 mg. (non-ESRD)	Feraheme	Yes	ML	Iron salt	none	X	X	X	X						X		X	Effective 1/1/17, ICD-10 diagnosis restriction of D63.1 added. Effective 10/1/2015 ICD-10 diagnosis codes D50.0, D50.1, D50.8, D50.9, D53.8 or D64.9 Deny if billed with ICD10 diagnosis N18.6 Effective 1/1/10. Restricted to ICD-9 diagnosis 280.0 - 280.9. Deny if billed with ICD-9 diagnosis 585.6. Restrict to age 16 and above.
Q0139	Injection, ferumoxytol, for treatment of iron deficiency anemia, 1 mg. (ESRD use)	Feraheme	Yes	ML	Iron salt	none	X	X	X	X						X		X	Effective 1/1/17, ICD-10 diagnosis restriction of D63.1 added. Effective 10/1/2015 ICD-10 diagnosis codes D50.0, D50.1, D50.8, D50.9, D53.8, D64.9 or N18.6 Effective 1/1/10. Restricted to ICD-9 diagnosis 280.0 - 280.9 and 585.6. Restrict to age 16 and above.
Q0144	Azithromycin dehydrate, oral, capsules/powder, 1 gram	Zithromax Zithromax Z-pak	Yes	UN					X	X									New code effective 1/1/08.
Q0162	Ondansetron 1 mg., oral, FDA-approved prescription anti-emetic, not to exceed a 48-hour dosage regimen	Zofran	N/A																Not covered.
Q0163	Diphenhydramine HCl 50 mg, oral, FDA approved prescription antiemetic, for use as a complete therapeutic substitute for an IV antiemetic at time of chemotherapy treatment not to exceed a 48 hour dosage regimen	Truxadryl	Yes	SOL=ML		None	X	X	X	X									Must be billed with chemo agent.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
Q0164	Prochlorperazine maleate, 5mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Compa-zine	Yes	UN		None	X	X	X	X									Must be billed with chemo agent.
Q0165	Prochlorperazine maleate, 10mg, oral, FDA approved antiemetic, for use as a complete therapeutic substitute for an IV antiemetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Compazine	Yes	UN		None	X	X	X	X									Must be billed with chemo agent.
Q0166	Granisetron HCl, 1mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 24 hour dosage regimen	Kytril	Yes	SOL=ML		None	X	X	X	X									Must be billed with chemo agent.
Q0167	Dronabinol, 2.5mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Marinol	Yes	UN		None	X	X	X	X									Must be billed with chemo agent.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
Q0168	Dronabinol, 5mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Marinol	Yes	UN		None	X	X	X	X									Must be billed with chemo agent.
Q0169	Promethazine HCl, 12.5mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Phenergan Amergan	Yes	UN		None	X	X	X	X									Must be billed with chemo agent.
Q0170	Promethazine HCl, 25mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Phenergan Amergan	Yes	SYR=ML		None	X	X	X	X									Must be billed with chemo agent.
Q0171	Chlorpromazine HCl, 10mg, oral, FDA approved antiemetic, for use as a complete therapeutic substitute for an IV antiemetic at the time of chemotherapy treatment, not to exceed a 48 hour regimen	Thorazine	Yes	SYR=ML		None	X	X	X	X									Must be billed with chemo agent.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
Q0172	Chlorpromazine HCl, 25mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour regimen	Thorazine	Yes	SOL=ML		None	X	X	X	X									Must be billed with chemo agent.
Q0173	Trimethobenzamide HCl, 250mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Tebamide T-Gen Ticon Tigan Triban Thimazide	N/A																Not Covered
Q0174	Thiethylperazine maleate, 10mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Torecan	Yes	UN		None	X	X	X	X									Closed 12/31/25. Must be billed with chemo agent.
Q0175	Perphenazine, 4mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Trilifon	Yes	UN		None	X	X	X	X									Must be billed with chemo agent.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
Q0176	Perphenazine, 8mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Trilifon	Yes	UN		None	X	X	X	X									Must be billed with chemo agent.
Q0177	Hydroxyzine pamoate, 25mg, oral, FDA approved antiemetic, for use as a complete therapeutic substitute for IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Vistaril	Yes	SUS=ML		None	X	X	X	X									Must be billed with chemo agent.
Q0178	Hydroxyzine pamoate, 50mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Vistaril	Yes	PWD=UN		None	X	X	X	X									Must be billed with chemo agent.
Q0179	Ondansetron HCl, 8mg, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Zofran	Yes	UN		None	X	X	X	X									Must be billed with chemo agent.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
Q0180	Dolasetron mesylate, 100mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 24 hour dosage regimen	Anzemet	Yes	UN		None	X	X	X	X									Must be billed with chemo agent.
Q0181	Unspecified oral dosage form, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen		N/A																Not covered
Q0222	Injection, bebtelovimab, 175 mg	N/A	Yes	ML	Monoclonal antibody	None	X	X	X	X									Effective 8/15/22.
Q0511	Pharmacy supply fee for oral anticancer, oral antiemetic or immunosuppressive		N/A																Medicare X-over
Q0515	Injection, sermorelin acetate, 1 microgram	Geref - Diagnostic	N/A																Not covered
Q2004	Irrigation solution for treatment of bladder calculi, for example Renacidin, per 500 ml	Renacidin	N/A																Not covered
Q2009	Injection, fosphenytoin, 50 mg	Cerebyx	N/A																Not covered
Q2024	Injection, bevacizumab, 0.25 mg.						X	X	X						X				Closed 12/31/09. See J3490 for Ophthalmology.
Q2040	Injection, incobotulinum toxin A, 1 u.	Xeomin	Yes	UN	Neuromuscular blocker	120 u. per 90 days	X	X	X										Closed 12/31/11. See J0588. Effective 4/1/11. Restricted to ICD-9 diagnosis codes of 333.81 & 333.83. Minimum age restriction of 18 years.
Q2040	Injection, tisagenlecleucel	Kymriah	Yes	UN	Anti-neoplastic	N/A	X	X											Closed 12/31/18. See Q2042 after this date. Effective 1/1/18. Contact Kepro at 800-346-8272 for prior authorization requests.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
Q2041	Axicabtagene ciloleucel, up to 200 million autologous anti-CD19 CAR positive T cells, including leukapheresis and dose preparation procedures, per therapeutic dose	Yescarta	Yes	EA	Anti-neoplastic	N/A	X												Effective 4/1/18. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria.
Q2042	Tisagenlecleucel, up to 600 million CAR-positive viable T cells, including leukapheresis and dose preparation procedures, per therapeutic dose	Kymriah	Yes	UN	Anti-neoplastic	N/A	X	X											Effective 1/1/19. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria.
Q2043	Sipuleucel-T, minimum of 50 million autologous cells, including all preparatory procedures, per infusion	Provenge	Yes	UN	Anti-neoplastic	1 per 14 days	X	X	X										Effective 10/1/2015 ICD-10 diagnosis code C61. Effective 7/1/11. Restricted to ICD-9 diagnosis 185. Minimum age restriction of 18 years.
Q2046	Injection, aflibercept 1 mg.	Eylea	Yes	ML	neovascular-Age related Macular Degeneration	4 units weekly	X	X							X				Effective 10/1/2015 ICD-10 diagnosis codes H34.811 - H34.813, H34.819, H35.32 or H35.81 Ophthalmology physician specialty added 7/1/12. New ICD-9 diagnosis restriction of 362.83 and 362.35 added, effective 9/21/12. Code opened 7/1/12. Restricted to ICD-9 diagnosis code of 362.52. Minimum age restriction of 16 years.
Q2047	Injection, peginesatide 0.1 mg.	Omontys	Yes	ML	Erythropoiesis stimulating agent													X	Effective 10/1/2015 ICD-10 diagnosis codes D63.1 or N18.6 Effective 7/1/12. Restricted to ICD-9 diagnosis 285.21 and 585.6. Minimum age restriction of 16 years.
Q2049	Injection, doxorubicin HCl., liposomal, 10 mg.	Lipodox (imported)	Yes	ML	Anti-neoplastic	10 per day	X	X	X										Effective 2/29/24, code is closed. Effective 7/1/12.
Q2050	Injection, doxorubicin hydrochloride, liposomal, not otherwise specified, 10mg	Doxil	Yes	ML	Anti-neoplastic	10 per day	X	X	X										Effective 1/1/14.
Q2053	Brexucabtagene autoleucel, up to 200 million autologous anti-cd19 car positive viable t cells, including leukapheresis and dose preparation procedures, per therapeutic dose	Tecartus	Yes	UN	Anti-neoplastic		X												Effective 4/1/21. Contact Acentra at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
Q2054	Lisocabtagene maraleucl, up to 110 million autologous anti-cd19 car-positive viable t cells, including leukapheresis and dose preparation procedures, per therapeutic dose	Breyanzi	Yes	UN	Antineoplastic	N/A	X												Effective 10/1/21. Contact Acentra at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria.
Q2055	Idecabtagene vicleucl, up to 460 million autologous b-cell maturation antigen (bcma) directed car-positive t cells, including leukapheresis and dose preparation procedures, per therapeutic dose	Abecma	Yes	UN	Antineoplastic		X												Effective 1/1/22. Contact Acentra at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria.
Q2056	Ciltacabtagene autoleucl, up to 100 million autologous B-cell maturation antigen (BCMA) directed CAR-positive T cells, including leukapheresis and dose preparation procedures, per therapeutic dose	Carvykti	Yes	EA	Antineoplastic		X												Effective 10/1/22. Contact Acentra at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria.
Q2057	Afamitresgene autoleucl, including leukapheresis and dose preparation procedures, per therapeutic dose	Tecelra	Yes	UN	Antineoplastic	None	X	X	X										Effective 5/1/26, contact Acentra at 800-346-8272 for prior authorization. Effective 4/1/25. Restricted to ICD-10 C38.0 - C38.8, C48.1 - C48.8, or C49.0 - C49.9. Minimum of 16 years.
Q2058	Obecabtagene autoleucl, up to 400 million cd19 car-positive viable t cells, including leukapheresis and dose preparation procedures, per therapeutic dose	Aucatzyl	Yes	UN	Antineoplastic	None	X	X											Effective 5/1/26, contact Acentra at 800-346-8272 for prior authorization. Effective 7/1/25. Restricted to ICD-10 C91.00, C91.02, Z51.12. Minimum age of 16 years.
Q3025	Injection, interferon beta-1a, 11 mcg for intramuscular use	Rebif Avonex	Yes	UN		4 daily	X	X	X	X									For IM only.
Q3026	Injection, interferon beta-1a, 11 mcg for subcutaneous use	Rebif Avonex	N/A																Closed 7/1/05

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
Q4074	Iloprost, inhalation solution, FDA-approved final product, non-compounded																		Not covered.
Q4079	Injection, Natalizumab 1 mg	Tysabri	Yes		Leukocyte Adhesion Inhibitor														Code closed 12/31/07. See J2323 effective 1/1/08.
Q4080	Iloprost inhalation solution administered thru DME up to 20 mcg	Ventavis	N/A																Not Covered. Closed 12/31/09. See Q4074
Q4081	Injection, Epoetin Alfa, 100 units (for ESRD on dialysis)	Epogen Procrit	Yes	ML		900 units 3 times weekly	X	X	X	X								X	Effective 10/1/2015 ICD-10 diagnosis code N18.6 New code 1/1/07. If more than 900 units needed, bill with J0886. ICD-9 585.6 needed on claim form.
Q4082	Drug or Biological, not otherwise classified, Part B drug		N/A																New code 1/1/07. Not covered.
Q4083	Hyaluronan or derivative, Hyalgan or Supartz, for intra-articular injection per dose	Hyalgan Supartz	No		Osteoarthritic	10 injection (5 per knee) per 170 rolling days													Code closed 12/31/07. Claims will deny when billed with Q code with dates of service after 12/31/07. See J7321 effective 1/1/08.
Q4084	Hyaluronan or derivative, Synvisc, for intra-articular injection, per dose	Synvisc	No		Osteoarthritic	6 injections (3 per knee) per 170 rolling days													Code closed 12/31/07. Claims will deny when billed with Q code with dates of service after 12/31/07. See J7322 effective 1/1/08.
Q4085	Hyaluronan or derivative, Euflexxa, for intra-articular injection, per dose	Euflexxa	No		Osteoarthritic	10 injection (5 per knee) per 170 rolling days													Code closed 12/31/07. Claims will deny when billed with Q code with dates of service after 12/31/07. See J7323 effective 1/1/08.
Q4086	Hyaluronan or derivative, Orthovisc, for intra-articular injections, per dose	Orthovisc	No		Osteoarthritic	8 injections (4 per knee) per 170 rolling days													Code closed 12/31/07. Claims will deny when billed with Q code with dates of service after 12/31/07. See J7324 effective 1/1/08.
Q4087	Octagam injection - injection , immune globulin,(Octagam) IV, non-lyophilized (i.e., liquid), 500mg		N/A																New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J1568 effective 1/1/08.
Q4088	Gammagard Liquid Injection - Injection, immune globulin (Gammagard Liquid), IV, non-lyophilized (e.e., liquid), 500mg.		N/A																New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J1569 effective 1/1/08.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
Q4089	Rhophylac Injection - Injection, Rho(d) immune globulin (human), (Rhohylac), IM or IV, 100iu - Note that currently Rhophylac is the only product that should be billed using code Q0489. If other products under the Food and Drug Administration (FDA) approval for Rhophylac become available, Q4089 would be used to bill for such products.		N/A																New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J2791 effective 1/1/08.
Q4090	HepaGam B Injection - Injection, hepatitis B immune globulin (HepaGam B, IM, 0.5 ml)		N/A																New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J1571 effective 1/1/08.
Q4091	Fiebogamma Injection - Injection, immune globulin (Flebogamma), IV, non-lyophilized (e.g., liquid), 500mg.		N/A																New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J1572 effective 1/1/08.
Q4092	Gamunex Injection - Injection, immune globulin (Gamunex), IV, non-lyophilized (e.g., liquid), 500mg		N/A																New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J1561 effective 1/1/08.
Q4093	Albuterol, all formulations including separated isomers, inhalation solution, FDA approved final product, non-compounded, administered through DME, concentrated form, per 1 mg (albuterol) or per 0.5mg (levalbuterol).		N/A																New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J7602 effective 1/1/08.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
Q4094	Albuterol, all formulations including separated isomers, inhalation solution, FDA approved final product, non-compounded, administered through DME, concentrated form, per 1 mg (albuterol) or per 0.5mg (levalbuterol).		N/A																New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J7603 effective 1/1/08.
Q4095	Zoledronic Acid/Mannitol/Water Reclast 5mg/100ml bottles	Reclast	Yes	ML	Bone Resorption Inhibitor														Code closed effective 12/31/07. See J3488 effective 1/1/08.
Q4096	Injection, Von Willebrand factor complex, human, Ristocetin cofactor, (NOS), per IU. VWF:RCO	Alphanate	N/A	IU	Anti-hemophilic														Not covered.
Q4098	Injection, iron dextran, 50 mg.	Infed	Yes	ML	Iron salt	None	X	X	X	X									New code. Opened 7/1/08. Closed 12/31/08. See J1750 after 1/1/09.
Q4100	Skin substitute, NOS	N/A	No			None	X	X	X					X					Closed 12/31/25. Requires description of skin substitute on claim form, requires cost invoice with claim form, add to edit 162
Q4101	Apligraf, per sq. cm.		No			None	X	X	X					X					Effective 1/1/09. Replaces J7340.
Q4102	Skin substitute, Oasis Wound Matrix, per sq. cm.	N/A	No			None	X	X	X					X					Replaces J7341.
Q4103	Skin substitute, Oasis Burn Matrix, per sq. cm.	N/A	No			None	X	X	X					X					Replaces J7341.
Q4107	Skin substitute, Graft Jacket, per sq. cm.	N/A	No			None	X	X	X					X					
Q4108	Skin substitute, Integra Matrix, per sq. cm.	N/A	No			None	X	X	X					X					Replaces J7347.
Q4109	Skin substitute, Tissuemend, per sq. cm.	N/A	No			None	X	X	X					X					Closed 12/31/25. Replaces J7348.
Q4110	Skin substitute, Primatrix, per sq. cm.	N/A	No			None	X	X	X					X					Replaces J7349.
Q4111	Skin substitute, GammaGraft, per sq. cm.	N/A	No			None	X	X	X					X					
Q4112	Allograft, Cmyetra, injectable, 1 cc.	N/A	No			None	X	X	X					X					Replaces J7346.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
Q4113	Allograft, GRAFTJACKET express, injectable, 1 cc.	N/A	No			None	X	X	X					X					Replaces J7346.
Q4114	Integra flowable wound matrix, injectable, 1 cc.	N/A	No			None	X	X	X					X					
Q4121	Theraskin, per sq. cm.	N/A	No			None	X	X	X					X					Effective 7/1/15. Covered to ASC, effective 7/1/15. Restricted to physician specialties of Podiatrist and Podiatric Surgeon, General Surgeon, Plastic Surgeon, and Dermatologist.
Q5101	Injection, filgrastim G-CSF, biosimilar, 1 mg.	Zarxio	Yes			1500 units daily	X	X	X										Effective 10/1/15.
Q5102	Infliximab, bio-similar, 10 mg.	Inflectra	Yes		Anti-rheumatic		X	X	X										Closed 3/31/18. See Q5103 after this date. Effective 1/1/17.
Q5103	Injection, infliximab-dyyb, bio-similar, 10 mg.	Inflectra	Yes	EA	Anti-rheumatic	None	X	X	X										Effective 4/1/18.
Q5104	Injection, infliximab-abda, bio-similar, 10 mg.	Renflexis	Yes	EA	Anti-rheumatic	None	X	X	X										Effective 4/1/18.
Q5105	Injection, epoetin alfa-epbx, bio-similar, 100 units (for ESRD on dialysis)	Retacrit	Yes	ML	Colony stimulating factor	None	X	X	X	X								X	Effective 8/1/22, added to dialysis center contracts. Effective 1/1/20. include ICD-10 N18.6. Must
Q5106	Injection, epoetin alfa-epbx, bio-similar, 1000 units (for non-ESRD use)	Retacrit	Yes	ML	Colony stimulating factor	None	X	X	X	X								X	Effective 8/1/22, added to dialysis center contracts. Effective 1/1/20. ICD-10 N18.6. Exclude
Q5107	Injection, bevacizumab-awwb, biosimilar, 10 mg.	Mvasi	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 8/1/22, ICD-10 C56.3, C78.6, D56.3, Z51.11, and Z51.12 added. Effective 3/1/22, ICD-10 C22.0 - C22.9 added. Effective 1/1/19. Restricted to ICD-10 C18.0 - C18.9, C19, C20, C21.8, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C53.0, C53.1, C53.8, C53.9, C64.1 - C64.2, C64.9, C65.1, C65.2, C65.9, C71.0 - C71.9. Minimum age of 18 years
Q5108	Injection, pegfilgrastim-jmdb, biosimilar, 0.5 mg	Fulphila	Yes	ML	Colony stimulating factor	None	X	X	X	X									Effective 10/1/18.
Q5110	Injection, filgrastim-aafi, biosimilar, 1 mcg	Nivestym	Yes	ML	Colony stimulating factor	None	X	X	X										Effective 6/1/23.
Q5111	Injection, pegfilgrastim-cbqv, biosimilar, 0.5 mg	Udenyca	Yes	ML	Colony stimulating factor	12 units daily	X	X	X										Effective 4/1/20, restricted to ICD-10 D70.1, T45.1X5A, T45.1X5D, T45.1X5S. Effective 1/1/19. Minimum age of 16 years.
Q5113	Injection, trastuzumab-pkrb, biosimilar, 10 mg.	Herzuma	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 7/1/19. Restricted to ICD-10 C50.011 - C50.929, C16.0 - C16.9. Minimum age of 16 years.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
Q5114	Injection, trastuzumab-dkst, biosimilar, 10 mg.	Ogivri	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 7/1/19. Restricted to ICD-10 C50.011 - C50.929, C16.0 - C16.9. Minimum age of 16 years.
Q5115	Injection, rituximab-abbs, biosimilar, 10 mg.	Truxima	Yes	ML	Anti-neoplastic	None	X	X	X										Diagnosis restrictions are removed effective 5/1/22. Effective 7/1/20: Restricted to ICD-10 C82.00 - C82.99, C83.00 - C83.89, C85.10 - C85.19, C85.80 - C85.89, C85.90 - C85.99, C91.10, C91.12, M31.30, M31.31, M31.7. Effective 7/1/19. Restricted to ICD-10 C82.00 - C82.99, C83.00 - C83.89, C85.80 - C85.89, C88.4. Minimum age of 16 years.
Q5116	Injection, trastuzumab-qyyp, 10 mg.	Trazimera	Yes	UN	None	None	X	X	X										Effective 10/1/19. Restricted to ICD-10 diagnosis of C16.0 - C16.9, C50.011 - C50.929. Minimum age of 16 years.
Q5117	Injection, trastuzumab-anns, biosimilar, 10 mg.	Kanjinti	Yes	UN	Anti-neoplastic	None	X	X	X										Effective 7/1/21, ICD-10 diagnoses C15.3 - C15.9 and C16.0 - C16.9 added. Effective 10/1/19. Restricted to ICD-10 diagnosis of C50.011 - C50.911, C50.021 - C50.921. Restricted to minimum age of 16 years.
Q5118	Injection, bevacizumab-bvzr, bio-similar, 10 mg.	Zirabev	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 10/1/19. Restricted to ICD-10 diagnosis of C18.0, C18.1, C18.2 - C18.9, C19, C20, C21.8, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C53.0, C53.1, C53.8, C53.9, C64.1, C64.2, C64.9, C65.1, C65.2, C65.9, C71.0 - C71.9.
Q5119	Injection, rituximab-pvvr, biosimilar, 10 mg	Ruxience	Yes	ML	Anti-neoplastic	None	X	X	X										Diagnosis restrictions are removed effective 5/1/22. Effective 7/1/20. Restricted to ICD-10 C82.00 - C82.99, C83.00 - C83.89, C85.10 - C85.19, C85.80 - C85.89, C85.90 - C85.99, C91.10, C91.12, M31.7, M31.30, M31.31. Minimum age of 16 years.
Q5120	Injection, pegfilgrastim-bmez, biosimilar, 0.5 mg	Ziextenzo	Yes	ML	Colony stimulating factor	None	X	X	X										Effective 7/1/20. Restricted to ICD-10 D70.1, T45.1X5A, T45.1X5D, T45.1X5S. Minimum age of 16 years.
Q5121	Injection, infliximab-axxq, biosimilar, 10 mg	Avsola	Yes	UN	Anti-rheumatic	None	X	X	X										Effective 10/1/24, ICD-10 diagnosis restrictions are removed. As of 10/1/22, ICD-10 diagnosis of K50.811, K50.812, K50, 813, K50.814, K50.818 and K50.819 added. Effective 7/1/20. Restricted to ICD-10 K50.00, K50.10, K50.80, K50.90, K51.00, K51.20, K51.30, K51.50, K51.80, K51.90, K60.3, K60.4, L40.0, L40.50, M05.60, M50.70, M06.00, M45.9.
Q5122	Injection, pegfilgrastim-apgf, biosimilar, 0.5 mg	Nyvepria	Yes	SOL	Colony stimulating factor	None	X	X	X										Effective 1/1/21.
Q5123	Injection, rituximab-arxx, biosimilar, 10 mg	Riabni	Yes.	SOL	Anti-neoplastic	None	X	X	X										Diagnosis restrictions are removed effective 5/1/22. Effective 7/1/21. Restricted to ICD-10 C83.00 - C83.09, C83.30 - C83.39, C85.80 - C85.89, C85.90 - C85.99, C91.10, C91.12, C95.9.
Q5124	Injection, ranibizumab-nuna, biosimilar, 0.1 mg	Byooviz	Yes	ML	Ophthalmic	None	X	X	X										Effective 1/1/24.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
Q5125	Injection, filgrastim-ayow, biosimilar, 1 mcg	Releuko	Yes	ML	Colony stimulating factor	None	X	X	X										Effective 10/1/22.
Q5126	Injection, bevacizumab-maly, biosimilar, 10 mg	Almysys	Yes	ML	Anti-neoplastic	None	X	X	X										Effective 1/1/23. Restricted to ICD-10 C18.0 - C18.9, C19, C20, C33, C34.01 - C34.92, C53.0 - C53.9, C56.1 - C56.3, C65.1, C62.2, C66.1, C66.2, C67.0 - C67.9, C68.0, C68.8, C71.0 - C71.9.
Q5127	Injection, pegfilgrastim-fpgk, biosimilar, 0.5 mg	Stimufend	Yes	ML	Colony stimulating factor	None	X	X	X										Effective 4/1/23.
Q5128	Injection, ranibizumab-eqrn, biosimilar, 0.1 mg	Cimerli	Yes	ML	VEGF inhibitor	max. 5 units daily	X	X	X										Effective 4/1/23.
Q5147	Injection, aflibercept-ayyh (pavblu), biosimilar, 1 mg	Pavblu	Yes	ML	VEGF inhibitor	None	X	X	X										Effective 4/1/25. Restricted to ICD-10 H35.3211 - H35.3231, H35.3212 - H35.3232, H35.3213 - H35.3233, H35.3210 - H35.3230, H34.8110 - H34.8130, H34.8310 - H34.8330, E08.3211 - E08.3213, E08.3311 - E08.3313, E08.3411 - E08.3413, E08.3511 - E08.3513, E08.311, E09.3211 - E09.3213, E09.3311 - E09.3313, E09.3411 - E09.3413, E09.3511 - E09.3513, E09.311, E10.3211 - E10.3213, E10.3311 - E10.3313, E10.3411 - E10.3413, E10.3511 - E10.3513, E10.311, E11.3211 - E11.3213, E11.3311 - E11.3313, E11.3411 - E11.3413, E11.3511 - E11.3513, E11.3511 - E11.3513, E11.311, E13.3211 - E13.3213, E13.3311 - E13.3313, E13.3411 - E13.3413, E13.3531 - E13.3513, E13.311, E08.3291 - E08.3293, E08.3391 - E08.3393, E08.3491 - E08.3493, E08.3521 - E08.3523, E08.3531 - E08.3533, E08.3541 - E08.3543, E08.3551 - E08.3553, E08.3591 - E08.3593, E08.319, E09.3291 - E09.3293, E09.3391 - E09.3393, E09.3491 - E09.3493, E09.3521 - E09.3523, E09.3531 - E09.3533, E09.3541 - E09.3543, E09.3551 - E09.3553, E09.3591 - E09.3593, E09.319, E10.3291 - E10.3293, E10.3391 - E10.3393, E10.3491 - E10.3493, E10.3521 - E10.3523, E10.3531 - E10.3533, E10.3541 - E10.3543, E10.3551 - E10.3553, E10.3591 - E10.3593, E10.319, E11.3291 - E11.3293, E11.3391 - E11.3393, E11.3491 - E11.3493, E11.3521 - E11.3523, E11.3531 - E11.3533, E11.3541 - E11.3543, E11.3551 - E11.3553, E11.3591 - E11.3593, E11.319, E13.3291 - E13.3293, E13.3391 - E13.3393, E13.3491 - E13.3493, E13.3521 - E13.3523, E13.3531 - E13.3533, E13.3541 - E13.3543, E13.3551 - E13.3553, E13.3591 - E13.3593, E13.319.
Q5148	Injection, filgrastim-bxid, biosimilar, 1 microgram	Nypozi	Yes	SOL	Colony stimulating factor	None	X	X	X										Effective 4/1/25
Q5157	Injection, denosumab-bmwo (stoboclo/osenvelt), biosimilar, 1 mg		Yes	ML	Bone Resorption Inhibitor	None	X	X	X	X									Effective 10/1/25.
Q5158	Injection, denosumab-bnht (bomynta/conexence), biosimilar, 1 mg		Yes	ML	Bone Resorption Inhibitor	None	X	X	X	X									Effective 10/1/25.
Q5162	Injection, denosumab-nxpx (Bilydos/Bilprevda), biosimilar, 1 mg	Bilydos Bilprevda	Yes	ML	Bone Resorption Inhibitor	None	X	X	X	X									Effective 4/1/26.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
Q5167	Injection, denosumab-qbde (enobyxtrenbo), biosimilar, 1 mg	Enoby Extrenbo	Yes	ML	Bone Resorption Inhibitor	None	X	X	X	X									Effective 7/1/26.
Q9951	Low osmolar contrast material, 400 mg./ml. or greater, iodine concentration per ml		No		Diagnostic agent Radio-pharmaceutical	Onagnostic	X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9952	Injection Gadolinim-based magnetic resonance contrast agent , per ml	Magnevist 46.9% Prohance Multihance Omniscan Omnimark	No		Diagnostic agent Radio-pharmaceutical	Olagnostic	X	X									X		Closed. Paper Claim. Send copy of the invoice which includes the NDC billed
Q9953	Injection iron-based magnetic resonance contrast agent, per ml	Feridex IV	No		Diagnostic agent Radio-pharmaceutical	N-agnostic	X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9954	Oral magnetic resonance contrast agent, per 100ml	Gastromark	No		Diagnostic agent Radio-pharmaceutical	Ragnostic	X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9955	Injection, perflerane lipid microsphere, per ml		No		Diagnostic agent Radio-pharmaceutical	Rfagnostic	X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9956	Injection octafluoropropane microspheres, per ml	Optison	No		Diagnostic agent Radio-pharmaceutical	Taagnostic	X	X	X								X		
Q9957	Injection , perflutren lipid microspheres, per ml	Definity	Yes		Diagnostic agent Radio-pharmaceutical	Eragnostic	X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed. Cardiology specialty added as covered provider, effective 1/1/09.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
Q9958	High osmolar contrast material, up to 149 mg/ml iodine concentration, per ml	Cystografin Reno-30 Cystografin Hypaque Cysto-Conray Conray -30	No		Diagnostic agent Radio-pharmaceutical	Coagnostic	X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9959	High osmolar contrast material, 150-199 mg/ml iodine concentration, per ml		No		Diagnostic agent Radio-pharmaceutical	Coagnostic	X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9960	High osmolar contrast material, 200-249 mg/ml iodine concentration, per ml	Conray 43	No		Diagnostic agent Radio-pharmaceutical	Coagnostic	X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9961	High osmolar contrast material, 250-299 mg/ml iodine concentration, per ml	Cholografin Reno-60 Renografin-60 Hypaque Conray	No		Diagnostic agent Radio-pharmaceutical	Coagnostic	X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9962	High osmolar contrast material, 300-349 mg/ml iodine concentration, per ml		No		Diagnostic agent Radio-pharmaceutical	Coagnostic	X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9963	High osmolar contrast material, 350-399 mg/ml iodine concentration, per ml	Gastrografen Sinografin Renocal-76 Hypaque Md-76R Md Gastroview	No		Diagnostic agent Radio-pharmaceutical	Coagnostic	X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9964	High osmolar contrast material, 400 or greater mg/ml iodine concentration, per ml	Conray 400	No		Diagnostic agent Radio-pharmaceutical	Coagnostic	X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9965	Low osmolar contrast material, 100-199 MG/ML IODINE CONCENTRATION, PER ML		No		Diagnostic agent Radio-pharmaceutical	Onagnostic	X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
Q9966	Low osmolar contrast material, 200-299 MG/ML Iodine Concentration, Per ML		No		Diagnostic agent Radio-pharmaceutical	Onagnostic	X	X	X								X		Paper Claim- Send copy of the invoice which includes the NDC billed
Q9967	Low osmolar contrast material, 300-399 MG/ML Iodine Concentration, Per ML		Yes		Diagnostic agent Radio-pharmaceutical	Onagnostic	X	X	X								X		Effective 6/1/17, claim must be submitted with NDC participating in federal rebate program. Paper Claim- Send copy of the invoice which includes the NDC billed
Q9968	Injection, non-radioactive, non-contrast, visualization adjunct																		Not covered.
Q9970	Injection, ferric carboxymaltose, 750 mg./15 ml.	Injectafer	Yes	ML	Iron therapy	None	X	X	X										Closed 12/31/14. See J1439 after this date. Effective 7/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 280.1 - 280.9. Minimum age restriction of 16 years.
Q9974	Injection, morphine sulfate, preservative-free for epidural or intrathecal use, 10mg	Duramorph	yes	ML	Analgesic narcotic	None	X	X	X										Closed 12/31/14. See J2274 after this date. Effective 7/1/14. Cannot be billed with J2271 or J2275 for same DOS.
Q9975	Injection, factor viii, fc fusion protein, (recombinant), per IU	Eloctate	Yes	IU	Anti-hemophilic	Ctti	X	X	X										Closed 12/31/15. See J7205 after this date. Effective 10/1/2015 ICD-10 diagnosis code D66 Effective 4/1/15. Restricted to ICD-9 diagnosis of 286.0 Minimum age restriction of 2 years.
Q9979	Injection, alemtuzumab 1 mg.	Lemtrada	Yes	ML	Anti-schlerotic	None	X	X	X										Closed 12/31/15. See J0202 after this date. Effective 10/1/2015. Restricted to diagnosis ICD-10 G35. Minimum age restriction of 17 years.
Q9984	Levonorgestrel-releasing IUD contraceptive, 19.5 mg.	Kyleena	Yes	EA	Contraceptive	Once in five years	X	X	X	X	X								Closed 12/31/17. See J7296 after this date. Effective 7/1/17.
Q9989	Ustekinumab 10 mg. IV injection	Stelara	Yes	ML	Antipsoriatic	None	X	X	X										Closed 12/31/17. See J3358 after this date. Effective 7/1/17. Restricted to ICD-10 L30.5, L40.0 - L40.4, L40.50 - L40.54, L40.59, L40.8, L40.9, L41.0, L41.1, L41.3 - L41.5, L41.8, L41.9, L42, L44.0, L44.8, L45 or L94.5.
Q9993	Injection, triamcinolone acetone, preservative-free, extended-release, microsphere formulation, 1 mg.	Zilretta	Yes	EA	Anti-inflammatory	Max. 32 mg. once yearly	X	X	X	X									Closed 12/31/18. Effective 7/1/18. Restricted to ICD-10 diagnosis of M17.1 - M17.9.
Q9997	Injection, ustekinumab-twe (pyzchiva), intravenous, 1 mg	Pyzchiva	Yes	ML	Monoclonal antibody	None	X	X	X										Effective 1/1/26.
S0012	Butorphanol tartrate, nasal spray, 25 mg.		N/A																Not covered.
S0014	Tacrine HCl, 10 mg.		N/A																Not covered.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
S0017	Injection, aminocaproic acid		N/A		Hemorrhage														Not Covered
S0020	Injection, bupivacaine hydro		N/A		Anesthetic														Not Covered
S0021	Injection, cefoperazone sod		N/A		Antibiotic														Not Covered
S0023	Injection, cimetidine hydroc		N/A		Anti-Ulcer Preparation														Not Covered
S0028	Injection, famotidine, 20 mg		N/A		Anti-Ulcer Preparation														Not Covered
S0030	Injection, metronidazole		N/A		Anti-protozoal														Not Covered
S0032	Injection, nafcillin sodium, 2 G.		Yes	EA	Penicillin-Antibiotic		X	X											Effective 7/1/20.
S0034	Injection, ofloxacin, 400 mg		N/A		Quinolone-Antibiotic														Not Covered
S0039	Injection, sulfamethoxazole		N/A		Sulfa - Antibiotic														Not Covered
S0040	Injection, ticarcillin disod		N/A		Penicillin-Antibiotic														Not Covered
S0073	Injection, aztreonam, 500 mg	Actazam	Yes	UN	Betalactam-Antibiotic	Anti-bacterial	X	X											Closed 6/30/23. See J0457 after this date. Effective 1/1/20. Cost invoice with NDC required.
S0074	Injection, cefotetan disodiu		N/A		Cephalosporin-Antibiotic														Closed 9/30/25. Not Covered
S0077	Injection, clindamycin phosph		N/A		Lincosamide-Antibiotic														Not Covered
S0078	Injection, fosphenytoin sodi		N/A		Anticonvulsant														Not Covered
S0080	Injection, pentamidine isethionate, 300 mg.	Pentam	Yes	UN	Antimicrobial	1 per day	X	X											Closed 12/31/25. See J2516 after this date. Effective 1/1/19.
S0081	Injection, piperacillin sodi		N/A		Penicillin-Antibiotic														Not Covered
S0088	Imatinib 100 mg		N/A		Leukemia														Not Covered
S0090	Sildenafil citrate, 25 mg		N/A		Impotency														Not Covered
S0091	Granisetron 1mg		N/A		Antiemetic/ Antivertigo Agents														Not Covered
S0092	Hydromorphone 250 mg		N/A		Narcotic														Not Covered
S0093	Morphine 500 mg		N/A		Narcotic														Not Covered
S0104	Zidovudine, oral, 100 mg		N/A		HIV- Antiviral														Not Covered
S0106	Bupropion HCL SR 60 tablets		N/A		Anti-Smoking														Not Covered
S0108	Mercaptopurine 50 mg		N/A		Leukemia														Not Covered
S0109	Methadone oral 5mg		Yes	EA	Narcotic	20 units daily													Effective 7/1/17. Covered entities are Mental Health Clinic & Mental Health Rehabilitation.
S0117	Tretinoin topical 5 g		N/A		Acne														Not Covered

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
S0122	Inj menotropins 75 iu		N/A		Follicle Stim /Lutenizing Homones														Not Covered. Code closed effective 12/31/07.
S0126	Inj follitropin alfa 75 iu		N/A		Follicle Stim /Lutenizing Homones														Not Covered. Code closed effective 12/31/07.
S0128	Inj follitropin beta 75 iu		N/A		Follicle Stim /Lutenizing Homones														Not Covered. Code closed effective 12/31/07.
S0132	Inj ganirelix acetat 250 mcg		N/A		LHRH (GNRH) Antagonist, Pituitary														Not Covered. Code closed effective 12/31/07.
S0136	Clozapine, 25 mg		N/A		Atypical Antipsychotic														Not Covered
S0137	Didanosine, 25 mg		N/A		HIV- Antiviral														Not Covered
S0138	Finasteride, 5 mg		N/A		Prostatic Hypertrophy														Not Covered
S0139	Minoxidil, 10 mg		N/A		Anti hypertensive														Not Covered
S0140	Saquinavir, 200 mg		N/A		HIV Antiviral														Not Covered
S0141	Zalcitabine, 0.375 mg		N/A		HIV- Antiviral														Not Covered
S0142	Colistimethate inh sol mg		N/A		Polymyxin- Antibiotic														Not Covered
S0143	Aztreonam, inh sol gram		N/A		Betalactam- Antibiotic														Not Covered
S0145	Peg interferon alfa-2A/180		N/A		Hepatitis C														Not Covered
S0146	Peg interferon alfa-2b/10		N/A		Hepatitis C														Not Covered
S0147	Alglucosidase alfa 20 mg		N/A		Enzyme Replacement														Not Covered. Code closed effective 12/31/07.
S0155	Sterile diluant for epoprostenol, 50 ml		N/A		Diluent Solutions														Not Covered. Code closed effective 12/31/07.
S0156	Exemestane, 25 mg		N/A		Antineoplastic														Not Covered. Code closed effective 12/31/07.
S0157	Becaplermin gel 1%, 0.5 gm		N/A		Diabetic Ulcer Preparations														Not Covered. Code closed effective 12/31/07.
S0160	Dextroamphetamine		N/A		ADHD, Narcolepsy														Not Covered
S0161	Calcitrol		N/A		Vitamin D														Not Covered
S0162	Injection efalizumab		N/A		Psoriasis														Not Covered
S0164	Injection pantoprazole		N/A		Gastric Reflux, Esophogitis														Not Covered
S0166	Inj olanzapine 2.5mg		N/A		Atypical Antipsychotic														Closed 12/31/23.
S0170	Anastrozole 1 mg		N/A		Antineoplastic														Not Covered

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
S0171	Bumetanide 0.5 mg		N/A		Loop Diuretics														Closed 12/31/23.
S0172	Chlorambucil 2 mg		N/A		Alkylating Agents														Not Covered. Code closed effective 12/31/07.
S0174	Dolasetron 50 mg		N/A		Antiemetic/ Antivertigo Agents														Not Covered. Code closed effective 12/31/07.
S0175	Flutamide 125 mg		N/A		Antiandrogenic Agent														Not Covered. Code closed effective 12/31/07.
S0176	Hydroxyurea 500 mg		N/A		Alkylating Agents														Not Covered. Code closed effective 12/31/07.
S0177	Levamisole 50 mg		N/A																Not Covered. Code closed effective 12/31/07.
S0178	Lomustine 10 mg		N/A		Alkylating Agents														Not Covered. Code closed effective 12/31/07.
S0179	Megestrol 20 mg		N/A		Appetite Stim. For Anorexia														Not Covered. Code closed effective 12/31/07.
S0180	Etonogestrel implant system		N/A		Contraceptive, Implantable														Code closed effective 12/31/07. Claims will deny when S code billed after dates of service 12/31/07. See J7307 effective 1/1/08.
S0181	Ondansetron 4 mg		N/A		Antiemetic/ Antivertigo Agents														Not Covered. Code closed effective 12/31/07.
S0182	Procarbazine 5 mg		N/A		Antineoplastic														Not Covered. Code closed effective 12/31/07.
S0183	Prochlorperazine 5 mg		N/A		Antiemetic/ Antivertigo Agents														Not Covered. Code closed effective 12/31/07.
S0187	Tamoxifen 10 mg		N/A		Selective Estrogen Receptor Modulators														Not Covered. Code closed effective 12/31/07.
S0189	Testosterone pellet 75 mg		N/A		Androgenic Agent														Not Covered. Code closed effective 12/31/07.
S0190	Mifepristone, oral, 200 mg	Mifeprex	Yes		Abortifacient, Progesterone Receptor Antagonist				X										
S0191	Misoprostol, oral, 200 mcg	Cytotec	Yes		Anti-Ulcer Prep/Abortifacient				X										
S0196	Poly-L-lactic acid 1ml face		N/A																Not Covered
S4989	Contracept IUD		N/A		IUD Contraceptive														Not Covered
S4990	Nicotine patches, legend		N/A																Not Covered

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	MH	HS	PO	OPH	HI	ID TF	DC	Special Instructions
S4991	Nicotine patches, nonlegend		N/A		Anti-Smoking														Not Covered
S4993	Contraceptive pills for bc		N/A		Oral Contraceptive														Not Covered
S4995	Smoking cessation gum		N/A		Anti-Smoking														Not Covered
S5000	Prescription drug, generic		N/A		IV Fluid														Not Covered
S5001	Prescription drug,brand name		N/A		IV Fluid														Not Covered
S5010	5% dextrose and 45% normal saline, 1000 ml		N/A		IV Fluid														Not Covered
S5011	5% dextrose in lactated ringer's, 1000 ml		N/A		IV Fluid														Not Covered
S5012	5% dextrose with potassium chloride, 1000 ml		N/A		IV Fluid														Not Covered
S5013	5% dextrose/45% normal saline with potassium chloride and magnesium sulfate, 1000 ml		N/A		IV Fluid														Not Covered
S5014	5% dextrose/45% normal saline with potassium chloride and magnesium sulfate, 1500 ml		N/A		IV Fluid														Not Covered
S5550	Insulin rapid 5 u		N/A		Diabetes														Not Covered
S5551	Insulin most rapid 5 u		N/A		Diabetes														Not Covered
S5552	Insulin intermed 5 u		N/A		Diabetes														Not Covered
S5553	Insulin long acting 5 u		N/A		Diabetes														Not Covered
S5565	Insulin cartridge 150 u		N/A		Diabetes														Not Covered
S5566	Insulin cartridge 300 u		N/A		Diabetes														Not Covered
*ACOP - Acute Care Outpatient Hospital *CAHOP - Critical Access Outpatient Hospital *P - Physician *NP - Nurse Practitioner *MW - Midwife *MH - Mental Health/Rehabilitation *HS - Hemophilia Services *PO - Podiatry *OPH- Ophthalmologist *HI - Home IV Infusion *IDTF - Independent Diagnostic Treatment Facility *D - Dialysis Center																			